*Data Set: Ce_derived_20251202_c*
*Date Created: 02DEC25:17:21*
*Number of Observations: 3401*
*Number of Variables:　54*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CODE | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $9. | . | .-. | . | | | . | . |
| CE_AGE | Age at Clinical Exam (Yrs) | NUM | | 49 | 23-86 | 3401 | | | . | . |
| CE_WEIGHT | Weight in lbs. (derived from CE_F2D_AVG_WGT_LBS_NUM) | NUM | MDKREF. | 202 | 89-461 | 3397 | .M | Missing | 4 | 0.1 |
| CE_BMICALC | BMI (derived from BEST_HEIGHT_IN and CE_WEIGHT) | NUM | MDKREF2D. | 30 | 16-61 | 3397 | .M | Missing | 4 | 0.1 |
| CE_WEIGHTCLASS | Weight classification (derived from CE_BMICALC) | NUM | BMIF. | | -1-3 | 3397 | .M | Missing | 4 | 0.1 |
| | | | | | | | -1 | Underweight | 32 | 0.9 |
| | | | | | | | 0 | Normal | 729 | 21.4 |
| | | | | | | | 1 | Overweight | 1083 | 31.8 |
| | | | | | | | 2 | Obese | 841 | 24.7 |
| | | | | | | | 3 | Morbidly obese | 712 | 20.9 |
| CE_OBESE | Obese (derived from CE_WEIGHTCLASS) | NUM | DYNF. | | 0-1 | 3397 | .M | Missing | 4 | 0.1 |
| | | | | | | | 0 | No | 1844 | 54.2 |
| | | | | | | | 1 | Yes | 1553 | 45.7 |
| CE_OW | Overweight (derived from CE_WEIGHTCLASS) | NUM | DYNF. | | 0-1 | 3397 | .M | Missing | 4 | 0.1 |
| | | | | | | | 0 | No | 761 | 22.4 |
| | | | | | | | 1 | Yes | 2636 | 77.5 |
| CE_GAD7 | GAD7 General Anxiety Disorder Scale (derived from recoded CE_MH_O1_NUM-CE_MH_O7_NUM) | NUM | GADF. | | 0-21 | 3286 | .D | Don't Know | 48 | 1.4 |
| | | | | | | | .M | Missing | 56 | 1.6 |
| | | | | | | | .R | Refused | 11 | 0.3 |
| | | | | | | | 0 | 0-4 (minimal) | 1448 | 42.6 |
| | | | | | | | 5 | 5-9 (mild) | 105 | 3.1 |
| | | | | | | | 15 | 15-21 (severe) | 40 | 1.2 |
| CE_PHQ8 | PHQ8 Depression Scale Score (derived from recoded CE_MH_L1-CE_MH_L8) | NUM | PHQF. | | 0-24 | 3273 | .D | Don't Know | 66 | 1.9 |
| | | | | | | | .M | Missing | 52 | 1.5 |
| | | | | | | | .R | Refused | 10 | 0.3 |
| | | | | | | | 0 | 0-4 (no significant depression) | 970 | 28.5 |
| | | | | | | | 5 | 5-9 (mild depression) | 180 | 5.3 |
| | | | | | | | 10 | 10-14 (moderate depression) | 81 | 2.4 |

*Data Set: Ce_derived_20251202_c*
*Date Created: 02DEC25:17:21*
**Number of Observations: 3401**
**Number of Variables:     54**
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CODE | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 15 | 15-19 (moderately severe depression) | 44 | 1.3 |
| | | | | | | | 20 | 20-27 (severe depression) | 17 | 0.5 |
| CE_PHQ9 | PHQ9 Depression Scale Score (derived from recoded CE_MH_L1-CE_MH_L9) | NUM | PHQF. | | 0-27 | 3266 | .D | Don't Know | 69 | 2 |
| | | | | | | | .M | Missing | 52 | 1.5 |
| | | | | | | | .R | Refused | 14 | 0.4 |
| | | | | | | | 0 | 0-4 (no significant depression) | 970 | 28.5 |
| | | | | | | | 5 | 5-9 (mild depression) | 182 | 5.4 |
| | | | | | | | 10 | 10-14 (moderate depression) | 76 | 2.2 |
| | | | | | | | 15 | 15-19 (moderately severe depression) | 48 | 1.4 |
| | | | | | | | 20 | 20-27 (severe depression) | 18 | 0.5 |
| CE_PHQ8_HIGH | CE PHQ8 score >=10 | NUM | DYNF. | | 0-1 | 3273 | 0 | No | 2763 | 81.2 |
| | | | | | | | 1 | Yes | 510 | 15 |
| CE_PTSD | Primary Care PTSD Screener Scale (PC-PTSD) (derived from recoded CE_MH_N1_YN-CE_MH_N4_YN) | NUM | PTSDF. | | 0-4 | 3334 | .D | Don't Know | 19 | 0.6 |
| | | | | | | | .M | Missing | 44 | 1.3 |
| | | | | | | | .R | Refused | 4 | 0.1 |
| | | | | | | | 0 | 0 | 1947 | 57.2 |
| | | | | | | | 1 | 1 | 605 | 17.8 |
| | | | | | | | 2 | 2 | 381 | 11.2 |
| | | | | | | | 3 | 3-4 (positive for ptsd) | 252 | 7.4 |
| CE_CDRISC10 | CDRISC Conner-Davidson Resilience Scale (derived from recoded CE_MH_B1-CE_MH_B10) | NUM | MDKREF. | 32 | 0-40 | 3286 | .D | Don't Know | 43 | 1.3 |
| | | | | | | | .M | Missing | 66 | 1.9 |
| | | | | | | | .R | Refused | 6 | 0.2 |
| CE_TRAUMA_NUM | Traumatic Events Scale: number of traumatic events PPT experienced (derived from recoded CE_MH_E1-CE_MH_E13_YN) | NUM | MDKREF. | 3 | 0-12 | 3263 | .D | Don't Know | 44 | 1.3 |
| | | | | | | | .M | Missing | 73 | 2.1 |
| | | | | | | | .R | Refused | 21 | 0.6 |
| CE_TRAUMA_FLAG | Traumatic Events Flag: PPT experienced 1 or more traumatic events (derived from recoded CE_MH_E1-CE_MH_E13_YN) | NUM | DYNF. | | 0-1 | 3263 | .D | Don't Know | 44 | 1.3 |
| | | | | | | | .M | Missing | 73 | 2.1 |

*Data Set: Ce_derived_20251202_c*
*Date Created: 02DEC25:17:21*
*Number of Observations: 3401*
*Number of Variables:     54*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CODE | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | .R | Refused | 21 | 0.6 |
| | | | | | | | 0 | No | 274 | 8.1 |
| | | | | | | | 1 | Yes | 2989 | 87.9 |
| CE_FEQ_NUM | Financial Events Questionnaire: frequency of negative financial events (derived from recoded CE_MH_F1_YN-CE_MH_F27) | NUM | MDKREF. | 4 | 0-21 | 3265 | .D | Don't Know | 34 | 1 |
| | | | | | | | .M | Missing | 84 | 2.5 |
| | | | | | | | .R | Refused | 18 | 0.5 |
| CE_SOCIALTRUST | General Social Trust (derived from recoded CE_MH_J1 CE_MH_J2 CE_MH_J3) | NUM | MDKREF. | 3 | 0-6 | 3332 | .D | Don't Know | 23 | 0.7 |
| | | | | | | | .M | Missing | 41 | 1.2 |
| | | | | | | | .R | Refused | 5 | 0.1 |
| CE_SOCO | Social Cohesion Subscale: higher numbers indicate greater social cohesion (derived from recoded CE_MH_K1-CE_MH_K5) | NUM | MDKREF. | 0 | -2-2 | 3223 | .D | Don't Know | 127 | 3.7 |
| | | | | | | | .M | Missing | 44 | 1.3 |
| | | | | | | | .R | Refused | 7 | 0.2 |
| CE_PANAS_NEG | PANAS Negative Affect Scale, I-PANAS-SF Short Form (derived from CE_MH_M1 CE_MH_M2 CE_MH_M4 CE_MH_M6 CE_MH_M10) | NUM | MDKREF. | 7 | 5-25 | 3326 | .D | Don't Know | 10 | 0.3 |
| | | | | | | | .M | Missing | 60 | 1.8 |
| | | | | | | | .R | Refused | 5 | 0.1 |
| CE_PANAS_POS | PANAS Positive Affect Scale, I-PANAS-SF Short Form (derived from CE_MH_M3 CE_MH_M5 CE_MH_M7 CE_MH_M8 CE_MH_M9) | NUM | MDKREF. | 18 | 5-25 | 3297 | .D | Don't Know | 37 | 1.1 |
| | | | | | | | .M | Missing | 62 | 1.8 |
| | | | | | | | .R | Refused | 5 | 0.1 |
| CE_D1D_SYS_AVG | Average of 2 systolic values at clinical exam | NUM | BEST3. | 127 | 83-215 | 3396 | | | . | . |
| CE_D2D_DIA_AVG | Average of 2 diastolic values at clinical exam | NUM | BEST3. | 75 | 48-123 | 3396 | | | . | . |
| CE_BPMED | Blood pressure medication reported at clinical exam | NUM | | 0 | 0-1 | 3391 | | | . | . |
| CE_D2D_DIA_AVG_MED | For those on blood pressure medication add 10 for diastolic at clinical exam | NUM | | 86 | 62-133 | 1081 | | | . | . |
| CE_D1D_SYS_AVG_MED | For those on blood pressure medication add 15 for systolic at clinical exam | NUM | | 147 | 105-230 | 1081 | | | . | . |
| CE_HTN_PRIOR_DEF | Hypertensive flag based on prior definition. On blood pressure medication or diastolic greater than or equal to 90 or systolic greater than or equal to 140 at clinical exam | NUM | | 0 | 0-1 | 3399 | | | . | . |

*Data Set: Ce_derived_20251202_c*
*Date Created: 02DEC25:17:21*
*Number of Observations: 3401*
*Number of Variables: 54*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CODE | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|---|
| CE_HTN_NEW_DEF | Hypertensive flag based on new definition. On blood pressure medication or diastolic greater than or equal to 80 or systolic greater than or equal to 130 at clinical exam | NUM | | 1 | 0-1 | 3399 | | | . | . |
| CE_BRAINTUMOR | MD diagnosis of brain tumor reported at CE (derived from CE_C15A1_YN, CE_C15A2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 1-4 | 3397 | .D | Don't Know | 1 | 0 |
| | | | | | | | .M | Missing | 3 | 0.1 |
| | | | | | | | 1 | Diagnosis before spill | 6 | 0.2 |
| | | | | | | | 2 | Diagnosis after spill | 8 | 0.2 |
| | | | | | | | 3 | Diagnosis, timing unknown | 1 | 0 |
| | | | | | | | 4 | No diagnosis | 3382 | 99.4 |
| CE_BRAINTUMOR_DATE | Diagnosis date of brain tumor reported at CE (derived from CE_C15A2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | 02/18/08 | 01/01/97-11/01/15 | 14 | .M | Missing | 4 | 0.1 |
| | | | | | | | .S | Skipped | 3383 | 99.5 |
| CE_BRAINTUMOR_DATE_FLAG | Flag for diagnosis date variable (CE_BRAINTUMOR_DATE) | NUM | DIAGFLAG. | | 1-5 | 15 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3383 | 99.5 |
| | | | | | | | 1 | Original reported date | 14 | 0.4 |
| | | | | | | | 5 | Date is missing | 1 | 0 |
| CE_POLIO | MD diagnosis of polio reported at CE (derived from CE_C15B1_YN, CE_C15B2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 1-4 | 3398 | .M | Missing | 3 | 0.1 |
| | | | | | | | 1 | Diagnosis before spill | 9 | 0.3 |
| | | | | | | | 3 | Diagnosis, timing unknown | 1 | 0 |
| | | | | | | | 4 | No diagnosis | 3388 | 99.6 |
| CE_POLIO_DATE | Diagnosis date of polio reported at CE (derived from CE_C15B2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | 05/12/57 | 01/01/51-10/01/90 | 9 | .M | Missing | 4 | 0.1 |
| | | | | | | | .S | Skipped | 3388 | 99.6 |
| CE_POLIO_DATE_FLAG | Flag for diagnosis date variable (CE_POLIO_DATE) | NUM | DIAGFLAG. | | 1-5 | 10 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3388 | 99.6 |
| | | | | | | | 1 | Original reported date | 9 | 0.3 |
| | | | | | | | 5 | Date is missing | 1 | 0 |
| CE_ALS | MD diagnosis of amyotrophic lateral sclerosis reported at CE (derived from CE_C15C1_YN, CE_C15C2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 4-4 | 3395 | .D | Don't Know | 3 | 0.1 |
| | | | | | | | .M | Missing | 3 | 0.1 |
| | | | | | | | 4 | No diagnosis | 3395 | 99.8 |

*CE Derived*

*Data Set: Ce_derived_20251202_c*
*Date Created: 02DEC25:17:21*
*Number of Observations: 3401*
*Number of Variables:     54*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CODE | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|---|
| CE_ALS_DATE | Diagnosis date of amyotrophic lateral sclerosis reported at CE (derived from CE_C15C2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | . | .-  . | . | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3398 | 99.9 |
| CE_ALS_DATE_FLAG | Flag for diagnosis date variable (CE_ALS_DATE) | NUM | DIAGFLAG. | | .-. | . | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3398 | 99.9 |
| CE_MS | MD diagnosis of multiple sclerosis reported at CE (derived from CE_C15D1_YN, CE_C15D2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 1-4 | 3396 | .D | Don't Know | 2 | 0.1 |
| | | | | | | | .M | Missing | 3 | 0.1 |
| | | | | | | | 1 | Diagnosis before spill | 3 | 0.1 |
| | | | | | | | 2 | Diagnosis after spill | 2 | 0.1 |
| | | | | | | | 4 | No diagnosis | 3391 | 99.7 |
| CE_MS_DATE | Diagnosis date of multiple sclerosis reported at CE (derived from CE_C15D2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | 11/07/06 | 08/01/97-02/01/15 | 5 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3393 | 99.8 |
| CE_MS_DATE_FLAG | Flag for diagnosis date variable (CE_MS_DATE) | NUM | DIAGFLAG. | | 1-1 | 5 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3393 | 99.8 |
| | | | | | | | 1 | Original reported date | 5 | 0.1 |
| CE_PARKINSONS | MD diagnosis of Parkinsons disease reported at CE (derived from CE_C15E1_YN, CE_C15E2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 1-4 | 3394 | .D | Don't Know | 4 | 0.1 |
| | | | | | | | .M | Missing | 3 | 0.1 |
| | | | | | | | 1 | Diagnosis before spill | 2 | 0.1 |
| | | | | | | | 2 | Diagnosis after spill | 4 | 0.1 |
| | | | | | | | 4 | No diagnosis | 3388 | 99.6 |
| CE_PARKINSONS_DATE | Diagnosis date of Parkinsons disease reported at CE (derived from CE_C15E2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | 12/11/09 | 04/01/98-10/01/14 | 6 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3392 | 99.7 |
| CE_PARKINSONS_DATE_FLAG | Flag for diagnosis date variable (CE_PARKINSONS_DATE) | NUM | DIAGFLAG. | | 1-1 | 6 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3392 | 99.7 |
| | | | | | | | 1 | Original reported date | 6 | 0.2 |
| CE_STROKE | MD diagnosis of stroke reported at CE (derived from CE_C15F1_YN, CE_C15F2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 1-5 | 3391 | .D | Don't Know | 7 | 0.2 |

*Data Set: Ce_derived_20251202_c*
*Date Created: 02DEC25:17:21*
*Number of Observations: 3401*
*Number of Variables:      54*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CODE | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | .M | Missing | 3 | 0.1 |
| | | | | | | | 1 | Diagnosis before spill | 22 | 0.6 |
| | | | | | | | 2 | Diagnosis after spill | 51 | 1.5 |
| | | | | | | | 3 | Diagnosis, timing unknown | 11 | 0.3 |
| | | | | | | | 4 | No diagnosis | 3306 | 97.2 |
| | | | | | | | 5 | Exact diagnosis timing unknown, within a year of spill | 1 | 0 |
| CE_STROKE_DATE | Diagnosis date of stroke reported at CE (derived from CE_C15F2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | 07/25/10 | 02/01/89-11/01/15 | 74 | .M | Missing | 14 | 0.4 |
| | | | | | | | .S | Skipped | 3313 | 97.4 |
| CE_STROKE_DATE_FLAG | Flag for diagnosis date variable (CE_STROKE_DATE) | NUM | DIAGFLAG. | | 1-5 | 85 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3313 | 97.4 |
| | | | | | | | 1 | Original reported date | 74 | 2.2 |
| | | | | | | | 5 | Date is missing | 11 | 0.3 |
| CE_LOWTHYROID | MD diagnosis of low thyroid function reported at CE (derived from CE_C15G1_YN, CE_C15G2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 1-4 | 3374 | .D | Don't Know | 24 | 0.7 |
| | | | | | | | .M | Missing | 3 | 0.1 |
| | | | | | | | 1 | Diagnosis before spill | 52 | 1.5 |
| | | | | | | | 2 | Diagnosis after spill | 56 | 1.6 |
| | | | | | | | 3 | Diagnosis, timing unknown | 14 | 0.4 |
| | | | | | | | 4 | No diagnosis | 3252 | 95.6 |
| CE_LOWTHYROID_DATE | Diagnosis date of low thyroid function reported at CE (derived from CE_C15G2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | 01/19/06 | 06/01/64-08/01/15 | 108 | .M | Missing | 17 | 0.5 |
| | | | | | | | .S | Skipped | 3276 | 96.3 |
| CE_LOWTHYROID_DATE_FLAG | Flag for diagnosis date variable (CE_LOWTHYROID_DATE) | NUM | DIAGFLAG. | | 1-5 | 122 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3276 | 96.3 |
| | | | | | | | 1 | Original reported date | 108 | 3.2 |
| | | | | | | | 5 | Date is missing | 14 | 0.4 |
| CE_DIABETES | MD diagnosis of diabetes reported at CE (derived from CE_C15H1_YN, CE_C15H2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 1-5 | 3379 | .D | Don't Know | 19 | 0.6 |
| | | | | | | | .M | Missing | 3 | 0.1 |
| | | | | | | | 1 | Diagnosis before spill | 185 | 5.4 |
| | | | | | | | 2 | Diagnosis after spill | 170 | 5 |

*CE Derived*

*Data Set: Ce_derived_20251202_c*
*Date Created: 02DEC25:17:21*
*Number of Observations: 3401*
*Number of Variables:     54*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CODE | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | 3 | Diagnosis, timing unknown | 50 | 1.5 |
| | | | | | | | 4 | No diagnosis | 2972 | 87.4 |
| | | | | | | | 5 | Exact diagnosis timing unknown, within a year of spill | 2 | 0.1 |
| CE_DIABETES_DATE | Diagnosis date of diabetes reported at CE (derived from CE_C15H2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | 02/28/07 | 01/01/65-01/01/16 | 357 | .M | Missing | 53 | 1.6 |
| | | | | | | | .S | Skipped | 2991 | 87.9 |
| CE_DIABETES_DATE_FLAG | Flag for diagnosis date variable (CE_DIABETES_DATE) | NUM | DIAGFLAG. | | 1-5 | 407 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 2991 | 87.9 |
| | | | | | | | 1 | Original reported date | 357 | 10.5 |
| | | | | | | | 5 | Date is missing | 50 | 1.5 |
| CE_MACULARDEGEN | MD diagnosis of retinal or macular degeneration reported at CE (derived from CE_C15I1_YN, CE_C15I2_DATE and NO_AGE_QUESTION) | NUM | DIAGF. | | 1-4 | 3374 | .D | Don't Know | 24 | 0.7 |
| | | | | | | | .M | Missing | 3 | 0.1 |
| | | | | | | | 1 | Diagnosis before spill | 9 | 0.3 |
| | | | | | | | 2 | Diagnosis after spill | 23 | 0.7 |
| | | | | | | | 3 | Diagnosis, timing unknown | 3 | 0.1 |
| | | | | | | | 4 | No diagnosis | 3339 | 98.2 |
| CE_MACULARDEGEN_DATE | Diagnosis date of retinal or macular degeneration reported at CE (derived from CE_C15I2_DATE and NO_AGE_QUESTION) | NUM | MMDDYY10. | 10/15/06 | 06/01/51-06/01/15 | 32 | .M | Missing | 6 | 0.2 |
| | | | | | | | .S | Skipped | 3363 | 98.9 |
| CE_MACULARDEGEN_DATE_FLAG | Flag for diagnosis date variable (CE_MACULARDEGEN_DATE) | NUM | DIAGFLAG. | | 1-5 | 35 | .M | Missing | 3 | 0.1 |
| | | | | | | | .S | Skipped | 3363 | 98.9 |
| | | | | | | | 1 | Original reported date | 32 | 0.9 |
| | | | | | | | 5 | Date is missing | 3 | 0.1 |

*DATA SET: ce_checkin_checkout_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 24*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_SITE | CE_SITE. Site of Clinical Exam Completion | CHAR | $CHAR | | .-. | | | | |
| CE_A1_DATE | CE_A1_DATE. Participant's Exam Start Date [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3398 | MISSING | 3 | 0.1 |
| CE_A2_TIME | CE_A2_TIME. Participant's Exam Start Time [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 10:11 | 7:10-16:27 | 3399 | MISSING | 2 | 0.1 |
| CE_B1_DATE | CE_B1_DATE. Consent Date [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3393 | MISSING | 8 | 0.2 |
| CE_B1_TIME | CE_B1_TIME. Consent Time [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:18 | 8:14-20:40 | 3393 | MISSING | 8 | 0.2 |
| CE_B2 | CE_B2. Record Consent Version# | NUM | CEVERSION | | | | 5 | 1009 | 29.7 |
| | | | | | | | Missing | 2 | 0.1 |
| | | | | | | | 1    V1.0 (Practice) | 1 | 0.0 |
| | | | | | | | 2    V5.0 (Main) | 2045 | 60.1 |
| | | | | | | | 3    V6.0 (Main Revised) | 169 | 5.0 |
| | | | | | | | 4    V7.0 (Main [lsu Only]) | 175 | 5.1 |
| CE_B2A_YN | CE_B2A_YN. Did the participant consent to the full clinical exam? | NUM | YN | | | | .    Missing | 18 | 0.5 |
| | | | | | | | 1    Yes | 3377 | 99.3 |
| | | | | | | | 2    No | 6 | 0.2 |
| CE_B2B_TXT | CE_B2B_TXT. Reason for full exam consent refusal [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_B2C_YN | CE_B2C_YN. Did the participant consent to the mini clinical exam? | NUM | YN | | | | .S    Skipped | 3375 | 99.2 |
| | | | | | | | 1    Yes | 26 | 0.8 |
| CE_B2D_TXT | CE_B2D_TXT. Reason for mini exam consent refusal [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_B3_TXT | CE_B3_TXT. Scanned consent form barcode [TEXT: BARCODE] | CHAR | $CHAR | | .-. | | | | |
| CE_AA1 | CE_AA1. Gift card amount participant received for visit remuneration | NUM | RENUM_FMT | | | | .    Missing | 23 | 0.7 |
| | | | | | | | 1    $100 (Full Exam) | 3356 | 98.7 |
| | | | | | | | 2    $50 (Mini Exam) | 21 | 0.6 |
| | | | | | | | 3    None | 1 | 0.0 |

*DATA SET: ce_checkin_checkout_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 24*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_AA1A_TXT | CE_AA1A_TXT. Reason participant did not receive gift card for visit remuneration [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_AA2_TXT | CE_AA2_TXT. Visit gift card serial number #1 [TEXT: GIFT CARD SERIAL NUMBER] | CHAR | $CHAR | | .-. | | | | |
| CE_AA3_TXT | CE_AA3_TXT. Visit gift card serial number #2 [TEXT: GIFT CARD SERIAL NUMBER] | CHAR | $CHAR | | .-. | | | | |
| CE_AA4 | CE_AA4. Gift card amount participant received for travel | NUM | TRAVRENUM_FMT | . | | | Missing | 35 | 1.0 |
| | | | | | 1 | | $50 (61 Miles Or More Round Trip) | 1936 | 56.9 |
| | | | | | 2 | | $25 (60 Miles Or Less Round Trip) | 1427 | 42.0 |
| | | | | | 3 | | None | 3 | 0.1 |
| CE_AA4A_TXT | CE_AA4A_TXT. Reason participant did not receive gift card for travel [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_AA5_TXT | CE_AA5_TXT. Travel gift card serial number [TEXT: GIFT CARD SERIAL NUMBER] | CHAR | $CHAR | | .-. | | | | |
| CE_AA6 | CE_AA6. Gift card amount participant received for meals | NUM | OVRENUM_FMT | . | | | Missing | 38 | 1.1 |
| | | | | | 1 | | $25 (Overnight Stay) | 30 | 0.9 |
| | | | | | 2 | | None | 3333 | 98.0 |
| CE_AA7_TXT | CE_AA7_TXT. Meals gift card serial number [TEXT: GIFT CARD SERIAL NUMBER] | CHAR | $CHAR | | .-. | | | | |
| CE_AA8_TXT | CE_AA8_TXT. Scanned receipt barcode [TEXT: BARCODE] | CHAR | $CHAR | | .-. | | | | |
| CE_AA9_TXT | CE_AA9_TXT. Scanned barcode of at-home saliva collection kit ID [TEXT: BARCODE] | CHAR | $CHAR | | .-. | | | | |
| CE_AA10_TIME | CE_AA10_TIME. Enter participant's exam end time [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 13:45 | 9:49-20:30 | 3345 | MISSING | 56 | 1.6 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| | | | | | | | | | |
| CE_C1 | CE_C1. What is the highest grade or level of school you have completed or the highest degree you have received? | NUM | EDUCA | | 2 | | 1st Grade | 2 | 0.1 |
| | | | | | 4 | | 3rd Grade | 6 | 0.2 |
| | | | | | 5 | | 4th Grade | 7 | 0.2 |
| | | | | | 6 | | 5th Grade | 5 | 0.1 |
| | | | | | 7 | | 6th Grade | 26 | 0.8 |
| | | | | | 8 | | 7th Grade | 30 | 0.9 |
| | | | | | 9 | | 8th Grade | 71 | 2.1 |
| | | | | | 10 | | 9th Grade | 119 | 3.5 |
| | | | | | 11 | | 10th Grade | 156 | 4.6 |
| | | | | | 12 | | 11th Grade | 223 | 6.6 |
| | | | | | 13 | | 12th Grade, No Diploma | 85 | 2.5 |
| | | | | | 14 | | High School Graduate | 851 | 25.0 |
| | | | | | 15 | | Ged Or Equivalent | 262 | 7.7 |
| | | | | | 16 | | Some College, No Degree | 679 | 20.0 |
| | | | | | 17 | | Associate Degree: Occupational, Technical Or Vocational Program | 201 | 5.9 |
| | | | | | 18 | | Associate Degree: Academic Program | 184 | 5.4 |
| | | | | | 19 | | Bachelor's Degree (Example: Ba, Ab, Bs, Bba) | 352 | 10.3 |
| | | | | | 20 | | Master's Degree (Example: Ma, Ms, Meng, Med, Mba) | 99 | 2.9 |
| | | | | | 21 | | Professional School Degree (Example: Md, Dds, Dvm, Jd) | 11 | 0.3 |
| | | | | | 22 | | Doctoral Degree (Example: Phd, Edd) | 29 | 0.9 |
| | | | | | 88 | | Don't Know | 2 | 0.1 |
| | | | | | 99 | | Refused | 1 | 0.0 |
| CE_C2 | CE_C2. What language do you speak at home? | NUM | RACEA | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | English | 3343 | 98.3 |
| | | | | | 2 | | Spanish | 9 | 0.3 |
| | | | | | 3 | | Vietnamese | 5 | 0.1 |
| | | | | | 5 | | Other, Specify | 43 | 1.3 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C2_OTHER_TXT | CE_C2_OTHER_TXT. What language do you speak at home? Other, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C3_YN | CE_C3_YN. Are you currently pregnant? | NUM | DKREFYN | | . | | Missing | 1 | 0.0 |
| | | | | | .S | | Skipped | 2603 | 76.5 |
| | | | | | 1 | | Yes | 6 | 0.2 |
| | | | | | 2 | | No | 789 | 23.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_C4_YN | CE_C4_YN. During the past 24 hours, have you used a short-term or long-acting bronchodilator? | NUM | DKREFYN | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | Yes | 124 | 3.6 |
| | | | | | 2 | | No | 3259 | 95.8 |
| | | | | | 8 | | Don't Know | 16 | 0.5 |
| CE_C5_YN | CE_C5_YN. In the past 3 months, have you had heart surgery? | NUM | DKREFYN | | 1 | | Yes | 11 | 0.3 |
| | | | | | 2 | | No | 3390 | 99.7 |
| CE_C6_YN | CE_C6_YN. In the past 3 months, have you had an angioplasty or stent placement? | NUM | DKREFYN | | 1 | | Yes | 17 | 0.5 |
| | | | | | 2 | | No | 3384 | 99.5 |
| CE_C7_YN | CE_C7_YN. In the past 3 months, have you had any (other) surgery to your chest or abdomen? | NUM | DKREFYN | | 1 | | Yes | 58 | 1.7 |
| | | | | | 2 | | No | 3343 | 98.3 |
| CE_C8_YN | CE_C8_YN. In the past 3 months, have you had a heart attack or myocardial infarction? | NUM | DKREFYN | | 1 | | Yes | 11 | 0.3 |
| | | | | | 2 | | No | 3386 | 99.6 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| CE_C9_YN | CE_C9_YN. In the past 3 months, have you had a stroke? | NUM | DKREFYN | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | Yes | 8 | 0.2 |
| | | | | | 2 | | No | 3390 | 99.7 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_C9A_YN | CE_C9A_YN. Over the past 3 months, have you had new or worsening chest pain or pressure? | NUM | DKREFYN | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 1619 | 47.6 |
| | | | | | 1 | | Yes | 220 | 6.5 |
| | | | | | 2 | | No | 1559 | 45.8 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C9B_YN | CE_C9B_YN. Over the past 3 months, have you had new or worsening symptoms of angina or been diagnosed with angina? | NUM | DKREFYN | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 1619 | 47.6 |
| | | | | | 1 | | Yes | 14 | 0.4 |
| | | | | | 2 | | No | 1757 | 51.7 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| CE_C9C_YN | CE_C9C_YN. Over the past 3 months, have you had new or worsening shortness of breath at rest or low exertion? | NUM | DKREFYN | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 1619 | 47.6 |
| | | | | | 1 | | Yes | 413 | 12.1 |
| | | | | | 2 | | No | 1367 | 40.2 |
| CE_C10_YN | CE_C10_YN. In the past 3 months, have you been hospitalized for any other heart problem? | NUM | DKREFYN | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | Yes | 29 | 0.9 |
| | | | | | 2 | | No | 3369 | 99.1 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C11_YN | CE_C11_YN. In the past 3 months, have you had a detached retina or eye surgery? | NUM | DKREFYN | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | Yes | 25 | 0.7 |
| | | | | | 2 | | No | 3374 | 99.2 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C12_YN | CE_C12_YN. Are you currently taking medication for tuberculosis? | NUM | DKREFYN | | 2 | | No | 3401 | 100.0 |
| CE_C13_YN | CE_C13_YN. In the past 12 months, has a doctor told you that you had an ear infection? | NUM | DKREFYN | | 1 | | Yes | 155 | 4.6 |
| | | | | | 2 | | No | 3236 | 95.1 |
| | | | | | 8 | | Don't Know | 10 | 0.3 |
| CE_C13A | CE_C13A. What was the month and year of your [ear infection] diagnosis? | NUM | DTFORM_CE | | .S | | Skipped | 3246 | 95.4 |
| | | | | | 1 | | Mm/Yyyy | 144 | 4.2 |
| | | | | | 8 | | Don't Know | 11 | 0.3 |
| CE_C13A_DATE | CE_C13A_DATE. What was the month and year of your [ear infection] diagnosis? [DATE: MM/YYYY] | NUM | MMYYS | 02/2015 | 02/2011 -05/2016 | 144 | DON'T KNOW | 11 | 0.3 |
| | | | | | SKIPPED | | | 3246 | 95.4 |

*Section C - Background Information*

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C13B_YN | CE_C13B_YN. Was the ear infection treated with antibiotics? | NUM | DKREFYN | | .S | | Skipped | 3246 | 95.4 |
| | | | | | 1 | | Yes | 149 | 4.4 |
| | | | | | 2 | | No | 5 | 0.1 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C14_YN | CE_C14_YN. Have you ever had inner ear surgery? | NUM | DKREFYN | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | Yes | 107 | 3.1 |
| | | | | | 2 | | No | 3289 | 96.7 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| CE_C14A | CE_C14A. What was the month and year of your [inner ear] surgery? | NUM | DTFORM_CE | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 3293 | 96.8 |
| | | | | | 1 | | Mm/Yyyy | 77 | 2.3 |
| | | | | | 8 | | Don't Know | 29 | 0.9 |
| CE_C14A_DATE | CE_C14A_DATE. What was the month and year of your [inner ear] ssurgery? [DATE: MM/YYYY] | NUM | MMYYS | 04/1986 | 08/1956 -01/2016 | 77 | MISSING | 2 | 0.1 |
| | | | | | | | DON'T KNOW | 29 | 0.9 |
| | | | | | | | SKIPPE D | 3293 | 96.8 |
| CE_C15A1_YN | CE_C15A1_YN. Has a doctor ever told you that you have a brain tumor? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Yes | 15 | 0.4 |
| | | | | | 2 | | No | 3382 | 99.4 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C15A2_MM | CE_C15A2_MM. What was the month you were diagnosed with a brain tumor? [MONTH: MM] | NUM | BEST | 5.1 | 1-11 | 14 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPE D | 3383 | 99.5 |
| CE_C15A2_YYYY | CE_C15A2_YYYY. What was the year you were diagnosed with a brain tumor? [YEAR: YYYY] | NUM | BEST | 2007.8 | 1997-201 5 | 14 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPE D | 3383 | 99.5 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C15A3_TXT | CE_C15A3_TXT. Has a doctor ever told you that you have a brain tumor? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C15B1_YN | CE_C15B1_YN. Has a doctor ever told you that you have polio? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Yes | 10 | 0.3 |
| | | | | | 2 | | No | 3388 | 99.6 |
| CE_C15B2_MM | CE_C15B2_MM. What was the month you were diagnosed with polio? [MONTH: MM] | NUM | BEST | 6.7 | 1-11 | 9 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 3388 | 99.6 |
| CE_C15B2_YYYY | CE_C15B2_YYYY. What was the year you were diagnosed with polio? [YEAR: YYYY] | NUM | BEST | 1956.9 | 1951-1990 | 9 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 3388 | 99.6 |
| CE_C15B3_TXT | CE_C15B3_TXT. Has a doctor ever told you that you have polio? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C15C1_YN | CE_C15C1_YN. Has a doctor ever told you that you have amyotrophic lateral sclerosis? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 2 | | No | 3395 | 99.8 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| CE_C15C2_MM | CE_C15C2_MM. What was the month you were diagnosed with amyotrophic lateral sclerosis? [MONTH: MM] | NUM | BEST | | | | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3398 | 99.9 |
| CE_C15C2_YYYY | CE_C15C2_YYYY. What was the year you were diagnosed with amyotrophic lateral sclerosis? [YEAR: YYYY] | NUM | BEST | | | | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3398 | 99.9 |
| CE_C15C3_TXT | CE_C15C3_TXT. Has a doctor ever told you that you have amyotrophic lateral sclerosis? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C15D1_YN | CE_C15D1_YN. Has a doctor ever told you that you have multiple sclerosis? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Yes | 5 | 0.1 |
| | | | | | 2 | | No | 3391 | 99.7 |

*Section C - Background Information*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_C15D2_MM | CE_C15D2_MM. What was the month you were diagnosed with multiple sclerosis? [MONTH: MM] | NUM | BEST | 6.4 | 2-10 | 5 | MISSING | 3 | 0.1 |
| | | | | | SKIPPED | | | 3393 | 99.8 |
| CE_C15D2_YYYY | CE_C15D2_YYYY. What was the year you were diagnosed with multiple sclerosis? [YEAR: YYYY] | NUM | BEST | 2006.4 | 1997-2015 | 5 | MISSING | 3 | 0.1 |
| | | | | | SKIPPED | | | 3393 | 99.8 |
| CE_C15D3_TXT | CE_C15D3_TXT. Has a doctor ever told you that you have multiple sclerosis? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C15E1_YN | CE_C15E1_YN. Has a doctor ever told you that you have Parkinson's disease? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Yes | 6 | 0.2 |
| | | | | | 2 | | No | 3388 | 99.6 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| CE_C15E2_MM | CE_C15E2_MM. What was the month you were diagnosed with Parkinson's disease? [MONTH: MM] | NUM | BEST | 8.3 | 4-11 | 6 | MISSING | 3 | 0.1 |
| | | | | | SKIPPED | | | 3392 | 99.7 |
| CE_C15E2_YYYY | CE_C15E2_YYYY. What was the year you were diagnosed with Parkinson's disease? [YEAR: YYYY] | NUM | BEST | 2009.3 | 1998-2014 | 6 | MISSING | 3 | 0.1 |
| | | | | | SKIPPED | | | 3392 | 99.7 |
| CE_C15E3_TXT | CE_C15E3_TXT. Has a doctor ever told you that you have Parkinson's disease? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C15F1_YN | CE_C15F1_YN. Has a doctor ever told you that you had a stroke? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Yes | 85 | 2.5 |
| | | | | | 2 | | No | 3306 | 97.2 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| CE_C15F2_MM | CE_C15F2_MM. What was the month you were diagnosed with a stroke? [MONTH: MM] | NUM | BEST | 7.1 | 1-12 | 73 | MISSING | 4 | 0.1 |
| | | | | | DON'T KNOW | | | 11 | 0.3 |
| | | | | | SKIPPED | | | 3313 | 97.4 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C15F2_YYYY | CE_C15F2_YYYY. What was the year you were diagnosed with a stroke? [YEAR: YYYY] | NUM | BEST | 2010.1 | 1989-2015 | 74 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 11 | 0.3 |
| | | | | | | | SKIPPED | 3313 | 97.4 |
| CE_C15F3_TXT | CE_C15F3_TXT. Has a doctor ever told you that you had a stroke? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C15G1_YN | CE_C15G1_YN. Has a doctor ever told you that you have low thyroid function? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Yes | 122 | 3.6 |
| | | | | | 2 | | No | 3252 | 95.6 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| CE_C15G2_MM | CE_C15G2_MM. What was the month you were diagnosed with low thyroid function? [MONTH: MM] | NUM | BEST | 5.9 | 1-12 | 105 | MISSING | 4 | 0.1 |
| | | | | | | | DON'T KNOW | 16 | 0.5 |
| | | | | | | | SKIPPED | 3276 | 96.3 |
| CE_C15G2_YYYY | CE_C15G2_YYYY. What was the year you were diagnosed with low thyroid function? [YEAR: YYYY] | NUM | BEST | 2005.6 | 1964-2015 | 108 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 14 | 0.4 |
| | | | | | | | SKIPPED | 3276 | 96.3 |
| CE_C15G3_TXT | CE_C15G3_TXT. Has a doctor ever told you that you have low thyroid function? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C15H1_YN | CE_C15H1_YN. Has a doctor ever told you that you have diabetes? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Yes | 407 | 12.0 |
| | | | | | 2 | | No | 2972 | 87.4 |
| | | | | | 8 | | Don't Know | 19 | 0.6 |
| CE_C15H2_MM | CE_C15H2_MM. What was the month you were diagnosed with diabetes? [MONTH: MM] | NUM | BEST | 5.9 | 1-12 | 348 | MISSING | 8 | 0.2 |
| | | | | | | | DON'T KNOW | 54 | 1.6 |
| | | | | | | | SKIPPED | 2991 | 87.9 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C15H2_YYYY | CE_C15H2_YYYY. What was the year you were diagnosed with diabetes? [YEAR: YYYY] | NUM | BEST | 2006.7 | 1965-2016 | 357 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 50 | 1.5 |
| | | | | | | | SKIPPED | 2991 | 87.9 |
| CE_C15H3_TXT | CE_C15H3_TXT. Has a doctor ever told you that you have diabetes? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C15I1_YN | CE_C15I1_YN. Has a doctor ever told you that you have retinal or macular degeneration? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Yes | 35 | 1.0 |
| | | | | | 2 | | No | 3339 | 98.2 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| CE_C15I2_MM | CE_C15I2_MM. What was the month you were diagnosed with retinal or macular degeneration? [MONTH: MM] | NUM | BEST | 5.2 | 1-12 | 30 | MISSING | 5 | 0.1 |
| | | | | | | | DON'T KNOW | 3 | 0.1 |
| | | | | | | | SKIPPED | 3363 | 98.9 |
| CE_C15I2_YYYY | CE_C15I2_YYYY. What was the year you were diagnosed with retinal or macular degeneration? [YEAR: YYYY] | NUM | BEST | 2006.4 | 1951-2015 | 32 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 3 | 0.1 |
| | | | | | | | SKIPPED | 3363 | 98.9 |
| CE_C15I3_TXT | CE_C15I3_TXT. Has a doctor ever told you that you have retinal or macular degeneration? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C16_YN | CE_C16_YN. Are you currently under a doctor's care for any other short-term or long-term illness(es) or conditions not listed above? | NUM | DKREFYN | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | Yes | 1547 | 45.5 |
| | | | | | 2 | | No | 1850 | 54.4 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| CE_C16A_TXT_1 | CE_C16A_TXT_1. What illnesses or conditions do you have? [1] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_2 | CE_C16A_TXT_2. What illnesses or conditions do you have? [2] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C16A_TXT_3 | CE_C16A_TXT_3. What illnesses or conditions do you have? [3] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_4 | CE_C16A_TXT_4. What illnesses or conditions do you have? [4] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_5 | CE_C16A_TXT_5. What illnesses or conditions do you have? [5] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_6 | CE_C16A_TXT_6. What illnesses or conditions do you have? [6] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_7 | CE_C16A_TXT_7. What illnesses or conditions do you have? [7] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_8 | CE_C16A_TXT_8. What illnesses or conditions do you have? [8] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_9 | CE_C16A_TXT_9. What illnesses or conditions do you have? [9] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_10 | CE_C16A_TXT_10. What illnesses or conditions do you have? [10] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_11 | CE_C16A_TXT_11. What illnesses or conditions do you have? [11] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_12 | CE_C16A_TXT_12. What illnesses or conditions do you have? [12] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_13 | CE_C16A_TXT_13. What illnesses or conditions do you have? [13] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_14 | CE_C16A_TXT_14. What illnesses or conditions do you have? [14] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_15 | CE_C16A_TXT_15. What illnesses or conditions do you have? [15] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_16 | CE_C16A_TXT_16. What illnesses or conditions do you have? [16] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_17 | CE_C16A_TXT_17. What illnesses or conditions do you have? [17] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_18 | CE_C16A_TXT_18. What illnesses or conditions do you have? [18] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_19 | CE_C16A_TXT_19. What illnesses or conditions do you have? [19] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_20 | CE_C16A_TXT_20. What illnesses or conditions do you have? [20] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_21 | CE_C16A_TXT_21. What illnesses or conditions do you have? [21] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_22 | CE_C16A_TXT_22. What illnesses or conditions do you have? [22] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_23 | CE_C16A_TXT_23. What illnesses or conditions do you have? [23] | CHAR | $CHAR | | .-. | | | | |
| CE_C16A_TXT_24 | CE_C16A_TXT_24. What illnesses or conditions do you have? [24] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C16A_TXT_25 | CE_C16A_TXT_25. What illnesses or conditions do you have? [25] | CHAR | $CHAR | | .-. | | | | |
| CE_C17_YN | CE_C17_YN. Have you experienced any illness, injury or condition affecting the use of your arms or legs? | NUM | DKREFYN | | 1 | | Yes | 994 | 29.2 |
| | | | | | 2 | | No | 2407 | 70.8 |
| CE_C17A_TXT_1 | CE_C17A_TXT_1. What are these illnesses, injuries or conditions? [1] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_2 | CE_C17A_TXT_2. What are these illnesses, injuries or conditions? [2] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_3 | CE_C17A_TXT_3. What are these illnesses, injuries or conditions? [3] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_4 | CE_C17A_TXT_4. What are these illnesses, injuries or conditions? [4] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_5 | CE_C17A_TXT_5. What are these illnesses, injuries or conditions? [5] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_6 | CE_C17A_TXT_6. What are these illnesses, injuries or conditions? [6] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_7 | CE_C17A_TXT_7. What are these illnesses, injuries or conditions? [7] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_8 | CE_C17A_TXT_8. What are these illnesses, injuries or conditions? [8] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_9 | CE_C17A_TXT_9. What are these illnesses, injuries or conditions? [9] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_10 | CE_C17A_TXT_10. What are these illnesses, injuries or conditions? [10] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_11 | CE_C17A_TXT_11. What are these illnesses, injuries or conditions? [11] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_12 | CE_C17A_TXT_12. What are these illnesses, injuries or conditions? [12] | CHAR | $CHAR | | .-. | | | | |
| CE_C17A_TXT_13 | CE_C17A_TXT_13. What are these illnesses, injuries or conditions? [13] | CHAR | $CHAR | | .-. | | | | |
| CE_C18_YN | CE_C18_YN. Have you ever had a head injury? | NUM | DKREFYN | | 1 | | Yes | 636 | 18.7 |
| | | | | | 2 | | No | 2757 | 81.1 |
| | | | | | 8 | | Don't Know | 8 | 0.2 |
| CE_C18A | CE_C18A. In what month and year was your most recent head injury? | NUM | DTFORM_CE | | .S | | Skipped | 2765 | 81.3 |
| | | | | | 1 | | Mm/Yyyy | 554 | 16.3 |
| | | | | | 8 | | Don't Know | 82 | 2.4 |
| CE_C18A_DATE | CE_C18A_DATE. In what month and year was your most recent head injury? [DATE: MM/YYYY] | NUM | MMYYS | 08/1994 | 06/1939 -04/2016 | 554 | DON'T KNOW | 82 | 2.4 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 2765 | 81.3 |
| CE_C19_YN | CE_C19_YN. Have you ever had a head injury where you lost consciousness? | NUM | DKREFYN | | .S | | Skipped | 2765 | 81.3 |
| | | | | | 1 | | Yes | 336 | 9.9 |
| | | | | | 2 | | No | 281 | 8.3 |
| | | | | | 8 | | Don't Know | 19 | 0.6 |
| CE_C19A | CE_C19A. How many times in your life have you had a head injury that resulted in loss of consciousness? | NUM | TIMESNUM | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | [# Times] | 332 | 9.8 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| CE_C19A_NUM | CE_C19A_NUM. How many times in your life have you had a head injury that resulted in loss of consciousness? [UNIT: NUMBER OF TIMES] | NUM | BEST | 1.5 | 1-20 | 332 | DON'T KNOW | 4 | 0.1 |
| | | | | | SKIPPED | | | 3065 | 90.1 |
| CE_C19B | CE_C19B. How many of these were seen or treated by a health care provider? | NUM | SOMETIME | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | [# Of Them] | 76 | 2.2 |
| | | | | | 2 | | All Of Them | 197 | 5.8 |
| | | | | | 3 | | Some Of Them | 1 | 0.0 |
| | | | | | 4 | | Just One | 28 | 0.8 |
| | | | | | 5 | | None Of Them | 32 | 0.9 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_C19B_NUM | CE_C19B_NUM. How many of these were seen or treated by a health care provider? [UNIT: NUMBER OF TIMES] | NUM | BEST | 1.3 | 1-6 | 76 | SKIPPED | 3325 | 97.8 |
| CE_C19C_1 | CE_C19C_1. When did your [FIRST] head injury with loss of consciousness occur? [HEAD INJURY 1] | NUM | AGETIME | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | Mm / Yyyy | 221 | 6.5 |
| | | | | | 2 | | Age | 100 | 2.9 |
| | | | | | 8 | | Don't Know | 11 | 0.3 |
| CE_C19C_DATE_1 | CE_C19C_DATE_1. When did your [FIRST] head injury with loss of consciousness occur? [DATE: MM/YYYY] [HEAD INJURY 1] | NUM | MMYYS | 08/1992 | 06/1937-01/2016 | 220 | MISSING | 105 | 3.1 |
| | | | | | | | DON'T KNOW | 11 | 0.3 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 3065 | 90.1 |
| | | | | | | | | | |
| CE_C19C_AGE_1 | CE_C19C_AGE_1. When did your [FIRST] head injury with loss of consciousness occur? [AGE] [HEAD INJURY 1] | NUM | BEST | 16.0 | 2-63 | 100 | MISSING | 225 | 6.6 |
| | | | | | DON'T KNOW | | | 11 | 0.3 |
| | | | | | SKIPPED | | | 3065 | 90.1 |
| | | | | | | | | | |
| CE_C19D_1 | CE_C19D_1. Approximately how long were you unconscious? [HEAD INJURY 1] | NUM | LENGTHTIME | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | < 30 Minutes | 149 | 4.4 |
| | | | | | 2 | | >= 30 Minutes | 111 | 3.3 |
| | | | | | 8 | | Don't Know | 72 | 2.1 |
| | | | | | | | | | |
| CE_C19E_YN_1 | CE_C19E_YN_1. Did you seek medical treatment for your head injury? [HEAD INJURY 1] | NUM | DKREFYN | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | Yes | 288 | 8.5 |
| | | | | | 2 | | No | 44 | 1.3 |
| | | | | | | | | | |
| CE_C19F_YN_1 | CE_C19F_YN_1. Were you hospitalized overnight as a result of your head injury? [HEAD INJURY 1] | NUM | DKREFYN | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | Yes | 161 | 4.7 |
| | | | | | 2 | | No | 160 | 4.7 |
| | | | | | 8 | | Don't Know | 11 | 0.3 |
| | | | | | | | | | |
| CE_C19G_NUM_1 | CE_C19G_NUM_1. What was the total number of days you spent in the hospital? [UNIT: NUMBER OF DAYS] [HEAD INJURY 1] | NUM | BEST | 23.4 | 1-360 | 149 | MISSING | 4 | 0.1 |
| | | | | | DON'T KNOW | | | 12 | 0.4 |
| | | | | | SKIPPED | | | 3236 | 95.1 |
| | | | | | | | | | |
| CE_C19H_YN_1 | CE_C19H_YN_1. Did your head injury occur on the job? [HEAD INJURY 1] | NUM | DKREFYN | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | Yes | 38 | 1.1 |
| | | | | | 2 | | No | 294 | 8.6 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C19I_YN_1 | CE_C19I_YN_1. Did your head injury occur in a motor vehicle accident? [HEAD INJURY 1] | NUM | DKREFYN | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | Yes | 145 | 4.3 |
| | | | | | 2 | | No | 187 | 5.5 |
| CE_C19J_YN_1 | CE_C19J_YN_1. Did your head injury occur at work on a farm? [HEAD INJURY 1] | NUM | DKREFYN | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | Yes | 8 | 0.2 |
| | | | | | 2 | | No | 324 | 9.5 |
| CE_C19K_YN_1 | CE_C19K_YN_1. Did your head injury occur in another way [HEAD INJURY 1]? | NUM | DKREFYN | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3065 | 90.1 |
| | | | | | 1 | | Yes | 182 | 5.4 |
| | | | | | 2 | | No | 150 | 4.4 |
| CE_C19K_TXT_1 | CE_C19K_TXT_1. Did your head injury occur in another way? YES [TEXT: SPECIFY] [HEAD INJURY 1] | CHAR | $CHAR | | .-. | | | | |
| CE_C19C_2 | CE_C19C_2. When did your [SECOND] head injury with loss of consciousness occur? [HEAD INJURY 2] | NUM | AGETIME | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | Mm / Yyyy | 40 | 1.2 |
| | | | | | 2 | | Age | 41 | 1.2 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C19C_DATE_2 | CE_C19C_DATE_2. When did your [SECOND] head injury with loss of consciousness occur? [DATE: MM/YYYY] [HEAD INJURY 2] | NUM | MMYYS | 06/1996 | 06/1939 -11/2014 | 39 | MISSING | 42 | 1.2 |
| | | | | | | | DON'T KNOW | 5 | 0.1 |
| | | | | | | | SKIPPED | 3315 | 97.5 |
| CE_C19C_AGE_2 | CE_C19C_AGE_2. When did your [SECOND] head injury with loss of consciousness occur? [AGE] [HEAD INJURY 2] | NUM | BEST | 23.3 | 4-55 | 41 | MISSING | 40 | 1.2 |
| | | | | | | | DON'T KNOW | 5 | 0.1 |
| | | | | | | | SKIPPED | 3315 | 97.5 |
| CE_C19D_2 | CE_C19D_2. Approximately how long were you unconscious? [HEAD INJURY 2] | NUM | LENGTHTIME | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | < 30 Minutes | 49 | 1.4 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | >= 30 Minutes | 20 | 0.6 |
| | | | | | 8 | | Don't Know | 17 | 0.5 |
| CE_C19E_YN_2 | CE_C19E_YN_2. Did you seek medical treatment for your head injury? [HEAD INJURY 2] | NUM | DKREFYN | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | Yes | 59 | 1.7 |
| | | | | | 2 | | No | 26 | 0.8 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19F_YN_2 | CE_C19F_YN_2. Were you hospitalized overnight as a result of your head injury? [HEAD INJURY 2] | NUM | DKREFYN | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | Yes | 20 | 0.6 |
| | | | | | 2 | | No | 63 | 1.9 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| CE_C19G_NUM_2 | CE_C19G_NUM_2. What was the total number of days you spent in the hospital? [UNIT: NUMBER OF DAYS] [HEAD INJURY 2] | NUM | BEST | 6.9 | 1-30 | 20 | SKIPPED | 3381 | 99.4 |
| CE_C19H_YN_2 | CE_C19H_YN_2. Did your head injury occur on the job? [HEAD INJURY 2] | NUM | DKREFYN | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | Yes | 10 | 0.3 |
| | | | | | 2 | | No | 75 | 2.2 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19I_YN_2 | CE_C19I_YN_2. Did your head injury occur in a motor vehicle accident? [HEAD INJURY 2] | NUM | DKREFYN | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | Yes | 22 | 0.6 |
| | | | | | 2 | | No | 64 | 1.9 |
| CE_C19J_YN_2 | CE_C19J_YN_2. Did your head injury occur at work on a farm? [HEAD INJURY 2] | NUM | DKREFYN | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | Yes | 1 | 0.0 |
| | | | | | 2 | | No | 85 | 2.5 |
| CE_C19K_YN_2 | CE_C19K_YN_2. Did your head injury occur in another way [HEAD INJURY 2]? | NUM | DKREFYN | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | Yes | 57 | 1.7 |
| | | | | | 2 | | No | 28 | 0.8 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19K_TXT_2 | CE_C19K_TXT_2. Did your head injury occur in another way? YES [TEXT: SPECIFY] [HEAD INJURY 2] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C19C_3 | CE_C19C_3. When did your [THIRD] head injury with loss of consciousness occur? [HEAD INJURY 3] | NUM | AGETIME | | .S | | Skipped | 3372 | 99.1 |
| | | | | | 1 | | Mm / Yyyy | 11 | 0.3 |
| | | | | | 2 | | Age | 16 | 0.5 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_C19C_DATE_3 | CE_C19C_DATE_3. When did your [THIRD] head injury with loss of consciousness occur? [DATE: MM/YYYY] [HEAD INJURY 3] | NUM | MMYYS | 04/2005 | 08/1991 -07/2013 | 11 | MISSING | 16 | 0.5 |
| | | | | | | | DON'T KNOW | 2 | 0.1 |
| | | | | | | | SKIPPED | 3372 | 99.1 |
| CE_C19C_AGE_3 | CE_C19C_AGE_3. When did your [THIRD] head injury with loss of consciousness occur? [AGE] [HEAD INJURY 3] | NUM | BEST | 26.8 | 13-55 | 16 | MISSING | 11 | 0.3 |
| | | | | | | | DON'T KNOW | 2 | 0.1 |
| | | | | | | | SKIPPED | 3372 | 99.1 |
| CE_C19D_3 | CE_C19D_3. Approximately how long were you unconscious? [HEAD INJURY 3] | NUM | LENGTHTIME | | .S | | Skipped | 3372 | 99.1 |
| | | | | | 1 | | < 30 Minutes | 17 | 0.5 |
| | | | | | 2 | | >= 30 Minutes | 6 | 0.2 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| CE_C19E_YN_3 | CE_C19E_YN_3. Did you seek medical treatment for your head injury? [HEAD INJURY 3] | NUM | DKREFYN | | .S | | Skipped | 3372 | 99.1 |
| | | | | | 1 | | Yes | 17 | 0.5 |
| | | | | | 2 | | No | 11 | 0.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19F_YN_3 | CE_C19F_YN_3. Were you hospitalized overnight as a result of your head injury? [HEAD INJURY 3] | NUM | DKREFYN | | .S | | Skipped | 3372 | 99.1 |
| | | | | | 1 | | Yes | 9 | 0.3 |
| | | | | | 2 | | No | 19 | 0.6 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19G_NUM_3 | CE_C19G_NUM_3. What was the total number of days you spent in the hospital? [UNIT: NUMBER OF DAYS] [HEAD INJURY 3] | NUM | BEST | 16.6 | 1-96 | 8 | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3392 | 99.7 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C19H_YN_3 | CE_C19H_YN_3. Did your head injury occur on the job? [HEAD INJURY 3] | NUM | DKREFYN | | .S | | Skipped | 3372 | 99.1 |
| | | | | | 1 | | Yes | 6 | 0.2 |
| | | | | | 2 | | No | 22 | 0.6 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19I_YN_3 | CE_C19I_YN_3. Did your head injury occur in a motor vehicle accident? [HEAD INJURY 3] | NUM | DKREFYN | | .S | | Skipped | 3372 | 99.1 |
| | | | | | 1 | | Yes | 7 | 0.2 |
| | | | | | 2 | | No | 21 | 0.6 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19J_YN_3 | CE_C19J_YN_3. Did your head injury occur at work on a farm? [HEAD INJURY 3] | NUM | DKREFYN | | .S | | Skipped | 3372 | 99.1 |
| | | | | | 1 | | Yes | 1 | 0.0 |
| | | | | | 2 | | No | 27 | 0.8 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19K_YN_3 | CE_C19K_YN_3. Did your head injury occur in another way [HEAD INJURY 3]? | NUM | DKREFYN | | .S | | Skipped | 3372 | 99.1 |
| | | | | | 1 | | Yes | 18 | 0.5 |
| | | | | | 2 | | No | 10 | 0.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19K_TXT_3 | CE_C19K_TXT_3. Did your head injury occur in another way? YES [TEXT: SPECIFY] [HEAD INJURY 3] | CHAR | $CHAR | | .-. | | | | |
| CE_C19C_4 | CE_C19C_4. When did your [FOURTH] head injury with loss of consciousness occur? [HEAD INJURY 4] | NUM | AGETIME | | .S | | Skipped | 3388 | 99.6 |
| | | | | | 1 | | Mm / Yyyy | 3 | 0.1 |
| | | | | | 2 | | Age | 9 | 0.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19C_DATE_4 | CE_C19C_DATE_4. When did your [FOURTH] head injury with loss of consciousness occur? [DATE: MM/YYYY] [HEAD INJURY 4] | NUM | MMYYS | 11/2003 | 12/1992 -04/2012 | 3 | MISSING | 9 | 0.3 |
| | | | | | DON'T KNOW | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 3388 | 99.6 |
| CE_C19C_AGE_4 | CE_C19C_AGE_4. When did your [FOURTH] head injury with loss of consciousness occur? [AGE] [HEAD INJURY 4] | NUM | BEST | 27.1 | 10-55 | 9 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 1 | 0.0 |

*Section C - Background Information*

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 3388 | 99.6 |
| CE_C19D_4 | CE_C19D_4. Approximately how long were you unconscious? [HEAD INJURY 4] | NUM | LENGTHTIME | | .S | | Skipped | 3388 | 99.6 |
| | | | | | 1 | | < 30 Minutes | 9 | 0.3 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| CE_C19E_YN_4 | CE_C19E_YN_4. Did you seek medical treatment for your head injury? [HEAD INJURY 4] | NUM | DKREFYN | | .S | | Skipped | 3388 | 99.6 |
| | | | | | 1 | | Yes | 7 | 0.2 |
| | | | | | 2 | | No | 5 | 0.1 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19F_YN_4 | CE_C19F_YN_4. Were you hospitalized overnight as a result of your head injury? [HEAD INJURY 4] | NUM | DKREFYN | | .S | | Skipped | 3388 | 99.6 |
| | | | | | 1 | | Yes | 2 | 0.1 |
| | | | | | 2 | | No | 10 | 0.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19G_NUM_4 | CE_C19G_NUM_4. What was the total number of days you spent in the hospital? [UNIT: NUMBER OF DAYS] [HEAD INJURY 4] | NUM | BEST | 2.0 | 2-2 | 2 | SKIPPED | 3399 | 99.9 |
| CE_C19H_YN_4 | CE_C19H_YN_4. Did your head injury occur on the job? [HEAD INJURY 4] | NUM | DKREFYN | | .S | | Skipped | 3388 | 99.6 |
| | | | | | 1 | | Yes | 1 | 0.0 |
| | | | | | 2 | | No | 11 | 0.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19I_YN_4 | CE_C19I_YN_4. Did your head injury occur in a motor vehicle accident? [HEAD INJURY 4] | NUM | DKREFYN | | .S | | Skipped | 3388 | 99.6 |
| | | | | | 1 | | Yes | 3 | 0.1 |
| | | | | | 2 | | No | 9 | 0.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19J_YN_4 | CE_C19J_YN_4. Did your head injury occur at work on a farm? [HEAD INJURY 4] | NUM | DKREFYN | | .S | | Skipped | 3388 | 99.6 |
| | | | | | 2 | | No | 12 | 0.4 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19K_YN_4 | CE_C19K_YN_4. Did your head injury occur in another way [HEAD INJURY 4]? | NUM | DKREFYN | | .S | | Skipped | 3388 | 99.6 |
| | | | | | 1 | | Yes | 10 | 0.3 |
| | | | | | 2 | | No | 2 | 0.1 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C19K_TXT_4 | CE_C19K_TXT_4. Did your head injury occur in another way? YES [TEXT: SPECIFY] [HEAD INJURY 4] | CHAR | $CHAR | | .-. | | | | |
| CE_C19C_5 | CE_C19C_5. When did your [FIFTH] head injury with loss of consciousness occur? [HEAD INJURY 5] | NUM | AGETIME | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 1 | | Mm / Yyyy | 2 | 0.1 |
| | | | | | 2 | | Age | 6 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_C19C_DATE_5 | CE_C19C_DATE_5. When did your [FIFTH] head injury with loss of consciousness occur? [DATE: MM/YYYY] [HEAD INJURY 5] | NUM | MMYYS | 01/1987 | 08/1974 -07/1999 | 2 | MISSING | 6 | 0.2 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3392 | 99.7 |
| CE_C19C_AGE_5 | CE_C19C_AGE_5. When did your [FIFTH] head injury with loss of consciousness occur? [AGE] [HEAD INJURY 5] | NUM | BEST | 27.8 | 15-51 | 6 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3392 | 99.7 |
| CE_C19D_5 | CE_C19D_5. Approximately how long were you unconscious? [HEAD INJURY 5] | NUM | LENGTHTIME | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 1 | | < 30 Minutes | 5 | 0.1 |
| | | | | | 2 | | >= 30 Minutes | 1 | 0.0 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_C19E_YN_5 | CE_C19E_YN_5. Did you seek medical treatment for your head injury? [HEAD INJURY 5] | NUM | DKREFYN | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 1 | | Yes | 6 | 0.2 |
| | | | | | 2 | | No | 2 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_C19F_YN_5 | CE_C19F_YN_5. Were you hospitalized overnight as a result of your head injury? [HEAD INJURY 5] | NUM | DKREFYN | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 1 | | Yes | 4 | 0.1 |
| | | | | | 2 | | No | 4 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C19G_NUM_5 | CE_C19G_NUM_5. What was the total number of days you spent in the hospital? [UNIT: NUMBER OF DAYS] [HEAD INJURY 5] | NUM | BEST | 23.3 | 1-90 | 4 | SKIPPED | 3397 | 99.9 |
| | | | | | | | | | |
| CE_C19H_YN_5 | CE_C19H_YN_5. Did your head injury occur on the job? [HEAD INJURY 5] | NUM | DKREFYN | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 1 | | Yes | 1 | 0.0 |
| | | | | | 2 | | No | 6 | 0.2 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| | | | | | | | | | |
| CE_C19I_YN_5 | CE_C19I_YN_5. Did your head injury occur in a motor vehicle accident? [HEAD INJURY 5] | NUM | DKREFYN | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 1 | | Yes | 2 | 0.1 |
| | | | | | 2 | | No | 6 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| | | | | | | | | | |
| CE_C19J_YN_5 | CE_C19J_YN_5. Did your head injury occur at work on a farm? [HEAD INJURY 5] | NUM | DKREFYN | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 2 | | No | 8 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| | | | | | | | | | |
| CE_C19K_YN_5 | CE_C19K_YN_5. Did your head injury occur in another way [HEAD INJURY 5]? | NUM | DKREFYN | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 1 | | Yes | 4 | 0.1 |
| | | | | | 2 | | No | 4 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| | | | | | | | | | |
| CE_C19K_TXT_5 | CE_C19K_TXT_5. Did your head injury occur in another way? YES [TEXT: SPECIFY] [HEAD INJURY 5] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C20_YN | CE_C20_YN. Have you ever had a concussion? | NUM | DKREFYN | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | Yes | 490 | 14.4 |
| | | | | | 2 | | No | 2818 | 82.9 |
| | | | | | 8 | | Don't Know | 92 | 2.7 |
| | | | | | | | | | |
| CE_C20A | CE_C20A. How many times in your life have you had a concussion? | NUM | TIMESNUM | | . | | Missing | 1 | 0.0 |
| | | | | | .S | | Skipped | 2910 | 85.6 |
| | | | | | 1 | | [# Times] | 474 | 13.9 |
| | | | | | 8 | | Don't Know | 16 | 0.5 |
| | | | | | | | | | |
| CE_C20A_NUM | CE_C20A_NUM. How many times in your life have you had a concussion? [UNIT: NUMBER OF TIMES] | NUM | BEST | 1.8 | 1-20 | 474 | MISSING | 1 | 0.0 |

*Section C - Background Information*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | DON'T KNOW | | | 16 | 0.5 |
| | | | | | SKIPPED | | | 2910 | 85.6 |
| CE_C20B | CE_C20B. How many of these were diagnosed by a health care provider? | NUM | SOMETIME | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2910 | 85.6 |
| | | | | | 1 | | [# Of Them] | 95 | 2.8 |
| | | | | | 2 | | All Of Them | 249 | 7.3 |
| | | | | | 3 | | Some Of Them | 1 | 0.0 |
| | | | | | 4 | | Just One | 38 | 1.1 |
| | | | | | 5 | | None Of Them | 95 | 2.8 |
| | | | | | 8 | | Don't Know | 10 | 0.3 |
| CE_C20B_NUM | CE_C20B_NUM. How many of these were diagnosed by a health care provider? [UNIT: NUMBER OF CONCUSSIONS] | NUM | BEST | 1.4 | 0-5 | 95 | SKIPPED | 3306 | 97.2 |
| CE_C22_YN | CE_C22_YN. Do you usually drink 1 or more beverages containing caffeine a day? Including coffee, energy drinks, regular tea, cola beverages and other sodas ... that have caffeine. | NUM | DKREFYN | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | Yes | 2684 | 78.9 |
| | | | | | 2 | | No | 716 | 21.1 |
| CE_C23_MINUTES_NUM | CE_C23_MINUTES_NUM. How long has it been since you last drank a caffeinated beverage? [UNIT: MINUTES] | NUM | BEST | 57671.2 | 0-2620800 | 3363 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 34 | 1.0 |
| | | | | | REFUSED | | | 1 | 0.0 |
| CE_C23_NUM | CE_C23_NUM. How long has it been since you last drank a caffeinated beverage? [COUNT] | NUM | BEST | 9.4 | 0-150 | 3363 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 34 | 1.0 |
| | | | | | REFUSED | | | 1 | 0.0 |
| CE_C23_UNITS | CE_C23_UNITS. How long has it been since you last drank a caffeinated beverage? [UNITS: MINUTES, HOURS, DAYS, WEEKS, MONTHS, YEARS] | NUM | MINWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | 1 | | Minutes | 674 | 19.8 |
| | | | | | 2 | | Hours | 1776 | 52.2 |
| | | | | | 3 | | Days | 658 | 19.3 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 4 | | Weeks | 114 | 3.4 |
| | | | | | 5 | | Months | 86 | 2.5 |
| | | | | | 6 | | Years | 55 | 1.6 |
| | | | | | 8 | | Don't Know | 34 | 1.0 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_C24 | CE_C24. Have you ever smoked cigarettes or used other tobacco products on a daily basis? | NUM | SMOKEA | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | No, Never | 1133 | 33.3 |
| | | | | | 2 | | Yes, In The Past, But Not Currently | 953 | 28.0 |
| | | | | | 3 | | Yes, I Currently Use Cigarettes Or Tobacco Products On A Daily Basis | 1311 | 38.5 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_C24A_MINUTES_NUM | CE_C24A_MINUTES_NUM. How long has it been you last smoked or used tobacco products? [UNIT: MINUTES] | NUM | BEST | 3001338.7 | 1-33022080 | 2262 | MISSING | 2 | 0.1 |
| | | | | | DON'T KNOW | | | 2 | 0.1 |
| | | | | | SKIPPED | | | 1135 | 33.4 |
| CE_C24A_NUM | CE_C24A_NUM. How long has it been since you last smoked or used tobacco products? [COUNT] | NUM | BEST | 15.8 | 1-365 | 2262 | MISSING | 2 | 0.1 |
| | | | | | DON'T KNOW | | | 2 | 0.1 |
| | | | | | SKIPPED | | | 1135 | 33.4 |
| CE_C24A_UNITS | CE_C24A_UNITS. How long has it been since you last smoked or used tobacco products? [UNITS: MINUTES, HOURS, DAYS, WEEKS, MONTHS, YEARS] | NUM | MINWEEK | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 1135 | 33.4 |
| | | | | | 1 | | Minutes | 639 | 18.8 |
| | | | | | 2 | | Hours | 622 | 18.3 |
| | | | | | 3 | | Days | 111 | 3.3 |
| | | | | | 4 | | Weeks | 60 | 1.8 |
| | | | | | 5 | | Months | 109 | 3.2 |
| | | | | | 6 | | Years | 721 | 21.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C24B_YN | CE_C24B_YN. Have you ever used an electronic cigarette or e-cigarette, such as NJOY, Blu, or Smoking Everywhere, even one or two times? | NUM | DKREFYN | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | Yes | 573 | 16.8 |
| | | | | | 2 | | No | 2821 | 82.9 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C24C | CE_C24C. Do you now use e-cigarettes... | NUM | EVERY | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 2826 | 83.1 |
| | | | | | 1 | | Every Day | 55 | 1.6 |
| | | | | | 2 | | Some Days | 73 | 2.1 |
| | | | | | 3 | | Not At All | 444 | 13.1 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_C24D | CE_C24D. What brand of e-cigarette do/did you use? [PROBE: What company makes the e-cigarette that you usually use/used?] | NUM | DKREFNULL | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 2826 | 83.1 |
| | | | | | 1 | | Null | 287 | 8.4 |
| | | | | | 8 | | Don't Know | 285 | 8.4 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_C24D_TXT | CE_C24D_TXT. What brand of e-cigarette do/did you use? [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C24E | CE_C24E. About how many disposable e-cigarettes or e-cigarette cartridges have you used in the past year? | NUM | SMOKEQNTY | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 2826 | 83.1 |
| | | | | | 1 | | None | 115 | 3.4 |
| | | | | | 2 | | 1 Or More Puffs, But Never A Whole One | 155 | 4.6 |
| | | | | | 3 | | 1-10 | 225 | 6.6 |
| | | | | | 4 | | 11-20 | 16 | 0.5 |
| | | | | | 5 | | 21-50 | 14 | 0.4 |
| | | | | | 6 | | 51-99 | 5 | 0.1 |
| | | | | | 7 | | 100 Or More | 10 | 0.3 |
| | | | | | 8 | | Don't Know | 33 | 1.0 |
| CE_C25_MINUTES_NUM | CE_C25_MINUTES_NUM. How long has it been since you last drank alcohol? [UNIT: MINUTES] | NUM | BEST | 968673.9 | 20-3354624 0 | 3000 | MISSING | 1 | 0.0 |
| | | | | | | | DON'T KNOW | 8 | 0.2 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 392 | 11.5 |
| CE_C25_NUM | CE_C25_NUM. How long has it been since you last drank alcohol? [COUNT] | NUM | BEST | 7.4 | 1-365 | 3000 | MISSING | 1 | 0.0 |
| | | | | | DON'T KNOW | | | 8 | 0.2 |
| | | | | | SKIPPED | | | 392 | 11.5 |
| CE_C25_UNITS | CE_C25_UNITS. How long has it been since you last drank alcohol? [UNITS: MINUTES, HOURS, DAYS, WEEKS, MONTHS, YEARS] | NUM | DRNKWEEK | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | Minutes | 4 | 0.1 |
| | | | | | 2 | | Hours | 670 | 19.7 |
| | | | | | 3 | | Days | 1038 | 30.5 |
| | | | | | 4 | | Weeks | 390 | 11.5 |
| | | | | | 5 | | Months | 405 | 11.9 |
| | | | | | 6 | | Years | 493 | 14.5 |
| | | | | | 7 | | I Don't Drink | 392 | 11.5 |
| | | | | | 8 | | Don't Know | 8 | 0.2 |
| CE_C26 | CE_C26. During the past 12 months, about how many drinks containing alcohol did you have on a typical weekend? | NUM | DRINNUM | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 885 | 26.0 |
| | | | | | 1 | | # Of Drinks: | 2492 | 73.3 |
| | | | | | 8 | | Don't Know | 20 | 0.6 |
| CE_C26_NUM | CE_C26_NUM. During the past 12 months, about how many drinks containing alcohol did you have on a typical weekend? [UNIT: NUMBER OF DRINKS] | NUM | BEST | 4.7 | 0-86 | 2492 | MISSING | 4 | 0.1 |
| | | | | | DON'T KNOW | | | 20 | 0.6 |
| | | | | | SKIPPED | | | 885 | 26.0 |
| CE_C27 | CE_C27. During the past 12 months, about how many drinks containing alcohol did you have during a typical week? | NUM | DRINNUM | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 885 | 26.0 |
| | | | | | 1 | | # Of Drinks: | 2499 | 73.5 |
| | | | | | 8 | | Don't Know | 13 | 0.4 |
| | | | | | 9 | | Refused | 1 | 0.0 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C27_NUM | CE_C27_NUM. During the past 12 months, about how many drinks containing alcohol did you have during a typical week? [UNIT: NUMBER OF DRINKS] | NUM | BEST | 3.6 | 0-144 | 2499 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 13 | 0.4 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 885 | 26.0 |
| CE_C28 | CE_C28. During the past 12 months, about how many times did you have 5 or more drinks containing alcohol on one occasion? | NUM | TIMESNUM | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 885 | 26.0 |
| | | | | | 1 | | [# Times] | 2469 | 72.6 |
| | | | | | 8 | | Don't Know | 40 | 1.2 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_C28_NUM | CE_C28_NUM. During the past 12 months, about how many times did you have 5 or more drinks containing alcohol on one occasion? [UNIT: NUMBER OF TIMES] | NUM | BEST | 10.1 | 0-365 | 2469 | MISSING | 5 | 0.1 |
| | | | | | | | DON'T KNOW | 40 | 1.2 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 885 | 26.0 |
| CE_C29_YN | CE_C29_YN. Now, please think about your use of alcohol throughout your life. Have you ever sought help to cut back or stop drinking? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | .S | | Skipped | 885 | 26.0 |
| | | | | | 1 | | Yes | 227 | 6.7 |
| | | | | | 2 | | No | 2283 | 67.1 |
| CE_C30A_YN | CE_C30A_YN. Have you ever worked with or been exposed to gasoline for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 881 | 25.9 |
| | | | | | 2 | | No | 2503 | 73.6 |
| | | | | | 8 | | Don't Know | 11 | 0.3 |
| CE_C30A_START_YYYY | CE_C30A_START_YYYY. What year did you start being exposed to gasoline? [YEAR: YYYY] | NUM | BEST | 1994.4 | 1942-2016 | 856 | MISSING | 6 | 0.2 |
| | | | | | | | DON'T KNOW | 25 | 0.7 |

*Section C - Background Information*

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 2514 | 73.9 |
| CE_C30A_STOP_YYYY | CE_C30A_STOP_YYYY. What year did you stop being exposed to gasoline? [YEAR: YYYY] | NUM | BEST | 2006.6 | 1949-2016 | 739 | MISSING | 124 | 3.6 |
| | | | | | DON'T KNOW | | | 24 | 0.7 |
| | | | | | SKIPPED | | | 2514 | 73.9 |
| CE_C30A_TXT | CE_C30A_TXT. Have you ever worked with or been exposed to gasoline for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C30B_YN | CE_C30B_YN. Have you ever worked with or been exposed to paint or lacquer thinner for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 816 | 24.0 |
| | | | | | 2 | | No | 2571 | 75.6 |
| | | | | | 8 | | Don't Know | 8 | 0.2 |
| CE_C30B_START_YYYY | CE_C30B_START_YYYY. What year did you start being exposed to paint or lacquer thinner? [YEAR: YYYY] | NUM | BEST | 1996.4 | 1939-2016 | 791 | MISSING | 6 | 0.2 |
| | | | | | DON'T KNOW | | | 25 | 0.7 |
| | | | | | SKIPPED | | | 2579 | 75.8 |
| CE_C30B_STOP_YYYY | CE_C30B_STOP_YYYY. What year did you stop being exposed to paint or lacquer thinner? [YEAR: YYYY] | NUM | BEST | 2006.2 | 1952-2016 | 689 | MISSING | 108 | 3.2 |
| | | | | | DON'T KNOW | | | 25 | 0.7 |
| | | | | | SKIPPED | | | 2579 | 75.8 |
| CE_C30B_TXT | CE_C30B_TXT. Have you ever worked with or been exposed to paint or lacquer thinner for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C30C_YN | CE_C30C_YN. Have you ever worked with or been exposed to turpentine for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 209 | 6.1 |
| | | | | | 2 | | No | 3156 | 92.8 |
| | | | | | 8 | | Don't Know | 30 | 0.9 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C30C_START_YYYY | CE_C30C_START_YYYY. What year did you start being exposed to turpentine? [YEAR: YYYY] | NUM | BEST | 1992.1 | 1950-2016 | 196 | MISSING | 6 | 0.2 |
| | | | | | | | DON'T KNOW | 13 | 0.4 |
| | | | | | | | SKIPPED | 3186 | 93.7 |
| CE_C30C_STOP_YYYY | CE_C30C_STOP_YYYY. What year did you stop being exposed to turpentine? [YEAR: YYYY] | NUM | BEST | 2003.9 | 1958-2016 | 184 | MISSING | 18 | 0.5 |
| | | | | | | | DON'T KNOW | 13 | 0.4 |
| | | | | | | | SKIPPED | 3186 | 93.7 |
| CE_C30C_TXT | CE_C30C_TXT. Have you ever worked with or been exposed to turpentine for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C30D_YN | CE_C30D_YN. Have you ever worked with or been exposed to benzene for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 393 | 11.6 |
| | | | | | 2 | | No | 2925 | 86.0 |
| | | | | | 8 | | Don't Know | 77 | 2.3 |
| CE_C30D_START_YYYY | CE_C30D_START_YYYY. What year did you start being exposed to benzene? [YEAR: YYYY] | NUM | BEST | 1997.2 | 1939-2015 | 386 | MISSING | 6 | 0.2 |
| | | | | | | | DON'T KNOW | 7 | 0.2 |
| | | | | | | | SKIPPED | 3002 | 88.3 |
| CE_C30D_STOP_YYYY | CE_C30D_STOP_YYYY. What year did you stop being exposed to benzene? [YEAR: YYYY] | NUM | BEST | 2006.2 | 1962-2016 | 366 | MISSING | 26 | 0.8 |
| | | | | | | | DON'T KNOW | 7 | 0.2 |
| | | | | | | | SKIPPED | 3002 | 88.3 |
| CE_C30D_TXT | CE_C30D_TXT. Have you ever worked with or been exposed to benzene for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C30E_YN | CE_C30E_YN. Have you ever worked with or been exposed to toluene for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 186 | 5.5 |
| | | | | | 2 | | No | 3133 | 92.1 |
| | | | | | 8 | | Don't Know | 76 | 2.2 |
| | | | | | | | | | |
| CE_C30E_START_YYYY | CE_C30E_START_YYYY. What year did you start being exposed to toluene? [YEAR: YYYY] | NUM | BEST | 1993.1 | 1954-2015 | 182 | MISSING | 6 | 0.2 |
| | | | | | | | DON'T KNOW | 4 | 0.1 |
| | | | | | | | SKIPPED | 3209 | 94.4 |
| | | | | | | | | | |
| CE_C30E_STOP_YYYY | CE_C30E_STOP_YYYY. What year did you stop being exposed to toluene? [YEAR: YYYY] | NUM | BEST | 2003.1 | 1962-2016 | 170 | MISSING | 18 | 0.5 |
| | | | | | | | DON'T KNOW | 4 | 0.1 |
| | | | | | | | SKIPPED | 3209 | 94.4 |
| | | | | | | | | | |
| CE_C30E_TXT | CE_C30E_TXT. Have you ever worked with or been exposed to toluene for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C30F_YN | CE_C30F_YN. Have you ever worked with or been exposed to petroleum distillates for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 460 | 13.5 |
| | | | | | 2 | | No | 2851 | 83.8 |
| | | | | | 8 | | Don't Know | 84 | 2.5 |
| | | | | | | | | | |
| CE_C30F_START_YYYY | CE_C30F_START_YYYY. What year did you start being exposed to petroleum distillates? [YEAR: YYYY] | NUM | BEST | 1996.6 | 1952-2015 | 452 | MISSING | 6 | 0.2 |
| | | | | | | | DON'T KNOW | 8 | 0.2 |
| | | | | | | | SKIPPED | 2935 | 86.3 |
| | | | | | | | | | |
| CE_C30F_STOP_YYYY | CE_C30F_STOP_YYYY. What year did you stop being exposed to petroleum distillates? [YEAR: YYYY] | NUM | BEST | 2007.0 | 1962-2016 | 413 | MISSING | 45 | 1.3 |
| | | | | | | | DON'T KNOW | 8 | 0.2 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 2935 | 86.3 |
| CE_C30F_TXT | CE_C30F_TXT. Have you ever worked with or been exposed to petroleum distillates for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C30G_YN | CE_C30G_YN. Have you ever worked with or been exposed to welding fumes for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 823 | 24.2 |
| | | | | | 2 | | No | 2564 | 75.4 |
| | | | | | 8 | | Don't Know | 8 | 0.2 |
| CE_C30G_START_YYYY | CE_C30G_START_YYYY. What year did you start being exposed to welding fumes? [YEAR: YYYY] | NUM | BEST | 1995.0 | 1952-2016 | 802 | MISSING | 6 | 0.2 |
| | | | | | DON'T KNOW | | | 21 | 0.6 |
| | | | | | SKIPPED | | | 2572 | 75.6 |
| CE_C30G_STOP_YYYY | CE_C30G_STOP_YYYY. What year did you stop being exposed to welding fumes? [YEAR: YYYY] | NUM | BEST | 2005.1 | 1957-2016 | 719 | MISSING | 90 | 2.6 |
| | | | | | DON'T KNOW | | | 20 | 0.6 |
| | | | | | SKIPPED | | | 2572 | 75.6 |
| CE_C30G_TXT | CE_C30G_TXT. Have you ever worked with or been exposed to welding fumes for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C30H_YN | CE_C30H_YN. Have you ever worked with or been exposed to soldering products for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 287 | 8.4 |
| | | | | | 2 | | No | 3097 | 91.1 |
| | | | | | 8 | | Don't Know | 11 | 0.3 |
| CE_C30H_START_YYYY | CE_C30H_START_YYYY. What year did you start being exposed to soldering products? [YEAR: YYYY] | NUM | BEST | 1995.0 | 1954-2016 | 274 | MISSING | 6 | 0.2 |
| | | | | | DON'T KNOW | | | 13 | 0.4 |
| | | | | | SKIPPED | | | 3108 | 91.4 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C30H_STOP_YYYY | CE_C30H_STOP_YYYY. What year did you stop being exposed to soldering products? [YEAR: YYYY] | NUM | BEST | 2005.8 | 1962-2016 | 239 | MISSING | 41 | 1.2 |
| | | | | | | | DON'T KNOW | 13 | 0.4 |
| | | | | | | | SKIPPED | 3108 | 91.4 |
| CE_C30H_TXT | CE_C30H_TXT. Have you ever worked with or been exposed to soldering products for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C30I_YN | CE_C30I_YN. Have you ever worked with or been exposed to pesticides for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? | NUM | DKREFYN | | . | | Missing | 6 | 0.2 |
| | | | | | | 1 | Yes | 187 | 5.5 |
| | | | | | | 2 | No | 3204 | 94.2 |
| | | | | | | 8 | Don't Know | 4 | 0.1 |
| CE_C30I_START_YYYY | CE_C30I_START_YYYY. What year did you start being exposed to pesticides? [YEAR: YYYY] | NUM | BEST | 1995.2 | 1958-2015 | 180 | MISSING | 6 | 0.2 |
| | | | | | | | DON'T KNOW | 7 | 0.2 |
| | | | | | | | SKIPPED | 3208 | 94.3 |
| CE_C30I_STOP_YYYY | CE_C30I_STOP_YYYY. What year did you stop being exposed to pesticides? [YEAR: YYYY] | NUM | BEST | 2004.1 | 1968-2016 | 156 | MISSING | 30 | 0.9 |
| | | | | | | | DON'T KNOW | 7 | 0.2 |
| | | | | | | | SKIPPED | 3208 | 94.3 |
| CE_C30I_TXT | CE_C30I_TXT. Have you ever worked with or been exposed to pesticides for 8 hours a week or more in a past job, your present job, at home (i.e. hobbies), or any other locations where you spend time? Comments/Notes [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_C31 | CE_C31. Around what time did you fall asleep last night? [UNITS: AM, PM] | NUM | AMPM | | . | | Missing | 1 | 0.0 |
| | | | | | | 1 | Am | 978 | 28.8 |
| | | | | | | 2 | Pm | 2382 | 70.0 |
| | | | | | | 8 | Don't Know | 38 | 1.1 |
| | | | | | | 9 | Refused | 2 | 0.1 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C31_TIME | CE_C31_TIME. Around what time did you fall asleep last night? [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 15:58 | 0:00-23:45 | 3360 | MISSING | 1 | 0.0 |
| | | | | | | | DON'T KNOW | 38 | 1.1 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | | | |
| CE_C32 | CE_C32. What time do you usually wake up? [UNITS: AM, PM] | NUM | AMPM | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | Am | 3296 | 96.9 |
| | | | | | 2 | | Pm | 68 | 2.0 |
| | | | | | 8 | | Don't Know | 35 | 1.0 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| | | | | | | | | | |
| CE_C32_TIME | CE_C32_TIME. What time do you usually wake up? [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 6:10 | 0:00-23:30 | 3364 | MISSING | 1 | 0.0 |
| | | | | | | | DON'T KNOW | 35 | 1.0 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | | | |
| CE_C33 | CE_C33. What time did you wake up today? [UNITS: AM, PM] | NUM | AMPM | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | Am | 3357 | 98.7 |
| | | | | | 2 | | Pm | 7 | 0.2 |
| | | | | | 8 | | Don't Know | 32 | 0.9 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| | | | | | | | | | |
| CE_C33_TIME | CE_C33_TIME. What time did you wake up today? [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 6:00 | 0:00-23:30 | 3364 | MISSING | 2 | 0.1 |
| | | | | | | | DON'T KNOW | 32 | 0.9 |
| | | | | | | | REFUSED | 3 | 0.1 |
| | | | | | | | | | |
| CE_C34 | CE_C34. How many times did you wake up last night? | NUM | TIMESNUM | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | [# Times] | 3363 | 98.9 |
| | | | | | 8 | | Don't Know | 33 | 1.0 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| | | | | | | | | | |
| CE_C34_NUM | CE_C34_NUM. How many times did you wake up last night? [UNIT: NUMBER OF TIMES] | NUM | BEST | 1.5 | 0-15 | 3363 | MISSING | 2 | 0.1 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | DON'T KNOW | | | 33 | 1.0 |
| | | | | | REFUSED | | | 3 | 0.1 |
| CE_C35 | CE_C35. How much sleep did you get last night? Would you say...? | NUM | USUAL | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | About The Usual Amount | 2131 | 62.7 |
| | | | | | 2 | | Less Than Usual | 937 | 27.6 |
| | | | | | 3 | | More Than Usual | 324 | 9.5 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| CE_C36 | CE_C36. How many hours and minutes of sleep did you get last night? | NUM | TIMEHRSMIN | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | [hh:mm] | 3378 | 99.3 |
| | | | | | 8 | | Don't Know | 21 | 0.6 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_C36_TIME | CE_C36_TIME. How many hours and minutes of sleep did you get last night? [TIME: HH:MM] | NUM | TIME | 6:19 | 0:00-15:00 | 3378 | MISSING | 1 | 0.0 |
| | | | | | DON'T KNOW | | | 21 | 0.6 |
| | | | | | REFUSED | | | 1 | 0.0 |
| CE_C37 | CE_C37. How many hours and minutes of sleep do you usually get a night? | NUM | TIMEHRSMIN | | . | | Missing | 1 | 0.0 |
| | | | | | 1 | | [hh:mm] | 3381 | 99.4 |
| | | | | | 8 | | Don't Know | 19 | 0.6 |
| CE_C37_TIME | CE_C37_TIME. How many hours and minutes of sleep do you usually get a night? [TIME: HH:MM] | NUM | TIME | 6:46 | 0:00-16:00 | 3381 | MISSING | 1 | 0.0 |
| | | | | | DON'T KNOW | | | 19 | 0.6 |
| CE_C38_YN | CE_C38_YN. Since 2010, have you used hair dye to color your hair? | NUM | DKREFYN | | 1 | | Yes | 692 | 20.3 |
| | | | | | 2 | | No | 2707 | 79.6 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_C39_1_YN | CE_C39_1_YN. In what years did you do this? (SELECT ALL THAT APPLY) 2010 | NUM | NYREFDK | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 0 | | No | 260 | 7.6 |
| | | | | | 1 | | Yes | 422 | 12.4 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C39_2_YN | CE_C39_2_YN. In what years did you do this? (SELECT ALL THAT APPLY) 2011 | NUM | NYREFDK | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 0 | | No | 239 | 7.0 |
| | | | | | 1 | | Yes | 443 | 13.0 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C39_3_YN | CE_C39_3_YN. In what years did you do this? (SELECT ALL THAT APPLY) 2012 | NUM | NYREFDK | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 0 | | No | 216 | 6.4 |
| | | | | | 1 | | Yes | 466 | 13.7 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C39_4_YN | CE_C39_4_YN. In what years did you do this? (SELECT ALL THAT APPLY) 2013 | NUM | NYREFDK | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 0 | | No | 191 | 5.6 |
| | | | | | 1 | | Yes | 491 | 14.4 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C39_5_YN | CE_C39_5_YN. In what years did you do this? (SELECT ALL THAT APPLY) 2014 | NUM | NYREFDK | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 0 | | No | 178 | 5.2 |
| | | | | | 1 | | Yes | 504 | 14.8 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C39_6_YN | CE_C39_6_YN. In what years did you do this? (SELECT ALL THAT APPLY) 2015 | NUM | NYREFDK | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 0 | | No | 269 | 7.9 |
| | | | | | 1 | | Yes | 413 | 12.1 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C40 | CE_C40. In what month and year did you last dye your hair? | NUM | DTFORM_CE | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 1 | | Mm/Yyyy | 660 | 19.4 |
| | | | | | 8 | | Don't Know | 32 | 0.9 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C40_DATE | CE_C40_DATE. In what month and year did you last dye your hair? [DATE: MM/YYYY] | NUM | MMYYS | 11/2014 | 03/2010 -06/2016 | 660 | MISSING | 2 | 0.1 |
| | | | | | | | DON'T KNOW | 32 | 0.9 |
| | | | | | | | SKIPPED | 2707 | 79.6 |
| CE_C41 | CE_C41. What color do/did you usually use? | NUM | HAIRCOLORB | | | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 1 | | Black | 211 | 6.2 |
| | | | | | 2 | | Light Brown | 54 | 1.6 |
| | | | | | 3 | | Medium Brown | 87 | 2.6 |
| | | | | | 4 | | Dark Brown | 55 | 1.6 |
| | | | | | 5 | | Light Blond | 117 | 3.4 |
| | | | | | 6 | | Dark Blond | 56 | 1.6 |
| | | | | | 7 | | Light Red | 21 | 0.6 |
| | | | | | 8 | | Dark Red | 27 | 0.8 |
| | | | | | 9 | | Other | 54 | 1.6 |
| | | | | | 88 | | Don't Know | 10 | 0.3 |
| CE_C42 | CE_C42. What type of hair dye do you use most often? | NUM | DYEHAIR | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 2707 | 79.6 |
| | | | | | 1 | | Temporary Dyes (Wash Out With A Few Shampoos) | 121 | 3.6 |
| | | | | | 2 | | Semi-Permanent Dyes | 176 | 5.2 |
| | | | | | 3 | | Demi-Permanent Dyes | 20 | 0.6 |
| | | | | | 4 | | Permanent Dyes | 351 | 10.3 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| CE_C43 | CE_C43. In the past two weeks (14 days), about how often have you used an anti-dandruff shampoo, conditioner, or other hair or scalp treatment? | NUM | TIMEPERWEEK | | . | | Missing | 1 | 0.0 |
| | | | | | .S | | Skipped | 267 | 7.9 |
| | | | | | 1 | | None | 2410 | 70.9 |
| | | | | | 2 | | Once Or Twice | 190 | 5.6 |
| | | | | | 3 | | 1-2 Times A Week | 146 | 4.3 |
| | | | | | 4 | | 3-4 Times A Week | 118 | 3.5 |
| | | | | | 5 | | 5-6 Times A Week | 39 | 1.1 |
| | | | | | 6 | | Every Day | 225 | 6.6 |

*DATA SET: ce_background_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 424*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| CE_C44_NUM | CE_C44_NUM. How long has it been since you last used an anti-dandruff shampoo, conditioner, or other hair or scalp treatment? [COUNT] | NUM | BEST | 5.2 | 0-48 | 701 | MISSING | 8 | 0.2 |
| | | | | | | | DON'T KNOW | 10 | 0.3 |
| | | | | | | | SKIPPED | 2682 | 78.9 |
| CE_C44_UNITS | CE_C44_UNITS. How long has it been since you last used an anti-dandruff shampoo, conditioner, or other hair or scalp treatment? [UNITS: HOURS, DAYS, WEEKS] | NUM | DYHRWK | | . | | Missing | 1 | 0.0 |
| | | | | | .S | | Skipped | 2682 | 78.9 |
| | | | | | 1 | | Hours | 314 | 9.2 |
| | | | | | 2 | | Days | 286 | 8.4 |
| | | | | | 3 | | Weeks | 108 | 3.2 |
| | | | | | 8 | | Don't Know | 10 | 0.3 |
| CE_C45_TXT | CE_C45_TXT. In the past two weeks, what brands have you used? [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| | | | | | | | | | |
| CE_C21A_TXT_1 | CE_C21A_TXT_1. What is the name of the prescription or over-the-counter medication? [1] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21B_TXT_1 | CE_C21B_TXT_1. What is the reason you take this? [1] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21C_NUM_1 | CE_C21C_NUM_1. What is the dosage? [COUNT] [1] | NUM | BEST | 177.4 | 1-5000 | 1820 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 435 | 12.8 |
| | | | | | | | REFUSED | 13 | 0.4 |
| | | | | | | | SKIPPED | 1130 | 33.2 |
| | | | | | | | | | |
| CE_C21D_UNITS_1 | CE_C21D_UNITS_1. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [1] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 1130 | 33.2 |
| | | | | | 3 | | Other | 232 | 6.8 |
| | | | | | 4 | | Don't Know | 224 | 6.6 |
| | | | | | 119 | | Mg | 1681 | 49.4 |
| | | | | | 120 | | Iu | 30 | 0.9 |
| | | | | | 121 | | Mcg | 82 | 2.4 |
| | | | | | 122 | | Ml | 8 | 0.2 |
| | | | | | 123 | | G | 4 | 0.1 |
| | | | | | 124 | | Tbsp | 6 | 0.2 |
| | | | | | 125 | | Tsp | 1 | 0.0 |
| | | | | | | | | | |
| CE_C21E_TXT_1 | CE_C21E_TXT_1. What is the dosage unit? OTHER [TEXT: SPECIFY] [1] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21F_1 | CE_C21F_1. How often do you take this? [1] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 1130 | 33.2 |
| | | | | | 4 | | Don't Know | 5 | 0.1 |
| | | | | | 110 | | Once A Month Or Less | 52 | 1.5 |
| | | | | | 418 | | Less Than Once A Week | 30 | 0.9 |
| | | | | | 419 | | Once A Week | 35 | 1.0 |
| | | | | | 421 | | 2-3 Days A Week | 178 | 5.2 |
| | | | | | 422 | | 4-5 Days A Week | 98 | 2.9 |
| | | | | | 423 | | 6-7 Days A Week | 1870 | 55.0 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21G_1 | CE_C21G_1. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [1] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 1130 | 33.2 |
| | | | | | 4 | | Don't Know | 11 | 0.3 |
| | | | | | 424 | | 1 Time Per Day | 1703 | 50.1 |
| | | | | | 425 | | 2 Times Per Day | 401 | 11.8 |
| | | | | | 426 | | 3 Times Per Day | 111 | 3.3 |
| | | | | | 427 | | 4 Times Per Day | 35 | 1.0 |
| | | | | | 428 | | 5 Or More Times Per Day | 7 | 0.2 |
| CE_C21H_MM_1 | CE_C21H_MM_1. When did you start taking this? [MONTH: MM] [1] | NUM | BEST | 5.7 | 1-12 | 1871 | MISSING | 179 | 5.3 |
| | | | | | | | DON'T KNOW | 215 | 6.3 |
| | | | | | | | REFUSED | 6 | 0.2 |
| | | | | | | | SKIPPED | 1130 | 33.2 |
| CE_C21H_YYYY_1 | CE_C21H_YYYY_1. When did you start taking this? [YEAR: YYYY] [1] | NUM | BEST | 2010.4 | 1964-2016 | 2047 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 215 | 6.3 |
| | | | | | | | REFUSED | 6 | 0.2 |
| | | | | | | | SKIPPED | 1130 | 33.2 |
| CE_C21A_TXT_2 | CE_C21A_TXT_2. What is the name of the prescription or over-the-counter medication? [2] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_2 | CE_C21B_TXT_2. What is the reason you take this? [2] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_2 | CE_C21C_NUM_2. What is the dosage? [COUNT] [2] | NUM | BEST | 179.1 | 1-5000 | 1439 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 346 | 10.2 |
| | | | | | | | REFUSED | 13 | 0.4 |
| | | | | | | | SKIPPED | 1600 | 47.0 |
| CE_C21D_UNITS_2 | CE_C21D_UNITS_2. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [2] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | .S | | Skipped | 1600 | 47.0 |
| | | | | | 3 | | Other | 211 | 6.2 |
| | | | | | 4 | | Don't Know | 161 | 4.7 |
| | | | | | 119 | | Mg | 1329 | 39.1 |
| | | | | | 120 | | Iu | 30 | 0.9 |
| | | | | | 121 | | Mcg | 48 | 1.4 |
| | | | | | 122 | | Ml | 9 | 0.3 |
| | | | | | 123 | | G | 6 | 0.2 |
| | | | | | 124 | | Tbsp | 2 | 0.1 |
| | | | | | 125 | | Tsp | 2 | 0.1 |
| | | | | | | | | | |
| CE_C21E_TXT_2 | CE_C21_TXT_2. What is the dosage unit? OTHER [TEXT: SPECIFY] [2] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21F_2 | CE_C21F_2. How often do you take this? [2] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 1600 | 47.0 |
| | | | | | 4 | | Don't Know | 7 | 0.2 |
| | | | | | 110 | | Once A Month Or Less | 30 | 0.9 |
| | | | | | 418 | | Less Than Once A Week | 40 | 1.2 |
| | | | | | 419 | | Once A Week | 24 | 0.7 |
| | | | | | 421 | | 2-3 Days A Week | 108 | 3.2 |
| | | | | | 422 | | 4-5 Days A Week | 66 | 1.9 |
| | | | | | 423 | | 6-7 Days A Week | 1523 | 44.8 |
| | | | | | | | | | |
| CE_C21G_2 | CE_C21G_2. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [2] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 1600 | 47.0 |
| | | | | | 4 | | Don't Know | 6 | 0.2 |
| | | | | | 424 | | 1 Time Per Day | 1415 | 41.6 |
| | | | | | 425 | | 2 Times Per Day | 271 | 8.0 |
| | | | | | 426 | | 3 Times Per Day | 78 | 2.3 |
| | | | | | 427 | | 4 Times Per Day | 22 | 0.6 |
| | | | | | 428 | | 5 Or More Times Per Day | 6 | 0.2 |
| | | | | | | | | | |
| CE_C21H_MM_2 | CE_C21H_MM_2. When did you start taking this? [MONTH: MM] [2] | NUM | BEST | 5.6 | 1-12 | 1455 | MISSING | 160 | 4.7 |
| | | | | | DON'T KNOW | | | 183 | 5.4 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | REFUSED | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 1600 | 47.0 |
| CE_C21H_YYYY_2 | CE_C21H_YYYY_2. When did you start taking this? [YEAR: YYYY] [2] | NUM | BEST | 2010.3 | 1964-2016 | 1612 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 183 | 5.4 |
| | | | | | | | REFUSED | 3 | 0.1 |
| | | | | | | | SKIPPED | 1600 | 47.0 |
| CE_C21A_TXT_3 | CE_C21A_TXT_3. What is the name of the prescription or over-the-counter medication? [3] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_3 | CE_C21B_TXT_3. What is the reason you take this? [3] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_3 | CE_C21C_NUM_3. What is the dosage? [COUNT] [3] | NUM | BEST | 200.8 | 1-5000 | 1184 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 239 | 7.0 |
| | | | | | | | REFUSED | 5 | 0.1 |
| | | | | | | | SKIPPED | 1970 | 57.9 |
| CE_C21D_UNITS_3 | CE_C21D_UNITS_3. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [3] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 1970 | 57.9 |
| | | | | | 3 | | Other | 147 | 4.3 |
| | | | | | 4 | | Don't Know | 106 | 3.1 |
| | | | | | 119 | | Mg | 1093 | 32.1 |
| | | | | | 120 | | Iu | 18 | 0.5 |
| | | | | | 121 | | Mcg | 51 | 1.5 |
| | | | | | 122 | | Ml | 8 | 0.2 |
| | | | | | 123 | | G | 2 | 0.1 |
| | | | | | 124 | | Tbsp | 2 | 0.1 |
| | | | | | 125 | | Tsp | 1 | 0.0 |
| CE_C21E_TXT_3 | CE_C21E_TXT_3. What is the dosage unit? OTHER [TEXT: SPECIFY] [3] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21F_3 | CE_C21F_3. How often do you take this? [3] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 1970 | 57.9 |
| | | | | | 4 | | Don't Know | 7 | 0.2 |
| | | | | | 5 | | Refused | 1 | 0.0 |
| | | | | | 110 | | Once A Month Or Less | 29 | 0.9 |
| | | | | | 418 | | Less Than Once A Week | 25 | 0.7 |
| | | | | | 419 | | Once A Week | 21 | 0.6 |
| | | | | | 421 | | 2-3 Days A Week | 81 | 2.4 |
| | | | | | 422 | | 4-5 Days A Week | 44 | 1.3 |
| | | | | | 423 | | 6-7 Days A Week | 1220 | 35.9 |
| CE_C21G_3 | CE_C21G_3. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [3] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 1970 | 57.9 |
| | | | | | 4 | | Don't Know | 9 | 0.3 |
| | | | | | 5 | | Refused | 1 | 0.0 |
| | | | | | 424 | | 1 Time Per Day | 1106 | 32.5 |
| | | | | | 425 | | 2 Times Per Day | 230 | 6.8 |
| | | | | | 426 | | 3 Times Per Day | 62 | 1.8 |
| | | | | | 427 | | 4 Times Per Day | 17 | 0.5 |
| | | | | | 428 | | 5 Or More Times Per Day | 3 | 0.1 |
| CE_C21H_MM_3 | CE_C21H_MM_3. When did you start taking this? [MONTH: MM] [3] | NUM | BEST | 5.5 | 1-12 | 1136 | MISSING | 128 | 3.8 |
| | | | | | | | DON'T KNOW | 163 | 4.8 |
| | | | | | | | REFUSED | 4 | 0.1 |
| | | | | | | | SKIPPED | 1970 | 57.9 |
| CE_C21H_YYYY_3 | CE_C21H_YYYY_3. When did you start taking this? [YEAR: YYYY] [3] | NUM | BEST | 2010.4 | 1957-2016 | 1261 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 163 | 4.8 |
| | | | | | | | REFUSED | 4 | 0.1 |
| | | | | | | | SKIPPED | 1970 | 57.9 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21A_TXT_4 | CE_C21A_TXT_4. What is the name of the prescription or over-the-counter medication? [4] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21B_TXT_4 | CE_C21B_TXT_4. What is the reason you take this? [4] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21C_NUM_4 | CE_C21C_NUM_4. What is the dosage? [COUNT] [4] | NUM | BEST | 197.3 | 1-5000 | 951 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 199 | 5.9 |
| | | | | | | | REFUSED | 3 | 0.1 |
| | | | | | | | SKIPPED | 2245 | 66.0 |
| | | | | | | | | | |
| CE_C21D_UNITS_4 | CE_C21D_UNITS_4. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [4] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2245 | 66.0 |
| | | | | | 3 | | Other | 121 | 3.6 |
| | | | | | 4 | | Don't Know | 92 | 2.7 |
| | | | | | 119 | | Mg | 876 | 25.8 |
| | | | | | 120 | | Iu | 19 | 0.6 |
| | | | | | 121 | | Mcg | 37 | 1.1 |
| | | | | | 122 | | Ml | 5 | 0.1 |
| | | | | | 123 | | G | 1 | 0.0 |
| | | | | | 124 | | Tbsp | 1 | 0.0 |
| | | | | | 125 | | Tsp | 1 | 0.0 |
| | | | | | | | | | |
| CE_C21E_TXT_4 | CE_C21E_TXT_4. What is the dosage unit? OTHER [TEXT: SPECIFY] [4] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21F_4 | CE_C21F_4. How often do you take this? [4] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2245 | 66.0 |
| | | | | | 4 | | Don't Know | 3 | 0.1 |
| | | | | | 5 | | Refused | 1 | 0.0 |
| | | | | | 110 | | Once A Month Or Less | 27 | 0.8 |
| | | | | | 418 | | Less Than Once A Week | 36 | 1.1 |
| | | | | | 419 | | Once A Week | 13 | 0.4 |
| | | | | | 421 | | 2-3 Days A Week | 69 | 2.0 |
| | | | | | 422 | | 4-5 Days A Week | 18 | 0.5 |
| | | | | | 423 | | 6-7 Days A Week | 986 | 29.0 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21G_4 | CE_C21G_4. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [4] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2245 | 66.0 |
| | | | | | 4 | | Don't Know | 4 | 0.1 |
| | | | | | 424 | | 1 Time Per Day | 899 | 26.4 |
| | | | | | 425 | | 2 Times Per Day | 168 | 4.9 |
| | | | | | 426 | | 3 Times Per Day | 67 | 2.0 |
| | | | | | 427 | | 4 Times Per Day | 12 | 0.4 |
| | | | | | 428 | | 5 Or More Times Per Day | 3 | 0.1 |
| CE_C21H_MM_4 | CE_C21H_MM_4. When did you start taking this? [MONTH: MM] [4] | NUM | BEST | 5.6 | 1-12 | 906 | MISSING | 105 | 3.1 |
| | | | | | | | DON'T KNOW | 143 | 4.2 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 2245 | 66.0 |
| CE_C21H_YYYY_4 | CE_C21H_YYYY_4. When did you start taking this? [YEAR: YYYY] [4] | NUM | BEST | 2010.0 | 1964-2016 | 1008 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 143 | 4.2 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 2245 | 66.0 |
| CE_C21A_TXT_5 | CE_C21A_TXT_5. What is the name of the prescription or over-the-counter medication? [5] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_5 | CE_C21B_TXT_5. What is the reason you take this? [5] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_5 | CE_C21C_NUM_5. What is the dosage? [COUNT] [5] | NUM | BEST | 236.0 | 1-8500 | 757 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 152 | 4.5 |
| | | | | | | | REFUSED | 3 | 0.1 |
| | | | | | | | SKIPPED | 2486 | 73.1 |
| CE_C21D_UNITS_5 | CE_C21D_UNITS_5. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [5] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | .S | | Skipped | 2486 | 73.1 |
| | | | | | 3 | | Other | 114 | 3.4 |
| | | | | | 4 | | Don't Know | 68 | 2.0 |
| | | | | | 119 | | Mg | 672 | 19.8 |
| | | | | | 120 | | Iu | 13 | 0.4 |
| | | | | | 121 | | Mcg | 33 | 1.0 |
| | | | | | 122 | | Ml | 4 | 0.1 |
| | | | | | 123 | | G | 5 | 0.1 |
| | | | | | 124 | | Tbsp | 2 | 0.1 |
| | | | | | 125 | | Tsp | 1 | 0.0 |
| CE_C21E_TXT_5 | CE_C21E_TXT_5. What is the dosage unit? OTHER [TEXT: SPECIFY] [5] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_5 | CE_C21F_5. How often do you take this? [5] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2486 | 73.1 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 110 | | Once A Month Or Less | 22 | 0.6 |
| | | | | | 418 | | Less Than Once A Week | 20 | 0.6 |
| | | | | | 419 | | Once A Week | 19 | 0.6 |
| | | | | | 421 | | 2-3 Days A Week | 46 | 1.4 |
| | | | | | 422 | | 4-5 Days A Week | 23 | 0.7 |
| | | | | | 423 | | 6-7 Days A Week | 781 | 23.0 |
| CE_C21G_5 | CE_C21G_5. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [5] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2486 | 73.1 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 424 | | 1 Time Per Day | 718 | 21.1 |
| | | | | | 425 | | 2 Times Per Day | 140 | 4.1 |
| | | | | | 426 | | 3 Times Per Day | 36 | 1.1 |
| | | | | | 427 | | 4 Times Per Day | 13 | 0.4 |
| | | | | | 428 | | 5 Or More Times Per Day | 3 | 0.1 |
| CE_C21H_MM_5 | CE_C21H_MM_5. When did you start taking this? [MONTH: MM] [5] | NUM | BEST | 5.5 | 1-12 | 707 | MISSING | 89 | 2.6 |
| | | | | | | | DON'T KNOW | 119 | 3.5 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 2486 | 73.1 |
| CE_C21H_YYYY_5 | CE_C21H_YYYY_5. When did you start taking this? [YEAR: YYYY] [5] | NUM | BEST | 2010.2 | 1970-2016 | 793 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 119 | 3.5 |
| | | | | | SKIPPED | | | 2486 | 73.1 |
| CE_C21A_TXT_6 | CE_C21A_TXT_6. What is the name of the prescription or over-the-counter medication? [6] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_6 | CE_C21B_TXT_6. What is the reason you take this? [6] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_6 | CE_C21C_NUM_6. What is the dosage? [COUNT] [6] | NUM | BEST | 206.8 | 1-4000 | 579 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 140 | 4.1 |
| | | | | | | | REFUSED | 3 | 0.1 |
| | | | | | | | SKIPPED | 2676 | 78.7 |
| CE_C21D_UNITS_6 | CE_C21D_UNITS_6. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [6] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2676 | 78.7 |
| | | | | | 3 | | Other | 97 | 2.9 |
| | | | | | 4 | | Don't Know | 64 | 1.9 |
| | | | | | 119 | | Mg | 516 | 15.2 |
| | | | | | 120 | | Iu | 11 | 0.3 |
| | | | | | 121 | | Mcg | 28 | 0.8 |
| | | | | | 122 | | Ml | 2 | 0.1 |
| | | | | | 123 | | G | 2 | 0.1 |
| | | | | | 125 | | Tsp | 2 | 0.1 |
| CE_C21E_TXT_6 | CE_C21E_TXT_6. What is the dosage unit? OTHER [TEXT: SPECIFY] [6] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_6 | CE_C21F_6. How often do you take this? [6] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2676 | 78.7 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 5 | | Refused | 1 | 0.0 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 110 | | Once A Month Or Less | 6 | 0.2 |
| | | | | | 418 | | Less Than Once A Week | 23 | 0.7 |
| | | | | | 419 | | Once A Week | 11 | 0.3 |
| | | | | | 421 | | 2-3 Days A Week | 35 | 1.0 |
| | | | | | 422 | | 4-5 Days A Week | 19 | 0.6 |
| | | | | | 423 | | 6-7 Days A Week | 625 | 18.4 |
| CE_C21G_6 | CE_C21G_6. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [6] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2676 | 78.7 |
| | | | | | 4 | | Don't Know | 4 | 0.1 |
| | | | | | 5 | | Refused | 1 | 0.0 |
| | | | | | 424 | | 1 Time Per Day | 560 | 16.5 |
| | | | | | 425 | | 2 Times Per Day | 108 | 3.2 |
| | | | | | 426 | | 3 Times Per Day | 34 | 1.0 |
| | | | | | 427 | | 4 Times Per Day | 12 | 0.4 |
| | | | | | 428 | | 5 Or More Times Per Day | 3 | 0.1 |
| CE_C21H_MM_6 | CE_C21H_MM_6. When did you start taking this? [MONTH: MM] [6] | NUM | BEST | 5.3 | 1-12 | 567 | MISSING | 62 | 1.8 |
| | | | | | | | DON'T KNOW | 94 | 2.8 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 2676 | 78.7 |
| CE_C21H_YYYY_6 | CE_C21H_YYYY_6. When did you start taking this? [YEAR: YYYY] [6] | NUM | BEST | 2010.2 | 1973-2016 | 626 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 94 | 2.8 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 2676 | 78.7 |
| CE_C21A_TXT_7 | CE_C21A_TXT_7. What is the name of the prescription or over-the-counter medication? [7] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_7 | CE_C21B_TXT_7. What is the reason you take this? [7] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_7 | CE_C21C_NUM_7. What is the dosage? [COUNT] [7] | NUM | BEST | 277.6 | 1-8887 | 470 | MISSING | 3 | 0.1 |

*Section C, Questions 21a-h - Medications*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | DON'T KNOW | | | 96 | 2.8 |
| | | | | | REFUSED | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 2831 | 83.2 |
| CE_C21D_UNITS_7 | CE_C21D_UNITS_7. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [7] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2831 | 83.2 |
| | | | | | 3 | | Other | 65 | 1.9 |
| | | | | | 4 | | Don't Know | 53 | 1.6 |
| | | | | | 119 | | Mg | 398 | 11.7 |
| | | | | | 120 | | Iu | 13 | 0.4 |
| | | | | | 121 | | Mcg | 29 | 0.9 |
| | | | | | 122 | | Ml | 5 | 0.1 |
| | | | | | 123 | | G | 2 | 0.1 |
| | | | | | 125 | | Tsp | 2 | 0.1 |
| CE_C21E_TXT_7 | CE_C21E_TXT_7. What is the dosage unit? OTHER [TEXT: SPECIFY] [7] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_7 | CE_C21F_7. How often do you take this? [7] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2831 | 83.2 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 110 | | Once A Month Or Less | 13 | 0.4 |
| | | | | | 418 | | Less Than Once A Week | 10 | 0.3 |
| | | | | | 419 | | Once A Week | 8 | 0.2 |
| | | | | | 421 | | 2-3 Days A Week | 24 | 0.7 |
| | | | | | 422 | | 4-5 Days A Week | 17 | 0.5 |
| | | | | | 423 | | 6-7 Days A Week | 493 | 14.5 |
| CE_C21G_7 | CE_C21G_7. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [7] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2831 | 83.2 |
| | | | | | 4 | | Don't Know | 3 | 0.1 |
| | | | | | 424 | | 1 Time Per Day | 442 | 13.0 |
| | | | | | 425 | | 2 Times Per Day | 89 | 2.6 |
| | | | | | 426 | | 3 Times Per Day | 27 | 0.8 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 427 | | 4 Times Per Day | 4 | 0.1 |
| | | | | | 428 | | 5 Or More Times Per Day | 2 | 0.1 |
| CE_C21H_MM_7 | CE_C21H_MM_7. When did you start taking this? [MONTH: MM] [7] | NUM | BEST | 5.4 | 1-12 | 439 | MISSING | 52 | 1.5 |
| | | | | | | | DON'T KNOW | 78 | 2.3 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 2831 | 83.2 |
| CE_C21H_YYYY_7 | CE_C21H_YYYY_7. When did you start taking this? [YEAR: YYYY] [7] | NUM | BEST | 2010.3 | 1959-2016 | 488 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 78 | 2.3 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 2831 | 83.2 |
| CE_C21A_TXT_8 | CE_C21A_TXT_8. What is the name of the prescription or over-the-counter medication? [8] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_8 | CE_C21B_TXT_8. What is the reason you take this? [8] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_8 | CE_C21C_NUM_8. What is the dosage? [COUNT] [8] | NUM | BEST | 263.7 | 1-5000 | 359 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 86 | 2.5 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 2952 | 86.8 |
| CE_C21D_UNITS_8 | CE_C21D_UNITS_8. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [8] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2952 | 86.8 |
| | | | | | 3 | | Other | 64 | 1.9 |
| | | | | | 4 | | Don't Know | 41 | 1.2 |
| | | | | | 119 | | Mg | 294 | 8.6 |
| | | | | | 120 | | Iu | 16 | 0.5 |
| | | | | | 121 | | Mcg | 20 | 0.6 |
| | | | | | 122 | | Ml | 6 | 0.2 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 123 | | G | 4 | 0.1 |
| | | | | | 124 | | Tbsp | 1 | 0.0 |
| | | | | | | | | | |
| CE_C21E_TXT_8 | CE_C21E_TXT_8. What is the dosage unit? OTHER [TEXT: SPECIFY] [8] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21F_8 | CE_C21F_8. How often do you take this? [8] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2952 | 86.8 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 110 | | Once A Month Or Less | 6 | 0.2 |
| | | | | | 418 | | Less Than Once A Week | 12 | 0.4 |
| | | | | | 419 | | Once A Week | 8 | 0.2 |
| | | | | | 421 | | 2-3 Days A Week | 24 | 0.7 |
| | | | | | 422 | | 4-5 Days A Week | 9 | 0.3 |
| | | | | | 423 | | 6-7 Days A Week | 386 | 11.3 |
| | | | | | | | | | |
| CE_C21G_8 | CE_C21G_8. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [8] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2952 | 86.8 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 424 | | 1 Time Per Day | 355 | 10.4 |
| | | | | | 425 | | 2 Times Per Day | 71 | 2.1 |
| | | | | | 426 | | 3 Times Per Day | 14 | 0.4 |
| | | | | | 427 | | 4 Times Per Day | 3 | 0.1 |
| | | | | | 428 | | 5 Or More Times Per Day | 1 | 0.0 |
| | | | | | | | | | |
| CE_C21H_MM_8 | CE_C21H_MM_8. When did you start taking this? [MONTH: MM] [8] | NUM | BEST | 5.5 | 1-12 | 348 | MISSING | 40 | 1.2 |
| | | | | | | | DON'T KNOW | 60 | 1.8 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 2952 | 86.8 |
| | | | | | | | | | |
| CE_C21H_YYYY_8 | CE_C21H_YYYY_8. When did you start taking this? [YEAR: YYYY] [8] | NUM | BEST | 2010.2 | 1974-2016 | 385 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 60 | 1.8 |
| | | | | | | | REFUSED | 1 | 0.0 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 2952 | 86.8 |
| CE_C21A_TXT_9 | CE_C21A_TXT_9. What is the name of the prescription or over-the-counter medication? [9] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_9 | CE_C21B_TXT_9. What is the reason you take this? [9] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_9 | CE_C21C_NUM_9. What is the dosage? [COUNT] [9] | NUM | BEST | 259.4 | 1-5000 | 288 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 65 | 1.9 |
| | | | | | | | REFUSED | 3 | 0.1 |
| | | | | | | | SKIPPED | 3042 | 89.4 |
| CE_C21D_UNITS_9 | CE_C21D_UNITS_9. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [9] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3042 | 89.4 |
| | | | | | 3 | | Other | 50 | 1.5 |
| | | | | | 4 | | Don't Know | 34 | 1.0 |
| | | | | | 119 | | Mg | 233 | 6.9 |
| | | | | | 120 | | Iu | 8 | 0.2 |
| | | | | | 121 | | Mcg | 24 | 0.7 |
| | | | | | 122 | | Ml | 1 | 0.0 |
| | | | | | 123 | | G | 5 | 0.1 |
| | | | | | 125 | | Tsp | 1 | 0.0 |
| CE_C21E_TXT_9 | CE_C21E_TXT_9. What is the dosage unit? OTHER [TEXT: SPECIFY] [9] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_9 | CE_C21F_9. How often do you take this? [9] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3042 | 89.4 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 110 | | Once A Month Or Less | 9 | 0.3 |
| | | | | | 418 | | Less Than Once A Week | 10 | 0.3 |
| | | | | | 419 | | Once A Week | 9 | 0.3 |
| | | | | | 421 | | 2-3 Days A Week | 15 | 0.4 |
| | | | | | 422 | | 4-5 Days A Week | 3 | 0.1 |
| | | | | | 423 | | 6-7 Days A Week | 308 | 9.1 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21G_9 | CE_C21G_9. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [9] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3042 | 89.4 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 424 | | 1 Time Per Day | 269 | 7.9 |
| | | | | | 425 | | 2 Times Per Day | 64 | 1.9 |
| | | | | | 426 | | 3 Times Per Day | 16 | 0.5 |
| | | | | | 427 | | 4 Times Per Day | 4 | 0.1 |
| | | | | | 428 | | 5 Or More Times Per Day | 1 | 0.0 |
| CE_C21H_MM_9 | CE_C21H_MM_9. When did you start taking this? [MONTH: MM] [9] | NUM | BEST | 5.3 | 1-12 | 278 | MISSING | 32 | 0.9 |
| | | | | | | | DON'T KNOW | 48 | 1.4 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3042 | 89.4 |
| CE_C21H_YYYY_9 | CE_C21H_YYYY_9. When did you start taking this? [YEAR: YYYY] [9] | NUM | BEST | 2010.1 | 1975-2016 | 307 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 48 | 1.4 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3042 | 89.4 |
| CE_C21A_TXT_10 | CE_C21A_TXT_10. What is the name of the prescription or over-the-counter medication? [10] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_10 | CE_C21B_TXT_10. What is the reason you take this? [10] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_10 | CE_C21C_NUM_10. What is the dosage? [COUNT] [10] | NUM | BEST | 382.1 | 1-5000 | 214 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 60 | 1.8 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 3122 | 91.8 |
| CE_C21D_UNITS_10 | CE_C21D_UNITS_10. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [10] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | .S | | Skipped | 3122 | 91.8 |
| | | | | | 3 | | Other | 48 | 1.4 |
| | | | | | 4 | | Don't Know | 32 | 0.9 |
| | | | | | 119 | | Mg | 166 | 4.9 |
| | | | | | 120 | | Iu | 14 | 0.4 |
| | | | | | 121 | | Mcg | 12 | 0.4 |
| | | | | | 122 | | Ml | 2 | 0.1 |
| | | | | | 123 | | G | 2 | 0.1 |
| CE_C21E_TXT_10 | CE_C21E_TXT_10. What is the dosage unit? OTHER [TEXT: SPECIFY] [10] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_10 | CE_C21F_10. How often do you take this? [10] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3122 | 91.8 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 110 | | Once A Month Or Less | 4 | 0.1 |
| | | | | | 418 | | Less Than Once A Week | 9 | 0.3 |
| | | | | | 419 | | Once A Week | 5 | 0.1 |
| | | | | | 421 | | 2-3 Days A Week | 11 | 0.3 |
| | | | | | 422 | | 4-5 Days A Week | 2 | 0.1 |
| | | | | | 423 | | 6-7 Days A Week | 244 | 7.2 |
| CE_C21G_10 | CE_C21G_10. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [10] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3122 | 91.8 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 424 | | 1 Time Per Day | 218 | 6.4 |
| | | | | | 425 | | 2 Times Per Day | 40 | 1.2 |
| | | | | | 426 | | 3 Times Per Day | 11 | 0.3 |
| | | | | | 427 | | 4 Times Per Day | 4 | 0.1 |
| | | | | | 428 | | 5 Or More Times Per Day | 2 | 0.1 |
| CE_C21H_MM_10 | CE_C21H_MM_10. When did you start taking this? [MONTH: MM] [10] | NUM | BEST | 5.6 | 1-12 | 214 | MISSING | 28 | 0.8 |
| | | | | | | | DON'T KNOW | 36 | 1.1 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3122 | 91.8 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21H_YYYY_10 | CE_C21H_YYYY_10. When did you start taking this? [YEAR: YYYY] [10] | NUM | BEST | 2010.0 | 1970-2016 | 239 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 36 | 1.1 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3122 | 91.8 |
| CE_C21A_TXT_11 | CE_C21A_TXT_11. What is the name of the prescription or over-the-counter medication? [11] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_11 | CE_C21B_TXT_11. What is the reason you take this? [11] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_11 | CE_C21C_NUM_11. What is the dosage? [COUNT] [11] | NUM | BEST | 242.9 | 1-5000 | 175 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 37 | 1.1 |
| | | | | | | | REFUSED | 3 | 0.1 |
| | | | | | | | SKIPPED | 3183 | 93.6 |
| CE_C21D_UNITS_11 | CE_C21D_UNITS_11. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [11] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3183 | 93.6 |
| | | | | | 3 | | Other | 36 | 1.1 |
| | | | | | 4 | | Don't Know | 19 | 0.6 |
| | | | | | 119 | | Mg | 139 | 4.1 |
| | | | | | 120 | | Iu | 7 | 0.2 |
| | | | | | 121 | | Mcg | 13 | 0.4 |
| | | | | | 123 | | G | 1 | 0.0 |
| CE_C21E_TXT_11 | CE_C21E_TXT_11. What is the dosage unit? OTHER [TEXT: SPECIFY] [11] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_11 | CE_C21F_11. How often do you take this? [11] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3183 | 93.6 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 110 | | Once A Month Or Less | 6 | 0.2 |
| | | | | | 418 | | Less Than Once A Week | 10 | 0.3 |
| | | | | | 419 | | Once A Week | 7 | 0.2 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 421 | | 2-3 Days A Week | 12 | 0.4 |
| | | | | | 422 | | 4-5 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 178 | 5.2 |
| CE_C21G_11 | CE_C21G_11. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [11] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3183 | 93.6 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 424 | | 1 Time Per Day | 168 | 4.9 |
| | | | | | 425 | | 2 Times Per Day | 36 | 1.1 |
| | | | | | 426 | | 3 Times Per Day | 7 | 0.2 |
| | | | | | 427 | | 4 Times Per Day | 3 | 0.1 |
| CE_C21H_MM_11 | CE_C21H_MM_11. When did you start taking this? [MONTH: MM] [11] | NUM | BEST | 5.2 | 1-12 | 166 | MISSING | 24 | 0.7 |
| | | | | | | | DON'T KNOW | 27 | 0.8 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3183 | 93.6 |
| CE_C21H_YYYY_11 | CE_C21H_YYYY_11. When did you start taking this? [YEAR: YYYY] [11] | NUM | BEST | 2010.3 | 1970-2016 | 187 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 27 | 0.8 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3183 | 93.6 |
| CE_C21A_TXT_12 | CE_C21A_TXT_12. What is the name of the prescription or over-the-counter medication? [12] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_12 | CE_C21B_TXT_12. What is the reason you take this? [12] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_12 | CE_C21C_NUM_12. What is the dosage? [COUNT] [12] | NUM | BEST | 347.0 | 1-5000 | 118 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 32 | 0.9 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 3246 | 95.4 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21D_UNITS_12 | CE_C21D_UNITS_12. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [12] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3246 | 95.4 |
| | | | | | 3 | | Other | 27 | 0.8 |
| | | | | | 4 | | Don't Know | 20 | 0.6 |
| | | | | | 119 | | Mg | 78 | 2.3 |
| | | | | | 120 | | Iu | 6 | 0.2 |
| | | | | | 121 | | Mcg | 16 | 0.5 |
| | | | | | 122 | | Ml | 3 | 0.1 |
| | | | | | 123 | | G | 1 | 0.0 |
| | | | | | 124 | | Tbsp | 1 | 0.0 |
| CE_C21E_TXT_12 | CE_C21E_TXT_12. What is the dosage unit? OTHER [TEXT: SPECIFY] [12] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_12 | CE_C21F_12. How often do you take this? [12] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3246 | 95.4 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 110 | | Once A Month Or Less | 3 | 0.1 |
| | | | | | 418 | | Less Than Once A Week | 8 | 0.2 |
| | | | | | 419 | | Once A Week | 6 | 0.2 |
| | | | | | 421 | | 2-3 Days A Week | 10 | 0.3 |
| | | | | | 422 | | 4-5 Days A Week | 5 | 0.1 |
| | | | | | 423 | | 6-7 Days A Week | 119 | 3.5 |
| CE_C21G_12 | CE_C21G_12. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [12] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3246 | 95.4 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 424 | | 1 Time Per Day | 114 | 3.4 |
| | | | | | 425 | | 2 Times Per Day | 23 | 0.7 |
| | | | | | 426 | | 3 Times Per Day | 11 | 0.3 |
| | | | | | 427 | | 4 Times Per Day | 2 | 0.1 |
| CE_C21H_MM_12 | CE_C21H_MM_12. When did you start taking this? [MONTH: MM] [12] | NUM | BEST | 5.0 | 1-12 | 117 | MISSING | 18 | 0.5 |
| | | | | | DON'T KNOW | | | 20 | 0.6 |

DATA SET: ce_c21ah_20170928_c
DATE CREATED: 09/28/2017
Number of Observations: 3401
Number of Variables: 560
Organization of file: One Record per Participant (ID)

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 3246 | 95.4 |
| CE_C21H_YYYY_12 | CE_C21H_YYYY_12. When did you start taking this? [YEAR: YYYY] [12] | NUM | BEST | 2009.5 | 1980-2016 | 132 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 20 | 0.6 |
| | | | | | | | SKIPPED | 3246 | 95.4 |
| CE_C21A_TXT_13 | CE_C21A_TXT_13. What is the name of the prescription or over-the-counter medication? [13] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_13 | CE_C21B_TXT_13. What is the reason you take this? [13] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_13 | CE_C21C_NUM_13. What is the dosage? [COUNT] [13] | NUM | BEST | 334.8 | 1-5000 | 83 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 29 | 0.9 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 3284 | 96.6 |
| CE_C21D_UNITS_13 | CE_C21D_UNITS_13. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [13] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3284 | 96.6 |
| | | | | | 3 | | Other | 20 | 0.6 |
| | | | | | 4 | | Don't Know | 15 | 0.4 |
| | | | | | 119 | | Mg | 64 | 1.9 |
| | | | | | 120 | | Iu | 5 | 0.1 |
| | | | | | 121 | | Mcg | 8 | 0.2 |
| | | | | | 122 | | Ml | 1 | 0.0 |
| | | | | | 123 | | G | 1 | 0.0 |
| CE_C21E_TXT_13 | CE_C21E_TXT_13. What is the dosage unit? OTHER [TEXT: SPECIFY] [13] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_13 | CE_C21F_13. How often do you take this? [13] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3284 | 96.6 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 110 | | Once A Month Or Less | 1 | 0.0 |
| | | | | | 418 | | Less Than Once A Week | 3 | 0.1 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 419 | | Once A Week | 4 | 0.1 |
| | | | | | 421 | | 2-3 Days A Week | 6 | 0.2 |
| | | | | | 422 | | 4-5 Days A Week | 3 | 0.1 |
| | | | | | 423 | | 6-7 Days A Week | 96 | 2.8 |
| CE_C21G_13 | CE_C21G_13. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [13] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3284 | 96.6 |
| | | | | | 424 | | 1 Time Per Day | 83 | 2.4 |
| | | | | | 425 | | 2 Times Per Day | 22 | 0.6 |
| | | | | | 426 | | 3 Times Per Day | 5 | 0.1 |
| | | | | | 427 | | 4 Times Per Day | 4 | 0.1 |
| CE_C21H_MM_13 | CE_C21H_MM_13. When did you start taking this? [MONTH: MM] [13] | NUM | BEST | 5.4 | 1-12 | 91 | MISSING | 9 | 0.3 |
| | | | | | | | DON'T KNOW | 17 | 0.5 |
| | | | | | | | SKIPPED | 3284 | 96.6 |
| CE_C21H_YYYY_13 | CE_C21H_YYYY_13. When did you start taking this? [YEAR: YYYY] [13] | NUM | BEST | 2009.7 | 1980-2016 | 97 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 17 | 0.5 |
| | | | | | | | SKIPPED | 3284 | 96.6 |
| CE_C21A_TXT_14 | CE_C21A_TXT_14. What is the name of the prescription or over-the-counter medication? [14] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_14 | CE_C21B_TXT_14. What is the reason you take this? [14] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_14 | CE_C21C_NUM_14. What is the dosage? [COUNT] [14] | NUM | BEST | 237.7 | 1-1750 | 56 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 25 | 0.7 |
| | | | | | | | REFUSED | 2 | 0.1 |
| | | | | | | | SKIPPED | 3315 | 97.5 |
| CE_C21D_UNITS_14 | CE_C21D_UNITS_14. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [14] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3315 | 97.5 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 3 | | Other | 22 | 0.6 |
| | | | | | 4 | | Don't Know | 8 | 0.2 |
| | | | | | 119 | | Mg | 43 | 1.3 |
| | | | | | 120 | | Iu | 1 | 0.0 |
| | | | | | 121 | | Mcg | 7 | 0.2 |
| | | | | | 122 | | Ml | 1 | 0.0 |
| | | | | | 124 | | Tbsp | 1 | 0.0 |
| CE_C21E_TXT_14 | CE_C21_TXT_14. What is the dosage unit? OTHER [TEXT: SPECIFY] [14] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_14 | CE_C21F_14. How often do you take this? [14] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 4 | | Don't Know | 3 | 0.1 |
| | | | | | 110 | | Once A Month Or Less | 2 | 0.1 |
| | | | | | 418 | | Less Than Once A Week | 3 | 0.1 |
| | | | | | 419 | | Once A Week | 2 | 0.1 |
| | | | | | 421 | | 2-3 Days A Week | 10 | 0.3 |
| | | | | | 422 | | 4-5 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 62 | 1.8 |
| CE_C21G_14 | CE_C21G_14. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [14] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 4 | | Don't Know | 3 | 0.1 |
| | | | | | 424 | | 1 Time Per Day | 64 | 1.9 |
| | | | | | 425 | | 2 Times Per Day | 13 | 0.4 |
| | | | | | 426 | | 3 Times Per Day | 2 | 0.1 |
| | | | | | 427 | | 4 Times Per Day | 1 | 0.0 |
| CE_C21H_MM_14 | CE_C21H_MM_14. When did you start taking this? [MONTH: MM] [14] | NUM | BEST | 6.3 | 1-12 | 65 | MISSING | 8 | 0.2 |
| | | | | | | | DON'T KNOW | 13 | 0.4 |
| | | | | | | | SKIPPED | 3315 | 97.5 |
| CE_C21H_YYYY_14 | CE_C21H_YYYY_14. When did you start taking this? [YEAR: YYYY] [14] | NUM | BEST | 2010.1 | 1980-2016 | 70 | MISSING | 3 | 0.1 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | DON'T KNOW | | | 13 | 0.4 |
| | | | | | SKIPPED | | | 3315 | 97.5 |
| CE_C21A_TXT_15 | CE_C21A_TXT_15. What is the name of the prescription or over-the-counter medication? [15] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_15 | CE_C21B_TXT_15. What is the reason you take this? [15] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_15 | CE_C21C_NUM_15. What is the dosage? [COUNT] [15] | NUM | BEST | 267.3 | 1-1200 | 43 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 12 | 0.4 |
| | | | | | SKIPPED | | | 3343 | 98.3 |
| CE_C21D_UNITS_15 | CE_C21D_UNITS_15. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [15] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3343 | 98.3 |
| | | | | | 3 | | Other | 10 | 0.3 |
| | | | | | 4 | | Don't Know | 4 | 0.1 |
| | | | | | 119 | | Mg | 36 | 1.1 |
| | | | | | 120 | | Iu | 1 | 0.0 |
| | | | | | 121 | | Mcg | 4 | 0.1 |
| CE_C21E_TXT_15 | CE_C21E_TXT_15. What is the dosage unit? OTHER [TEXT: SPECIFY] [15] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_15 | CE_C21F_15. How often do you take this? [15] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3343 | 98.3 |
| | | | | | 110 | | Once A Month Or Less | 1 | 0.0 |
| | | | | | 418 | | Less Than Once A Week | 2 | 0.1 |
| | | | | | 419 | | Once A Week | 3 | 0.1 |
| | | | | | 421 | | 2-3 Days A Week | 6 | 0.2 |
| | | | | | 423 | | 6-7 Days A Week | 43 | 1.3 |
| CE_C21G_15 | CE_C21G_15. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [15] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3343 | 98.3 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 424 | | 1 Time Per Day | 36 | 1.1 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 425 | | 2 Times Per Day | 13 | 0.4 |
| | | | | | 426 | | 3 Times Per Day | 2 | 0.1 |
| | | | | | 427 | | 4 Times Per Day | 2 | 0.1 |
| CE_C21H_MM_15 | CE_C21H_MM_15. When did you start taking this? [MONTH: MM] [15] | NUM | BEST | 5.5 | 1-12 | 44 | MISSING | 5 | 0.1 |
| | | | | | | | DON'T KNOW | 9 | 0.3 |
| | | | | | | | SKIPPED | 3343 | 98.3 |
| CE_C21H_YYYY_15 | CE_C21H_YYYY_15. When did you start taking this? [YEAR: YYYY] [15] | NUM | BEST | 2009.7 | 1990-2016 | 46 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 9 | 0.3 |
| | | | | | | | SKIPPED | 3343 | 98.3 |
| CE_C21A_TXT_16 | CE_C21A_TXT_16. What is the name of the prescription or over-the-counter medication? [16] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_16 | CE_C21B_TXT_16. What is the reason you take this? [16] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_16 | CE_C21C_NUM_16. What is the dosage? [COUNT] [16] | NUM | BEST | 401.0 | 1-4200 | 29 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 7 | 0.2 |
| | | | | | | | SKIPPED | 3362 | 98.9 |
| CE_C21D_UNITS_16 | CE_C21D_UNITS_16. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [16] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3362 | 98.9 |
| | | | | | 3 | | Other | 8 | 0.2 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 119 | | Mg | 23 | 0.7 |
| | | | | | 121 | | Mcg | 1 | 0.0 |
| | | | | | 122 | | Ml | 2 | 0.1 |
| CE_C21E_TXT_16 | CE_C21E_TXT_16. What is the dosage unit? OTHER [TEXT: SPECIFY] [16] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_16 | CE_C21F_16. How often do you take this? [16] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3362 | 98.9 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 418 | | Less Than Once A Week | 3 | 0.1 |
| | | | | | 421 | | 2-3 Days A Week | 5 | 0.1 |
| | | | | | 422 | | 4-5 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 26 | 0.8 |
| CE_C21G_16 | CE_C21G_16. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [16] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3362 | 98.9 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 424 | | 1 Time Per Day | 25 | 0.7 |
| | | | | | 425 | | 2 Times Per Day | 3 | 0.1 |
| | | | | | 426 | | 3 Times Per Day | 6 | 0.2 |
| | | | | | 427 | | 4 Times Per Day | 1 | 0.0 |
| CE_C21H_MM_16 | CE_C21H_MM_16. When did you start taking this? [MONTH: MM] [16] | NUM | BEST | 5.2 | 1-12 | 32 | MISSING | 4 | 0.1 |
| | | | | | | | DON'T KNOW | 3 | 0.1 |
| | | | | | | | SKIPPED | 3362 | 98.9 |
| CE_C21H_YYYY_16 | CE_C21H_YYYY_16. When did you start taking this? [YEAR: YYYY] [16] | NUM | BEST | 2010.4 | 1980-2016 | 33 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 3 | 0.1 |
| | | | | | | | SKIPPED | 3362 | 98.9 |
| CE_C21A_TXT_17 | CE_C21A_TXT_17. What is the name of the prescription or over-the-counter medication? [17] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_17 | CE_C21B_TXT_17. What is the reason you take this? [17] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_17 | CE_C21C_NUM_17. What is the dosage? [COUNT] [17] | NUM | BEST | 450.8 | 1-3000 | 16 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 7 | 0.2 |
| | | | | | | | SKIPPED | 3375 | 99.2 |
| CE_C21D_UNITS_17 | CE_C21D_UNITS_17. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [17] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |

*Section C, Questions 21a-h - Medications*

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | .S | | Skipped | 3375 | 99.2 |
| | | | | | 3 | | Other | 5 | 0.1 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 119 | | Mg | 16 | 0.5 |
| CE_C21E_TXT_17 | CE_C21_TXT_17. What is the dosage unit? OTHER [TEXT: SPECIFY] [17] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_17 | CE_C21F_17. How often do you take this? [17] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3375 | 99.2 |
| | | | | | 110 | | Once A Month Or Less | 2 | 0.1 |
| | | | | | 422 | | 4-5 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 20 | 0.6 |
| CE_C21G_17 | CE_C21G_17. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [17] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3375 | 99.2 |
| | | | | | 424 | | 1 Time Per Day | 15 | 0.4 |
| | | | | | 425 | | 2 Times Per Day | 6 | 0.2 |
| | | | | | 426 | | 3 Times Per Day | 2 | 0.1 |
| CE_C21H_MM_17 | CE_C21H_MM_17. When did you start taking this? [MONTH: MM] [17] | NUM | BEST | 6.9 | 1-12 | 20 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 3375 | 99.2 |
| CE_C21H_YYYY_17 | CE_C21H_YYYY_17. When did you start taking this? [YEAR: YYYY] [17] | NUM | BEST | 2012.4 | 2009-2016 | 20 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 3375 | 99.2 |
| CE_C21A_TXT_18 | CE_C21A_TXT_18. What is the name of the prescription or over-the-counter medication? [18] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_18 | CE_C21B_TXT_18. What is the reason you take this? [18] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_18 | CE_C21C_NUM_18. What is the dosage? [COUNT] [18] | NUM | BEST | 211.7 | 1-750 | 15 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 7 | 0.2 |

*Section C, Questions 21a-h - Medications*

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 3376 | 99.3 |
| | | | | | | | | | |
| CE_C21D_UNITS_18 | CE_C21D_UNITS_18. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [18] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3376 | 99.3 |
| | | | | | 3 | | Other | 6 | 0.2 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 119 | | Mg | 14 | 0.4 |
| | | | | | | | | | |
| CE_C21E_TXT_18 | CE_C21E_TXT_18. What is the dosage unit? OTHER [TEXT: SPECIFY] [18] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21F_18 | CE_C21F_18. How often do you take this? [18] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3376 | 99.3 |
| | | | | | 110 | | Once A Month Or Less | 1 | 0.0 |
| | | | | | 421 | | 2-3 Days A Week | 2 | 0.1 |
| | | | | | 423 | | 6-7 Days A Week | 19 | 0.6 |
| | | | | | | | | | |
| CE_C21G_18 | CE_C21G_18. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [18] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3376 | 99.3 |
| | | | | | 424 | | 1 Time Per Day | 10 | 0.3 |
| | | | | | 425 | | 2 Times Per Day | 9 | 0.3 |
| | | | | | 426 | | 3 Times Per Day | 2 | 0.1 |
| | | | | | 427 | | 4 Times Per Day | 1 | 0.0 |
| | | | | | | | | | |
| CE_C21H_MM_18 | CE_C21H_MM_18. When did you start taking this? [MONTH: MM] [18] | NUM | BEST | 4.7 | 1-12 | 19 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 3376 | 99.3 |
| | | | | | | | | | |
| CE_C21H_YYYY_18 | CE_C21H_YYYY_18. When did you start taking this? [YEAR: YYYY] [18] | NUM | BEST | 2010.6 | 1980-2016 | 19 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 3376 | 99.3 |
| | | | | | | | | | |
| CE_C21A_TXT_19 | CE_C21A_TXT_19. What is the name of the prescription or over-the-counter medication? [19] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21B_TXT_19 | CE_C21B_TXT_19. What is the reason you take this? [19] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_19 | CE_C21C_NUM_19. What is the dosage? [COUNT] [19] | NUM | BEST | 71.8 | 1-400 | 13 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | REFUSED | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 3381 | 99.4 |
| CE_C21D_UNITS_19 | CE_C21D_UNITS_19. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [19] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3381 | 99.4 |
| | | | | | 3 | | Other | 1 | 0.0 |
| | | | | | 4 | | Don't Know | 3 | 0.1 |
| | | | | | 119 | | Mg | 10 | 0.3 |
| | | | | | 121 | | Mcg | 1 | 0.0 |
| | | | | | 123 | | G | 1 | 0.0 |
| | | | | | 125 | | Tsp | 1 | 0.0 |
| CE_C21E_TXT_19 | CE_C21E_TXT_19. What is the dosage unit? OTHER [TEXT: SPECIFY] [19] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_19 | CE_C21F_19. How often do you take this? [19] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3381 | 99.4 |
| | | | | | 419 | | Once A Week | 1 | 0.0 |
| | | | | | 422 | | 4-5 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 15 | 0.4 |
| CE_C21G_19 | CE_C21G_19. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [19] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3381 | 99.4 |
| | | | | | 424 | | 1 Time Per Day | 10 | 0.3 |
| | | | | | 425 | | 2 Times Per Day | 6 | 0.2 |
| | | | | | 426 | | 3 Times Per Day | 1 | 0.0 |
| CE_C21H_MM_19 | CE_C21H_MM_19. When did you start taking this? [MONTH: MM] [19] | NUM | BEST | 6.3 | 1-12 | 16 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 1 | 0.0 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 3381 | 99.4 |
| CE_C21H_YYYY_19 | CE_C21H_YYYY_19. When did you start taking this? [YEAR: YYYY] [19] | NUM | BEST | 2010.3 | 1990-2016 | 16 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3381 | 99.4 |
| CE_C21A_TXT_20 | CE_C21A_TXT_20. What is the name of the prescription or over-the-counter medication? [20] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_20 | CE_C21B_TXT_20. What is the reason you take this? [20] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_20 | CE_C21C_NUM_20. What is the dosage? [COUNT] [20] | NUM | BEST | 273.8 | 1-1000 | 11 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 3 | 0.1 |
| | | | | | | | SKIPPED | 3384 | 99.5 |
| CE_C21D_UNITS_20 | CE_C21D_UNITS_20. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [20] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3384 | 99.5 |
| | | | | | 3 | | Other | 1 | 0.0 |
| | | | | | 4 | | Don't Know | 3 | 0.1 |
| | | | | | 119 | | Mg | 7 | 0.2 |
| | | | | | 120 | | Iu | 1 | 0.0 |
| | | | | | 121 | | Mcg | 1 | 0.0 |
| | | | | | 125 | | Tsp | 1 | 0.0 |
| CE_C21E_TXT_20 | CE_C21E_TXT_20. What is the dosage unit? OTHER [TEXT: SPECIFY] [20] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_20 | CE_C21F_20. How often do you take this? [20] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3384 | 99.5 |
| | | | | | 422 | | 4-5 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 13 | 0.4 |
| CE_C21G_20 | CE_C21G_20. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [20] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3384 | 99.5 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 424 | | 1 Time Per Day | 8 | 0.2 |
| | | | | | 425 | | 2 Times Per Day | 5 | 0.1 |
| | | | | | 426 | | 3 Times Per Day | 1 | 0.0 |
| CE_C21H_MM_20 | CE_C21H_MM_20. When did you start taking this? [MONTH: MM] [20] | NUM | BEST | 6.6 | 1-12 | 13 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3384 | 99.5 |
| CE_C21H_YYYY_20 | CE_C21H_YYYY_20. When did you start taking this? [YEAR: YYYY] [20] | NUM | BEST | 2008.5 | 1980-2016 | 13 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3384 | 99.5 |
| CE_C21A_TXT_21 | CE_C21A_TXT_21. What is the name of the prescription or over-the-counter medication? [21] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_21 | CE_C21B_TXT_21. What is the reason you take this? [21] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_21 | CE_C21C_NUM_21. What is the dosage? [COUNT] [21] | NUM | BEST | 78.9 | 2-300 | 9 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 2 | 0.1 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3386 | 99.6 |
| CE_C21D_UNITS_21 | CE_C21D_UNITS_21. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [21] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3386 | 99.6 |
| | | | | | 3 | | Other | 3 | 0.1 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 119 | | Mg | 7 | 0.2 |
| | | | | | 121 | | Mcg | 1 | 0.0 |
| CE_C21E_TXT_21 | CE_C21E_TXT_21. What is the dosage unit? OTHER [TEXT: SPECIFY] [21] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_21 | CE_C21F_21. How often do you take this? [21] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3386 | 99.6 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 421 | | 2-3 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 11 | 0.3 |
| CE_C21G_21 | CE_C21G_21. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [21] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3386 | 99.6 |
| | | | | | 424 | | 1 Time Per Day | 7 | 0.2 |
| | | | | | 425 | | 2 Times Per Day | 2 | 0.1 |
| | | | | | 426 | | 3 Times Per Day | 3 | 0.1 |
| CE_C21H_MM_21 | CE_C21H_MM_21. When did you start taking this? [MONTH: MM] [21] | NUM | BEST | 7.8 | 1-12 | 11 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 3386 | 99.6 |
| CE_C21H_YYYY_21 | CE_C21H_YYYY_21. When did you start taking this? [YEAR: YYYY] [21] | NUM | BEST | 2009.5 | 1980-2016 | 11 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 3386 | 99.6 |
| CE_C21A_TXT_22 | CE_C21A_TXT_22. What is the name of the prescription or over-the-counter medication? [22] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_22 | CE_C21B_TXT_22. What is the reason you take this? [22] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_22 | CE_C21C_NUM_22. What is the dosage? [COUNT] [22] | NUM | BEST | 172.7 | 1-500 | 6 | MISSING | 3 | 0.1 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 3389 | 99.6 |
| CE_C21D_UNITS_22 | CE_C21D_UNITS_22. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [22] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3389 | 99.6 |
| | | | | | 3 | | Other | 2 | 0.1 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 119 | | Mg | 4 | 0.1 |
| | | | | | 120 | | Iu | 1 | 0.0 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21E_TXT_22 | CE_C21E_TXT_22. What is the dosage unit? OTHER [TEXT: SPECIFY] [22] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21F_22 | CE_C21F_22. How often do you take this? [22] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3389 | 99.6 |
| | | | | | 418 | | Less Than Once A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 8 | 0.2 |
| | | | | | | | | | |
| CE_C21G_22 | CE_C21G_22. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [22] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3389 | 99.6 |
| | | | | | 424 | | 1 Time Per Day | 3 | 0.1 |
| | | | | | 425 | | 2 Times Per Day | 4 | 0.1 |
| | | | | | 426 | | 3 Times Per Day | 2 | 0.1 |
| | | | | | | | | | |
| CE_C21H_MM_22 | CE_C21H_MM_22. When did you start taking this? [MONTH: MM] [22] | NUM | BEST | 6.6 | 1-12 | 9 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3389 | 99.6 |
| | | | | | | | | | |
| CE_C21H_YYYY_22 | CE_C21H_YYYY_22. When did you start taking this? [YEAR: YYYY] [22] | NUM | BEST | 2012.8 | 2010-2016 | 9 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3389 | 99.6 |
| | | | | | | | | | |
| CE_C21A_TXT_23 | CE_C21A_TXT_23. What is the name of the prescription or over-the-counter medication? [23] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21B_TXT_23 | CE_C21B_TXT_23. What is the reason you take this? [23] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_C21C_NUM_23 | CE_C21C_NUM_23. What is the dosage? [COUNT] [23] | NUM | BEST | 47.5 | 10-200 | 6 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3390 | 99.7 |
| | | | | | | | | | |
| CE_C21D_UNITS_23 | CE_C21D_UNITS_23. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [23] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3390 | 99.7 |
| | | | | | 4 | | Don't Know | 2 | 0.1 |
| | | | | | 119 | | Mg | 6 | 0.2 |

*Section C, Questions 21a-h - Medications*

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21E_TXT_23 | CE_C21E_TXT_23. What is the dosage unit? OTHER [TEXT: SPECIFY] [23] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_23 | CE_C21F_23. How often do you take this? [23] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3390 | 99.7 |
| | | | | | 419 | | Once A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 7 | 0.2 |
| CE_C21G_23 | CE_C21G_23. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [23] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3390 | 99.7 |
| | | | | | 424 | | 1 Time Per Day | 6 | 0.2 |
| | | | | | 425 | | 2 Times Per Day | 1 | 0.0 |
| | | | | | 427 | | 4 Times Per Day | 1 | 0.0 |
| CE_C21H_MM_23 | CE_C21H_MM_23. When did you start taking this? [MONTH: MM] [23] | NUM | BEST | 7.1 | 1-12 | 8 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3390 | 99.7 |
| CE_C21H_YYYY_23 | CE_C21H_YYYY_23. When did you start taking this? [YEAR: YYYY] [23] | NUM | BEST | 2012.1 | 2010-2015 | 8 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3390 | 99.7 |
| CE_C21A_TXT_24 | CE_C21A_TXT_24. What is the name of the prescription or over-the-counter medication? [24] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_24 | CE_C21B_TXT_24. What is the reason you take this? [24] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_24 | CE_C21C_NUM_24. What is the dosage? [COUNT] [24] | NUM | BEST | 464.0 | 20-1000 | 5 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3392 | 99.7 |
| CE_C21D_UNITS_24 | CE_C21D_UNITS_24. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [24] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 3 | | Other | 1 | 0.0 |
| | | | | | 119 | | Mg | 5 | 0.1 |
| CE_C21E_TXT_24 | CE_C21E_TXT_24. What is the dosage unit? OTHER [TEXT: SPECIFY] [24] | CHAR | $CHAR | | .-. | | | | |

*Section C, Questions 21a-h - Medications*

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21F_24 | CE_C21F_24. How often do you take this? [24] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 423 | | 6-7 Days A Week | 6 | 0.2 |
| CE_C21G_24 | CE_C21G_24. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [24] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3392 | 99.7 |
| | | | | | 424 | | 1 Time Per Day | 3 | 0.1 |
| | | | | | 425 | | 2 Times Per Day | 1 | 0.0 |
| | | | | | 426 | | 3 Times Per Day | 2 | 0.1 |
| CE_C21H_MM_24 | CE_C21H_MM_24. When did you start taking this? [MONTH: MM] [24] | NUM | BEST | 9.0 | 2-12 | 6 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3392 | 99.7 |
| CE_C21H_YYYY_24 | CE_C21H_YYYY_24. When did you start taking this? [YEAR: YYYY] [24] | NUM | BEST | 2012.0 | 2010-2016 | 6 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3392 | 99.7 |
| CE_C21A_TXT_25 | CE_C21A_TXT_25. What is the name of the prescription or over-the-counter medication? [25] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_25 | CE_C21B_TXT_25. What is the reason you take this? [25] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_25 | CE_C21C_NUM_25. What is the dosage? [COUNT] [25] | NUM | BEST | 53.0 | 1-118 | 3 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | REFUSED | 1 | 0.0 |
| | | | | | | | SKIPPED | 3393 | 99.8 |
| CE_C21D_UNITS_25 | CE_C21D_UNITS_25. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [25] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3393 | 99.8 |
| | | | | | 4 | | Don't Know | 3 | 0.1 |
| | | | | | 119 | | Mg | 1 | 0.0 |
| | | | | | 122 | | Ml | 1 | 0.0 |
| CE_C21E_TXT_25 | CE_C21E_TXT_25. What is the dosage unit? OTHER [TEXT: SPECIFY] [25] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21F_25 | CE_C21F_25. How often do you take this? [25] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3393 | 99.8 |
| | | | | | 418 | | Less Than Once A Week | 1 | 0.0 |
| | | | | | 421 | | 2-3 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 3 | 0.1 |
| CE_C21G_25 | CE_C21G_25. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [25] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3393 | 99.8 |
| | | | | | 424 | | 1 Time Per Day | 5 | 0.1 |
| CE_C21H_MM_25 | CE_C21H_MM_25. When did you start taking this? [MONTH: MM] [25] | NUM | BEST | 8.4 | 3-12 | 5 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3393 | 99.8 |
| CE_C21H_YYYY_25 | CE_C21H_YYYY_25. When did you start taking this? [YEAR: YYYY] [25] | NUM | BEST | 2011.2 | 2009-2014 | 5 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3393 | 99.8 |
| CE_C21A_TXT_26 | CE_C21A_TXT_26. What is the name of the prescription or over-the-counter medication? [26] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_26 | CE_C21B_TXT_26. What is the reason you take this? [26] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_26 | CE_C21C_NUM_26. What is the dosage? [COUNT] [26] | NUM | BEST | 25.0 | 10-40 | 2 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3395 | 99.8 |
| CE_C21D_UNITS_26 | CE_C21D_UNITS_26. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [26] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 3 | | Other | 1 | 0.0 |
| | | | | | 119 | | Mg | 2 | 0.1 |
| CE_C21E_TXT_26 | CE_C21E_TXT_26. What is the dosage unit? OTHER [TEXT: SPECIFY] [26] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_26 | CE_C21F_26. How often do you take this? [26] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 110 | | Once A Month Or Less | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 2 | 0.1 |
| CE_C21G_26 | CE_C21G_26. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [26] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 424 | | 1 Time Per Day | 3 | 0.1 |
| CE_C21H_MM_26 | CE_C21H_MM_26. When did you start taking this? [MONTH: MM] [26] | NUM | BEST | 7.0 | 5-8 | 3 | MISSING | 3 | 0.1 |
| | | | | | SKIPPED | | | 3395 | 99.8 |
| CE_C21H_YYYY_26 | CE_C21H_YYYY_26. When did you start taking this? [YEAR: YYYY] [26] | NUM | BEST | 2011.0 | 2007-2015 | 3 | MISSING | 3 | 0.1 |
| | | | | | SKIPPED | | | 3395 | 99.8 |
| CE_C21A_TXT_27 | CE_C21A_TXT_27. What is the name of the prescription or over-the-counter medication? [27] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_27 | CE_C21B_TXT_27. What is the reason you take this? [27] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_27 | CE_C21C_NUM_27. What is the dosage? [COUNT] [27] | NUM | BEST | 12.5 | 5-20 | 2 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3395 | 99.8 |
| CE_C21D_UNITS_27 | CE_C21D_UNITS_27. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [27] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 119 | | Mg | 2 | 0.1 |
| CE_C21E_TXT_27 | CE_C21E_TXT_27. What is the dosage unit? OTHER [TEXT: SPECIFY] [27] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_27 | CE_C21F_27. How often do you take this? [27] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 421 | | 2-3 Days A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 2 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21G_27 | CE_C21G_27. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [27] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 424 | | 1 Time Per Day | 3 | 0.1 |
| CE_C21H_MM_27 | CE_C21H_MM_27. When did you start taking this? [MONTH: MM] [27] | NUM | BEST | 6.0 | 2-11 | 3 | MISSING | 3 | 0.1 |
| | | | | | SKIPPED | | | 3395 | 99.8 |
| CE_C21H_YYYY_27 | CE_C21H_YYYY_27. When did you start taking this? [YEAR: YYYY] [27] | NUM | BEST | 2013.3 | 2011-2015 | 3 | MISSING | 3 | 0.1 |
| | | | | | SKIPPED | | | 3395 | 99.8 |
| CE_C21A_TXT_28 | CE_C21A_TXT_28. What is the name of the prescription or over-the-counter medication? [28] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_28 | CE_C21B_TXT_28. What is the reason you take this? [28] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_28 | CE_C21C_NUM_28. What is the dosage? [COUNT] [28] | NUM | BEST | 50.0 | 50-50 | 1 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3396 | 99.9 |
| CE_C21D_UNITS_28 | CE_C21D_UNITS_28. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [28] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3396 | 99.9 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 119 | | Mg | 1 | 0.0 |
| CE_C21E_TXT_28 | CE_C21E_TXT_28. What is the dosage unit? OTHER [TEXT: SPECIFY] [28] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_28 | CE_C21F_28. How often do you take this? [28] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3396 | 99.9 |
| | | | | | 418 | | Less Than Once A Week | 1 | 0.0 |
| | | | | | 423 | | 6-7 Days A Week | 1 | 0.0 |
| CE_C21G_28 | CE_C21G_28. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [28] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3396 | 99.9 |
| | | | | | 424 | | 1 Time Per Day | 2 | 0.1 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21H_MM_28 | CE_C21H_MM_28. When did you start taking this? [MONTH: MM] [28] | NUM | BEST | 6.0 | 3-9 | 2 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3396 | 99.9 |
| CE_C21H_YYYY_28 | CE_C21H_YYYY_28. When did you start taking this? [YEAR: YYYY] [28] | NUM | BEST | 2000.0 | 1989-2011 | 2 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3396 | 99.9 |
| CE_C21A_TXT_29 | CE_C21A_TXT_29. What is the name of the prescription or over-the-counter medication? [29] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_29 | CE_C21B_TXT_29. What is the reason you take this? [29] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_29 | CE_C21C_NUM_29. What is the dosage? [COUNT] [29] | NUM | BEST | 250.0 | 250-250 | 1 | MISSING | 3 | 0.1 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3396 | 99.9 |
| CE_C21D_UNITS_29 | CE_C21D_UNITS_29. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [29] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3396 | 99.9 |
| | | | | | 4 | | Don't Know | 1 | 0.0 |
| | | | | | 119 | | Mg | 1 | 0.0 |
| CE_C21E_TXT_29 | CE_C21E_TXT_29. What is the dosage unit? OTHER [TEXT: SPECIFY] [29] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_29 | CE_C21F_29. How often do you take this? [29] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3396 | 99.9 |
| | | | | | 423 | | 6-7 Days A Week | 2 | 0.1 |
| CE_C21G_29 | CE_C21G_29. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [29] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3396 | 99.9 |
| | | | | | 424 | | 1 Time Per Day | 1 | 0.0 |
| | | | | | 425 | | 2 Times Per Day | 1 | 0.0 |
| CE_C21H_MM_29 | CE_C21H_MM_29. When did you start taking this? [MONTH: MM] [29] | NUM | BEST | 10.5 | 9-12 | 2 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3396 | 99.9 |

*DATA SET: ce_c21ah_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 560*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_C21H_YYYY_29 | CE_C21H_YYYY_29. When did you start taking this? [YEAR: YYYY] [29] | NUM | BEST | 2011.5 | 2010-2013 | 2 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3396 | 99.9 |
| CE_C21A_TXT_30 | CE_C21A_TXT_30. What is the name of the prescription or over-the-counter medication? [30] | CHAR | $CHAR | | .-. | | | | |
| CE_C21B_TXT_30 | CE_C21B_TXT_30. What is the reason you take this? [30] | CHAR | $CHAR | | .-. | | | | |
| CE_C21C_NUM_30 | CE_C21C_NUM_30. What is the dosage? [COUNT] [30] | NUM | BEST | 81.0 | 81-81 | 1 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3397 | 99.9 |
| CE_C21D_UNITS_30 | CE_C21D_UNITS_30. What is the dosage unit? [UNITS: IU, Mcg, mL, g, tbsp, tsp, OTHER] [30] | NUM | DOSEUNIT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3397 | 99.9 |
| | | | | | 121 | | Mcg | 1 | 0.0 |
| CE_C21E_TXT_30 | CE_C21E_TXT_30. What is the dosage unit? OTHER [TEXT: SPECIFY] [30] | CHAR | $CHAR | | .-. | | | | |
| CE_C21F_30 | CE_C21F_30. How often do you take this? [30] | NUM | MEDSPERWEEK | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3397 | 99.9 |
| | | | | | 423 | | 6-7 Days A Week | 1 | 0.0 |
| CE_C21G_30 | CE_C21G_30. On days when you take it, how many times do you take it? [UNIT: NUMBER OF TIMES PER DAY] [30] | NUM | MEDSPERDAY | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3397 | 99.9 |
| | | | | | 426 | | 3 Times Per Day | 1 | 0.0 |
| CE_C21H_MM_30 | CE_C21H_MM_30. When did you start taking this? [MONTH: MM] [30] | NUM | BEST | 9.0 | 9-9 | 1 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3397 | 99.9 |
| CE_C21H_YYYY_30 | CE_C21H_YYYY_30. When did you start taking this? [YEAR: YYYY] [30] | NUM | BEST | 2005.0 | 2005-2005 | 1 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 3397 | 99.9 |

*DATA SET: ce_measurements_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 56*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_D1A_M1_SYS_NUM | CE_D1A_M1_SYS_NUM. Measurement 1 - Systolic Blood Pressure [UNIT: mmHg] | NUM | BEST | 129.7 | 82-224 | 3396 | MISSING | 5 | 0.1 |
| CE_D1B_M2_SYS_NUM | CE_D1B_M2_SYS_NUM. Measurement 2 - Systolic Blood Pressure [UNIT: mmHg] | NUM | BEST | 127.3 | 82-216 | 3396 | MISSING | 5 | 0.1 |
| CE_D1C_M3_SYS_NUM | CE_D1C_M3_SYS_NUM. Measurement 3 - Systolic Blood Pressure [UNIT: mmHg] | NUM | BEST | 126.9 | 83-214 | 3396 | MISSING | 5 | 0.1 |
| CE_D1D_AVG_SYS_NUM | CE_D1D_AVG_SYS_NUM. Average Measurement Systolic Blood Pressure [UNIT: mmHg] | NUM | BEST | 127.4 | 83-215 | 3396 | MISSING | 5 | 0.1 |
| CE_D2A_M1_DIA_NUM | CE_D2A_M1_DIA_NUM. Measurement 1 - Diastolic Blood Pressure [UNIT: mmHg] | NUM | BEST | 75.2 | 45-125 | 3396 | MISSING | 5 | 0.1 |
| CE_D2B_M2_DIA_NUM | CE_D2B_M2_DIA_NUM. Measurement 2 - Diastolic Blood Pressure [UNIT: mmHg] | NUM | BEST | 74.6 | 47-128 | 3396 | MISSING | 5 | 0.1 |
| CE_D2C_M3_DIA_NUM | CE_D2C_M3_DIA_NUM. Measurement 3 - Diastolic Blood Pressure [UNIT: mmHg] | NUM | BEST | 74.6 | 46-124 | 3396 | MISSING | 5 | 0.1 |
| CE_D2D_AVG_DIA_NUM | CE_D2D_AVG_DIA_NUM. Average Measurement Diastolic Blood Pressure [UNIT: mmHg] | NUM | BEST | 74.9 | 48-123 | 3396 | MISSING | 5 | 0.1 |
| CE_D3A_M1_HR_NUM | CE_D3A_M1_HR_NUM. Measurement 1 - Heart Rate [UNIT: BPM] | NUM | BEST | 73.0 | 38-164 | 3396 | MISSING | 5 | 0.1 |
| CE_D3B_M2_HR_NUM | CE_D3B_M2_HR_NUM. Measurement 2 - Heart Rate [UNIT: BPM] | NUM | BEST | 72.7 | 30-164 | 3396 | MISSING | 5 | 0.1 |
| CE_D3C_M3_HR_NUM | CE_D3C_M3_HR_NUM. Measurement 3 - Heart Rate [UNIT: BPM] | NUM | BEST | 73.1 | 30-169 | 3396 | MISSING | 5 | 0.1 |
| CE_D3D_AVG_HR_NUM | CE_D3D_AVG_HR_NUM. Average Measurement Heart Rate [UNIT: BPM] | NUM | BEST | 73.1 | 30-167 | 3396 | MISSING | 5 | 0.1 |
| CE_D_EX_VITALS | CE_D_EX_VITALS. Enter why any vital measurement not collected | NUM | EQMSMNT | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 3 | | Other | 4 | 0.1 |
| CE_D_EX_VITALS_TXT | CE_D_EX_VITALS_TXT. Enter why any vital measurement not collected: Other, specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_E1A_M1_HT_CM_NUM | CE_E1A_M1_HT_CM_NUM. Measurement 1 - Height [UNIT: cm] | NUM | BEST | 173.3 | 140-200 | 3398 | MISSING | 3 | 0.1 |
| CE_E1B_M2_HT_CM_NUM | CE_E1B_M2_HT_CM_NUM. Measurement 2 - Height [UNIT: cm] | NUM | BEST | 173.3 | 141-200 | 3397 | MISSING | 4 | 0.1 |
| CE_E1C_M3_HT_CM_NUM | CE_E1C_M3_HT_CM_NUM. Measurement 3 - Height [UNIT: cm] | NUM | BEST | 173.3 | 141-199 | 3397 | MISSING | 4 | 0.1 |
| CE_E1D_AVG_HT_CM_NUM | CE_E1D_AVG_HT_CM_NUM. Average Measurement Height [UNIT: cm] | NUM | BEST | 173.3 | 141-200 | 3398 | MISSING | 3 | 0.1 |
| CE_E2A_M1_HT_IN_NUM | CE_E2A_M1_HT_IN_NUM. Measurement 1 - Height [UNIT: in] | NUM | BEST | 68.2 | 55-79 | 3398 | MISSING | 3 | 0.1 |

*DATA SET: ce_measurements_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 56*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_E2B_M2_HT_IN_NUM | CE_E2B_M2_HT_IN_NUM. Measurement 2 - Height [UNIT: in] | NUM | BEST | 68.2 | 56-79 | 3397 | MISSING | 4 | 0.1 |
| CE_E2C_M3_HT_IN_NUM | CE_E2C_M3_HT_IN_NUM. Measurement 3 - Height [UNIT: in] | NUM | BEST | 68.2 | 55-79 | 3397 | MISSING | 4 | 0.1 |
| CE_E2D_AVG_HT_IN_NUM | CE_E2D_AVG_HT_IN_NUM. Average Measurement Height [UNIT: in] | NUM | BEST | 68.2 | 55-79 | 3398 | MISSING | 3 | 0.1 |
| CE_E_EX_HT | CE_E_EX_HT. Enter why height not collected | NUM | EQMSMNT | . | | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 3 | | Other | 4 | 0.1 |
| CE_E_EX_HT_TXT | CE_E_EX_HT_TXT. Enter why height not collected: Other, specify [TEXT: SPECIFY] | CHAR | $CHAR | .-. | | | | | |
| CE_F1A_M1_WGT_KG_NUM | CE_F1A_M1_WGT_KG_NUM. Measurement 1 - Weight [UNIT: kg] | NUM | BEST | 91.7 | 40-209 | 3397 | MISSING | 4 | 0.1 |
| CE_F1B_M2_WGT_KG_NUM | CE_F1B_M2_WGT_KG_NUM. Measurement 2 - Weight [UNIT: kg] | NUM | BEST | 91.7 | 40-209 | 3396 | MISSING | 5 | 0.1 |
| CE_F1C_M3_WGT_KG_NUM | CE_F1C_M3_WGT_KG_NUM. Measurement 3 - Weight [UNIT: kg] | NUM | BEST | 91.7 | 40-209 | 3396 | MISSING | 5 | 0.1 |
| CE_F1D_AVG_WGT_KG_NUM | CE_F1D_AVG_WGT_KG_NUM. Average Measurement Weight [UNIT: kg] | NUM | BEST | 91.7 | 40-209 | 3397 | MISSING | 4 | 0.1 |
| CE_F2A_M1_WGT_LBS_NUM | CE_F2A_M1_WGT_LBS_NUM. Measurement 1 - Weight [UNIT: lb] | NUM | BEST | 202.2 | 89-461 | 3397 | MISSING | 4 | 0.1 |
| CE_F2B_M2_WGT_LBS_NUM | CE_F2B_M2_WGT_LBS_NUM. Measurement 2 - Weight [UNIT: lb] | NUM | BEST | 202.2 | 88-461 | 3396 | MISSING | 5 | 0.1 |
| CE_F2C_M3_WGT_LBS_NUM | CE_F2C_M3_WGT_LBS_NUM. Measurement 3 - Weight [UNIT: lb] | NUM | BEST | 202.2 | 88-461 | 3396 | MISSING | 5 | 0.1 |
| CE_F2D_AVG_WGT_LBS_NUM | CE_F2D_AVG_WGT_LBS_NUM. Average Measurement Weight [UNIT: lb] | NUM | BEST | 202.2 | 89-461 | 3397 | MISSING | 4 | 0.1 |
| CE_F_EX_WGT | CE_F_EX_WGT. Enter why weight not collected | NUM | EQMSMNT | . | | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 3 | | Other | 3 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_F_EX_WGT_TXT | CE_F_EX_WGT_TXT. Enter why weight not collected: Other, specify [TEXT: SPECIFY] | CHAR | $CHAR | .-. | | | | | |
| CE_F3A_M1_BMI_NUM | CE_F3A_M1_BMI_NUM. Measurement 1 - Body Mass Index [UNIT: kg/m2] | NUM | BEST | 30.5 | 17-64 | 3397 | MISSING | 4 | 0.1 |
| CE_F3B_M2_BMI_NUM | CE_F3B_M2_BMI_NUM. Measurement 2 - Body Mass Index [UNIT: kg/m2] | NUM | BEST | 30.5 | 17-65 | 3396 | MISSING | 5 | 0.1 |
| CE_F3C_M3_BMI_NUM | CE_F3C_M3_BMI_NUM. Measurement 3 - Body Mass Index [UNIT: kg/m2] | NUM | BEST | 30.5 | 16-65 | 3396 | MISSING | 5 | 0.1 |

*DATA SET: ce_measurements_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 56*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_F3D_AVG_BMI_NUM | CE_F3D_AVG_BMI_NUM. Average Measurement Body Mass Index [UNIT: kg/m2] | NUM | BEST | 30.5 | 17-64 | 3397 | MISSING | 4 | 0.1 |
| CE_G1A_M1_WAIST_NUM | CE_G1A_M1_WAIST_NUM. Measurement 1 - Waist circumference [UNIT: cm] | NUM | BEST | 102.5 | 35-177 | 3394 | MISSING | 7 | 0.2 |
| CE_G1B_M2_WAIST_NUM | CE_G1B_M2_WAIST_NUM. Measurement 2 - Waist circumference [UNIT: cm] | NUM | BEST | 102.5 | 35-177 | 3394 | MISSING | 7 | 0.2 |
| CE_G1C_M3_WAIST_NUM | CE_G1C_M3_WAIST_NUM. Measurement 3 - Waist circumference [UNIT: cm] | NUM | BEST | 102.5 | 35-178 | 3393 | MISSING | 8 | 0.2 |
| CE_G1D_AVG_WAIST_NUM | CE_G1D_AVG_WAIST_NUM. Average Measurement Waist circumference [UNIT: cm] | NUM | BEST | 102.5 | 35-177 | 3394 | MISSING | 7 | 0.2 |
| CE_G_EX_WAIST | CE_G_EX_WAIST. Enter why waist circumference not collected | NUM | EQMSMNT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3393 | 99.8 |
| | | | | | 3 | | Other | 4 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_G_EX_WAIST_TXT | CE_G_EX_WAIST_TXT. Enter why waist circumference not collected: Other, specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_H1A_M1_HIP_NUM | CE_H1A_M1_HIP_NUM. Measurement 1 - Hip circumference [UNIT: cm] | NUM | BEST | 108.8 | 40-168 | 3392 | MISSING | 9 | 0.3 |
| CE_H1B_M2_HIP_NUM | CE_H1B_M2_HIP_NUM. Measurement 2 - Hip circumference [UNIT: cm] | NUM | BEST | 108.8 | 40-174 | 3391 | MISSING | 10 | 0.3 |
| CE_H1C_M3_HIP_NUM | CE_H1C_M3_HIP_NUM. Measurement 3 - Hip circumference [UNIT: cm] | NUM | BEST | 108.8 | 40-173 | 3391 | MISSING | 10 | 0.3 |
| CE_H1D_AVG_HIP_NUM | CE_H1D_AVG_HIP_NUM. Average Measurement Hip circumference [UNIT: cm] | NUM | BEST | 108.8 | 40-172 | 3392 | MISSING | 9 | 0.3 |
| CE_H_EX_HIP | CE_H_EX_HIP. Enter why hip circumference not collected | NUM | EQMSMNT | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 3391 | 99.7 |
| | | | | | 3 | | Other | 6 | 0.2 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_H_EX_HIP_TXT | CE_H_EX_HIP_TXT. Enter why hip circumference not collected: Other, specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_sample_collection_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 79*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | GULFID. GULF ID | CHAR | $CHAR | | .-. | | | | |
| CE_I1_YN | CE_I1_YN. Was a hair sample collected? | NUM | YN | | 1 | | Yes | 2086 | 61.3 |
| | | | | | 2 | | No | 1315 | 38.7 |
| CE_I1A | CE_I1A. Was a hair sample collected? If no, provide a reason | NUM | YNHAIR | | .S | | Skipped | 2086 | 61.3 |
| | | | | | 1 | | Not Enough Hair | 1137 | 33.4 |
| | | | | | 2 | | Other, Specify | 147 | 4.3 |
| | | | | | 9 | | Refused | 31 | 0.9 |
| CE_I1A_OTHER_TXT | CE_I1A_OTHER_TXT. Was a hair sample collected? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_I2_YN | CE_I2_YN. Were the proximal and distal ends of the hair designated/marked? | NUM | YN | | .S | | Skipped | 1315 | 38.7 |
| | | | | | 1 | | Yes | 2085 | 61.3 |
| | | | | | 2 | | No | 1 | 0.0 |
| CE_I2A | CE_I2A. Were the proximal and distal ends of the hair designated/marked? If no, provide a reason | NUM | OTHDKREF | | .S | | Skipped | 3400 | 100.0 |
| | | | | | 1 | | Other, Specify | 1 | 0.0 |
| CE_I2A_OTHER_TXT | CE_I2A_OTHER_TXT. Were the proximal and distal ends of the hair designated/marked? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_J1_YN | CE_J1_YN. Are you currently wearing false toenails, nail tips, acrylic and or gel on your toenails? | NUM | YN | | 1 | | Yes | 35 | 1.0 |
| | | | | | 2 | | No | 3366 | 99.0 |
| CE_J2_YN | CE_J2_YN. Are you currently wearing nail polish, nail hardener or any other nail product on your toenails? | NUM | YN | | .S | | Skipped | 35 | 1.0 |
| | | | | | 1 | | Yes | 305 | 9.0 |
| | | | | | 2 | | No | 3061 | 90.0 |
| CE_J2A_YN | CE_J2A_YN. Did participant remove nail polish, nail hardener or any other nail product using nail polish remover or acetone? | NUM | YN | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 1 | | Yes | 180 | 5.3 |
| | | | | | 2 | | No | 125 | 3.7 |
| CE_J3_YN | CE_J3_YN. Were toenail samples collected? | NUM | YN | | . | | Missing | 1 | 0.0 |
| | | | | | .S | | Skipped | 160 | 4.7 |
| | | | | | 1 | | Yes | 2896 | 85.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | No | 344 | 10.1 |
| CE_J3A | CE_J3A. Were toenail samples collected? If no, provide a reason | NUM | TOENAIL | | . | | Missing | 1 | 0.0 |
| | | | | | .S | | Skipped | 3056 | 89.9 |
| | | | | | 1 | | Nails Not Long Enough | 292 | 8.6 |
| | | | | | 2 | | Missing Toenails/Toes/Foot | 12 | 0.4 |
| | | | | | 3 | | Medical Condition | 20 | 0.6 |
| | | | | | 4 | | Other, Specify | 20 | 0.6 |
| CE_J3A_OTHER_TXT | CE_J3A_OTHER_TXT. Were toenail samples collected? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_J4_YN | CE_J4_YN. Participant agreed to collect and send toenail samples at a later date? | NUM | YN | | . | | Missing | 1 | 0.0 |
| | | | | | .S | | Skipped | 2896 | 85.2 |
| | | | | | 1 | | Yes | 495 | 14.6 |
| | | | | | 2 | | No | 9 | 0.3 |
| CE_J5 | CE_J5. Barcode scan of toenail sample collection envelope | CHAR | $CHAR | | .-. | | | | |
| CE_K1_YN | CE_K1_YN. Was a mid-stream urine sample collected during the clinical exam? | NUM | YN | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | Yes | 3379 | 99.4 |
| | | | | | 2 | | No | 20 | 0.6 |
| CE_K1A | CE_K1A. Was a mid-stream urine sample collected during the clinical exam? If no, provide a reason | NUM | COLLYN | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 3379 | 99.4 |
| | | | | | 1 | | Unable To Collect | 14 | 0.4 |
| | | | | | 3 | | Other, Specify | 4 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_K1A_OTHER_TXT | CE_K1A_OTHER_TXT. Was a mid-stream urine sample collected during the clinical exam? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_K2_NUM | CE_K2_NUM. Volume of the random urine sample collected [UNIT: ML] | NUM | BEST | 77.4 | 5-90 | 3343 | MISSING | 38 | 1.1 |
| | | | | | | | SKIPPED | 20 | 0.6 |
| CE_K3_DATE | CE_K3_DATE. Date of random urine sample [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3379 | MISSING | 2 | 0.1 |
| | | | | | | | SKIPPED | 20 | 0.6 |

*DATA SET: ce_sample_collection_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 79*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_K4_TIME | CE_K4_TIME. Enter time the random urine sample was collected [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:20 | 7:15-19:20 | 3379 | MISSING | 2 | 0.1 |
|  |  |  |  |  | SKIPPED |  |  | 20 | 0.6 |
| CE_K5A_LEUKOCYTE | CE_K5A_LEUKOCYTE. Urine dipstick results: LEUKOCYTE | NUM | BLOODRESULT |  | . |  | Missing | 25 | 0.7 |
|  |  |  |  |  | .S |  | Skipped | 20 | 0.6 |
|  |  |  |  |  | 1 |  | - | 2999 | 88.2 |
|  |  |  |  |  | 2 |  | +- | 167 | 4.9 |
|  |  |  |  |  | 3 |  | 1+ | 83 | 2.4 |
|  |  |  |  |  | 4 |  | 2+ | 62 | 1.8 |
|  |  |  |  |  | 5 |  | 3+ | 45 | 1.3 |
| CE_K5B_NITRITE | CE_K5B_NITRITE. Urine dipstick results: NITRITE | NUM | BLOODCOLL |  | . |  | Missing | 25 | 0.7 |
|  |  |  |  |  | .S |  | Skipped | 20 | 0.6 |
|  |  |  |  |  | 1 |  | - | 3306 | 97.2 |
|  |  |  |  |  | 2 |  | + | 50 | 1.5 |
| CE_K5C_UROBILINOGEN | CE_K5C_UROBILINOGEN. Urine dipstick results: UROBILINOGEN | NUM | BLOODRESULT |  | . |  | Missing | 25 | 0.7 |
|  |  |  |  |  | .S |  | Skipped | 20 | 0.6 |
|  |  |  |  |  | 1 |  | - | 2808 | 82.6 |
|  |  |  |  |  | 2 |  | +- | 456 | 13.4 |
|  |  |  |  |  | 3 |  | 1+ | 69 | 2.0 |
|  |  |  |  |  | 4 |  | 2+ | 19 | 0.6 |
|  |  |  |  |  | 5 |  | 3+ | 4 | 0.1 |
| CE_K5D_PROTEIN | CE_K5D_PROTEIN. Urine dipstick results: PROTEIN | NUM | BLOODRESULT |  | . |  | Missing | 25 | 0.7 |
|  |  |  |  |  | .S |  | Skipped | 20 | 0.6 |
|  |  |  |  |  | 1 |  | - | 2732 | 80.3 |
|  |  |  |  |  | 2 |  | +- | 401 | 11.8 |
|  |  |  |  |  | 3 |  | 1+ | 159 | 4.7 |
|  |  |  |  |  | 4 |  | 2+ | 46 | 1.4 |
|  |  |  |  |  | 5 |  | 3+ | 18 | 0.5 |
| CE_K5E_PH | CE_K5E_PH. Urine dipstick results: PH | NUM | BLOOD_PH |  | . |  | Missing | 25 | 0.7 |
|  |  |  |  |  | .S |  | Skipped | 20 | 0.6 |
|  |  |  |  |  | 1 |  | 5 | 109 | 3.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | 5.5 | 530 | 15.6 |
| | | | | | 3 | | 6 | 2027 | 59.6 |
| | | | | | 4 | | 6.5 | 272 | 8.0 |
| | | | | | 5 | | 7 | 272 | 8.0 |
| | | | | | 6 | | 7.5 | 102 | 3.0 |
| | | | | | 7 | | 8 | 36 | 1.1 |
| | | | | | 8 | | 8.5 | 8 | 0.2 |
| CE_K5F_BLOOD | CE_K5F_BLOOD. Urine dipstick results: BLOOD | NUM | BLOODRESULT | | . | | Missing | 25 | 0.7 |
| | | | | | .S | | Skipped | 20 | 0.6 |
| | | | | | 1 | | - | 2890 | 85.0 |
| | | | | | 2 | | +- | 290 | 8.5 |
| | | | | | 3 | | 1+ | 65 | 1.9 |
| | | | | | 4 | | 2+ | 50 | 1.5 |
| | | | | | 5 | | 3+ | 61 | 1.8 |
| CE_K5G_SPECIFIC_GRAVITY | CE_K5G_SPECIFIC_GRAVITY. Urine dipstick results: SPECIFIC GRAVITY | NUM | BLOODSPEC | | . | | Missing | 25 | 0.7 |
| | | | | | .S | | Skipped | 20 | 0.6 |
| | | | | | 1 | | 1.000 | 3 | 0.1 |
| | | | | | 2 | | 1.005 | 68 | 2.0 |
| | | | | | 3 | | 1.010 | 337 | 9.9 |
| | | | | | 4 | | 1.015 | 799 | 23.5 |
| | | | | | 5 | | 1.020 | 617 | 18.1 |
| | | | | | 6 | | 1.025 | 681 | 20.0 |
| | | | | | 7 | | 1.030 | 851 | 25.0 |
| CE_K5H_KETONES | CE_K5H_KETONES. Urine dipstick results: KETONES | NUM | BLOODRESULT | | . | | Missing | 25 | 0.7 |
| | | | | | .S | | Skipped | 20 | 0.6 |
| | | | | | 1 | | - | 3206 | 94.3 |
| | | | | | 2 | | +- | 134 | 3.9 |
| | | | | | 3 | | 1+ | 8 | 0.2 |
| | | | | | 4 | | 2+ | 5 | 0.1 |
| | | | | | 5 | | 3+ | 3 | 0.1 |
| CE_K5I_BILIRUBIN | CE_K5I_BILIRUBIN. Urine dipstick results: BILIRUBIN | NUM | BLOODRESULT | | . | | Missing | 25 | 0.7 |
| | | | | | .S | | Skipped | 20 | 0.6 |

*DATA SET: ce_sample_collection_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 79*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | - | 3260 | 95.9 |
| | | | | | 2 | | +- | 3 | 0.1 |
| | | | | | 3 | | 1+ | 78 | 2.3 |
| | | | | | 4 | | 2+ | 5 | 0.1 |
| | | | | | 5 | | 3+ | 10 | 0.3 |
| CE_K5J_GLUCOSE | CE_K5J_GLUCOSE. Urine dipstick results: GLUCOSE | NUM | BLOODRESULT | | . | | Missing | 25 | 0.7 |
| | | | | | .S | | Skipped | 20 | 0.6 |
| | | | | | 1 | | - | 3151 | 92.6 |
| | | | | | 2 | | +- | 35 | 1.0 |
| | | | | | 3 | | 1+ | 34 | 1.0 |
| | | | | | 4 | | 2+ | 20 | 0.6 |
| | | | | | 5 | | 3+ | 116 | 3.4 |
| CE_K5A | CE_K5A. Barcode scan for participant POCT results form | CHAR | $CHAR | | .-. | | | | |
| CE_K6_YN | CE_K6_YN. Was remaining urine sample sent to lab to be aliquotted for long term storage and future analysis? | NUM | YN | | . | | Missing | 103 | 3.0 |
| | | | | | .S | | Skipped | 20 | 0.6 |
| | | | | | 1 | | Yes | 3276 | 96.3 |
| | | | | | 2 | | No | 2 | 0.1 |
| CE_K6A | CE_K6A. Was remaining urine sample sent to lab to be aliquotted for long term storage and future analysis? If no, provide a reason | NUM | NOBLOOD | | . | | Missing | 103 | 3.0 |
| | | | | | .S | | Skipped | 3296 | 96.9 |
| | | | | | 1 | | Insufficient Sample | 2 | 0.1 |
| CE_K6A_OTHER_TXT | CE_K6A_OTHER_TXT. Was remaining urine sample sent to lab to be aliquotted for long term storage and future analysis? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_L2_YN | CE_L2_YN. Participant was selected for at-home saliva sample collection. Did participant agree to complete at-home saliva sample collection? | NUM | YN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2533 | 74.5 |
| | | | | | 1 | | Yes | 861 | 25.3 |
| | | | | | 2 | | No | 4 | 0.1 |
| CE_L3_YN | CE_L3_YN. Was a practive saliva sample obtained? | NUM | YN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2537 | 74.6 |

*Sections I-L - Sample Collections (Hair, Toenail, Urine and Saliva)*

*DATA SET: ce_sample_collection_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 79*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | Yes | 860 | 25.3 |
| | | | | | 2 | | No | 1 | 0.0 |
| | | | | | | | | | |
| CE_L3A_DATE | CE_L3A_DATE. Date of practice saliva sample collection [DATE: MM/DD/YYYY] | NUM | MMDDYY | 09/21/15 | 08/29/14-06/30/16 | 860 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 2538 | 74.6 |
| | | | | | | | | | |
| CE_L3B_TIME | CE_L3B_TIME. Enter time of practice saliva sample collection [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 10:33 | 7:41-16:59 | 859 | MISSING | 4 | 0.1 |
| | | | | | | | SKIPPED | 2538 | 74.6 |
| | | | | | | | | | |
| CE_L3C | CE_L3C. Was a practive saliva sample obtained? If no, provide a reason | NUM | NOCOLL | | . | | Missing | 4 | 0.1 |
| | | | | | .S | | Skipped | 3396 | 99.9 |
| | | | | | 1 | | Medical Reason | 1 | 0.0 |
| | | | | | | | | | |
| CE_L3C_OTHER_TXT | CE_L3C_OTHER_TXT. Was a practive saliva sample obtained? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_L4A_YN | CE_L4A_YN. In the past 20 minutes, have you done any of the following? Brushed teeth? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2538 | 74.6 |
| | | | | | 1 | | Yes | 9 | 0.3 |
| | | | | | 2 | | No | 851 | 25.0 |
| | | | | | | | | | |
| CE_L4B_YN | CE_L4B_YN. In the past 20 minutes, have you done any of the following? Eaten anything? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2538 | 74.6 |
| | | | | | 1 | | Yes | 90 | 2.6 |
| | | | | | 2 | | No | 770 | 22.6 |
| | | | | | | | | | |
| CE_L4C_YN | CE_L4C_YN. In the past 20 minutes, have you done any of the following? Drank anything? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2538 | 74.6 |
| | | | | | 1 | | Yes | 420 | 12.3 |
| | | | | | 2 | | No | 440 | 12.9 |
| | | | | | | | | | |
| CE_L4D_YN | CE_L4D_YN. In the past 20 minutes, have you done any of the following? Exercised? | NUM | DKREFYN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2538 | 74.6 |
| | | | | | 1 | | Yes | 37 | 1.1 |

*DATA SET: ce_sample_collection_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 79*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | No | 823 | 24.2 |
| | | | | | | | | | |
| CE_L5 | CE_L5. Do you feel happy, excited, or content right now? | NUM | SOMEWHAT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2538 | 74.6 |
| | | | | | 1 | | Not At All | 79 | 2.3 |
| | | | | | 2 | | Somewhat | 466 | 13.7 |
| | | | | | 3 | | Very Much | 222 | 6.5 |
| | | | | | 4 | | Extremely | 91 | 2.7 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | | | | | |
| CE_L6 | CE_L6. Do you feel worried, anxious, or fearful right now? | NUM | SOMEWHAT | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 2538 | 74.6 |
| | | | | | 1 | | Not At All | 677 | 19.9 |
| | | | | | 2 | | Somewhat | 154 | 4.5 |
| | | | | | 3 | | Very Much | 21 | 0.6 |
| | | | | | 4 | | Extremely | 8 | 0.2 |
| | | | | | | | | | |
| CE_L7_TXT | CE_L7_TXT. Do you have any problems or concerns right now? Specify. [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_L8 | CE_L8. Scanned barcode of saliva log | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | GULFID. GULF ID | CHAR | $CHAR | | .-. | | | | |
| CE_M1_YN | CE_M1_YN. Was blood draw attempted? | NUM | YN | | 1 | | Yes | 3385 | 99.5 |
| | | | | | 2 | | No | 16 | 0.5 |
| CE_M1A_DATE | CE_M1A_DATE. Date of blood collection attempt [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3385 | SKIPPED | 16 | 0.5 |
| CE_M1B_TIME | CE_M1B_TIME. Enter time of blood collection attempt [TIME: HH:MM AM/PM] | NUM | TIME | 10:57 | 7:42-17:15 | 3385 | SKIPPED | 16 | 0.5 |
| CE_M1C_1_YN | CE_M1C_1_YN. Record site for blood collection attempts [RIGHT ARM] | NUM | DYNF | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 16 | 0.5 |
| | | | | | 0 | | No | 672 | 19.8 |
| | | | | | 1 | | Yes | 2710 | 79.7 |
| CE_M1C_2_YN | CE_M1C_2_YN. Record site for blood collection attempts [RIGHT HAND] | NUM | DYNF | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 16 | 0.5 |
| | | | | | 0 | | No | 3259 | 95.8 |
| | | | | | 1 | | Yes | 123 | 3.6 |
| CE_M1C_3_YN | CE_M1C_3_YN. Record site for blood collection attempts [LEFT ARM] | NUM | DYNF | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 16 | 0.5 |
| | | | | | 0 | | No | 2553 | 75.1 |
| | | | | | 1 | | Yes | 829 | 24.4 |
| CE_M1C_4_YN | CE_M1C_4_YN. Record site for blood collection attempts [LEFT HAND] | NUM | DYNF | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 16 | 0.5 |
| | | | | | 0 | | No | 3293 | 96.8 |
| | | | | | 1 | | Yes | 89 | 2.6 |
| CE_M1D_NUM | CE_M1D_NUM. Record number of blood draw attempts | NUM | BEST | 1.2 | 1-3 | 3383 | MISSING | 2 | 0.1 |
| | | | | | | | SKIPPED | 16 | 0.5 |
| CE_M1E_YN | CE_M1E_YN. Was any blood collected? | NUM | YN | | .S | | Skipped | 16 | 0.5 |
| | | | | | 1 | | Yes | 3351 | 98.5 |
| | | | | | 2 | | No | 34 | 1.0 |
| CE_M1F | CE_M1F. Was any blood collected? If not collected, provide a reason | NUM | NOCOLLA | | .S | | Skipped | 3351 | 98.5 |

*Sections M-O - Blood Collections*

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | Unable To Collect | 27 | 0.8 |
| | | | | | 2 | | Medical Reason | 3 | 0.1 |
| | | | | | 4 | | Other, Specify | 5 | 0.1 |
| | | | | | 9 | | Refused | 15 | 0.4 |
| CE_M1F_OTHER_TXT | CE_M1F_OTHER_TXT. Was any blood collected? If not collected, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_RED100_COLLECTED_YN | CE_M3A_RED100_COLLECTED_YN. Was Red tube RED100 collected? | NUM | YN | | .S | | Skipped | 50 | 1.5 |
| | | | | | 1 | | Yes | 3348 | 98.4 |
| | | | | | 2 | | No | 3 | 0.1 |
| CE_M3B_RED100_WHY_NOT | CE_M3B_RED100_WHY_NOT. Was Red tube RED100 collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3398 | 99.9 |
| | | | | | 1 | | Unable To Collect | 3 | 0.1 |
| CE_M3C_RED100_OTHER_TXT | CE_M3C_RED100_OTHER_TXT. Was Red tube RED100 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_RED200_COLLECTED_YN | CE_M3A_RED200_COLLECTED_YN. Was Red tube RED200 collected? | NUM | YN | | .S | | Skipped | 50 | 1.5 |
| | | | | | 1 | | Yes | 3341 | 98.2 |
| | | | | | 2 | | No | 10 | 0.3 |
| CE_M3B_RED200_WHY_NOT | CE_M3B_RED200_WHY_NOT. Was Red tube RED200 collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3391 | 99.7 |
| | | | | | 1 | | Unable To Collect | 8 | 0.2 |
| | | | | | 5 | | Other | 1 | 0.0 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_M3C_RED200_OTHER_TXT | CE_M3C_RED200_OTHER_TXT. Was Red tube RED200 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_LAV100_COLLECTED_YN | CE_M3A_LAV100_COLLECTED_YN. Was Lavender tube LAV100 collected? | NUM | YN | | .S | | Skipped | 50 | 1.5 |
| | | | | | 1 | | Yes | 3334 | 98.0 |
| | | | | | 2 | | No | 17 | 0.5 |
| CE_M3B_LAV100_WHY_NOT | CE_M3B_LAV100_WHY_NOT. Was Lavender tube LAV100 collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3384 | 99.5 |
| | | | | | 1 | | Unable To Collect | 13 | 0.4 |
| | | | | | 2 | | Medical Reason | 2 | 0.1 |
| | | | | | 5 | | Other | 1 | 0.0 |

*Sections M-O - Blood Collections*

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_M3C_LAV100_OTHER_TXT | CE_M3C_LAV100_OTHER_TXT. Was Lavender tube LAV100 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_LAV200_COLLECTED_YN | CE_M3A_LAV200_COLLECTED_YN. Was Lavender tube LAV200 collected? | NUM | YN | | .S | | Skipped | 50 | 1.5 |
| | | | | | 1 | | Yes | 3331 | 97.9 |
| | | | | | 2 | | No | 20 | 0.6 |
| CE_M3B_LAV200_WHY_NOT | CE_M3B_LAV200_WHY_NOT. Was Lavender tube LAV200 collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3381 | 99.4 |
| | | | | | 1 | | Unable To Collect | 16 | 0.5 |
| | | | | | 2 | | Medical Reason | 2 | 0.1 |
| | | | | | 5 | | Other | 1 | 0.0 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_M3C_LAV200_OTHER_TXT | CE_M3C_LAV200_OTHER_TXT. Was Lavender tube LAV200 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_LAV300_COLLECTED_YN | CE_M3A_LAV300_COLLECTED_YN. Was Lavender tube LAV300 [LSU ONLY] collected? | NUM | YN | | . | | Missing | 702 | 20.6 |
| | | | | | .S | | Skipped | 2368 | 69.6 |
| | | | | | 1 | | Yes | 325 | 9.6 |
| | | | | | 2 | | No | 6 | 0.2 |
| CE_M3B_LAV300_WHY_NOT | CE_M3B_LAV300_WHY_NOT. Was Lavender tube LAV300 [LSU ONLY] collected? If no, why? | NUM | NOCOLLB | | . | | Missing | 702 | 20.6 |
| | | | | | .S | | Skipped | 2693 | 79.2 |
| | | | | | 1 | | Unable To Collect | 4 | 0.1 |
| | | | | | 5 | | Other | 2 | 0.1 |
| CE_M3C_LAV300_OTHER_TXT | CE_M3C_LAV300_OTHER_TXT. Was Lavender tube LAV300 [LSU ONLY] collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_ACD100_COLLECTED_YN | CE_M3A_ACD100_COLLECTED_YN. Was Yellow tube ACD100 collected? | NUM | YN | | .S | | Skipped | 50 | 1.5 |
| | | | | | 1 | | Yes | 3327 | 97.8 |
| | | | | | 2 | | No | 24 | 0.7 |
| CE_M3B_ACD100_WHY_NOT | CE_M3B_ACD100_WHY_NOT. Was Yellow tube ACD100 collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3377 | 99.3 |
| | | | | | 1 | | Unable To Collect | 18 | 0.5 |

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | Medical Reason | 2 | 0.1 |
| | | | | | 4 | | Refused | 3 | 0.1 |
| | | | | | 5 | | Other | 1 | 0.0 |
| CE_M3C_ACD100_OTHER_TXT | CE_M3C_ACD100_OTHER_TXT. Was Yellow tube ACD100 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_ACD200_ COLLECTED_YN | CE_M3A_ACD200_COLLECTED_YN. Was Yellow tube ACD200 collected? | NUM | YN | | .S | | Skipped | 2368 | 69.6 |
| | | | | | 1 | | Yes | 1019 | 30.0 |
| | | | | | 2 | | No | 14 | 0.4 |
| CE_M3B_ACD200_WHY_NOT | CE_M3B_ACD200_WHY_NOT. Was Yellow tube ACD200 collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3387 | 99.6 |
| | | | | | 1 | | Unable To Collect | 11 | 0.3 |
| | | | | | 2 | | Medical Reason | 2 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_M3C_ACD200_OTHER_TXT | CE_M3C_ACD200_OTHER_TXT. Was Yellow tube ACD200 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_BLU101_ COLLECTED_YN | CE_M3A_BLU101_COLLECTED_YN. Was Royal Blue tube BLU101 collected? | NUM | YN | | .S | | Skipped | 50 | 1.5 |
| | | | | | 1 | | Yes | 3315 | 97.5 |
| | | | | | 2 | | No | 36 | 1.1 |
| CE_M3B_BLU101_WHY_NOT | CE_M3B_BLU101_WHY_NOT. Was Royal Blue tube BLU101 collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3365 | 98.9 |
| | | | | | 1 | | Unable To Collect | 27 | 0.8 |
| | | | | | 2 | | Medical Reason | 4 | 0.1 |
| | | | | | 5 | | Other | 2 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_M3C_BLU101_OTHER_TXT | CE_M3C_BLU101_OTHER_TXT. Was Royal Blue tube BLU101 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_M3A_PAX101_ COLLECTED_YN | CE_M3A_PAX101_COLLECTED_YN. Was Paxgene tube PAX101 collected? | NUM | YN | | .S | | Skipped | 50 | 1.5 |
| | | | | | 1 | | Yes | 3294 | 96.9 |
| | | | | | 2 | | No | 57 | 1.7 |
| CE_M3B_PAX101_WHY_NOT | CE_M3B_PAX101_WHY_NOT. Was Paxgene tube PAX101 collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3344 | 98.3 |
| | | | | | 1 | | Unable To Collect | 47 | 1.4 |

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | Medical Reason | 4 | 0.1 |
| | | | | | 5 | | Other | 3 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_M3C_PAX101_OTHER_TXT | CE_M3C_PAX101_OTHER_TXT. Was Paxgene tube PAX101 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_N2_YN | CE_N2_YN. Participant selected for quality control blood draw. Did the participant agree to the collection of additional quality control blood tubes? | NUM | YN | | .S | | Skipped | 3188 | 93.7 |
| | | | | | 1 | | Yes | 208 | 6.1 |
| | | | | | 2 | | No | 5 | 0.1 |
| CE_N3A_QRED_COLLECTED_YN | CE_N3A_QRED_COLLECTED_YN. Was the Red quality control tube QRED collected? | NUM | YN | | .S | | Skipped | 3193 | 93.9 |
| | | | | | 1 | | Yes | 205 | 6.0 |
| | | | | | 2 | | No | 3 | 0.1 |
| CE_N3B_QRED_WHY_NOT | CE_N3B_QRED_WHY_NOT. Was the Red quality control tube QRED collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3398 | 99.9 |
| | | | | | 1 | | Unable To Collect | 3 | 0.1 |
| CE_N3C_QRED_OTHER_TXT | CE_N3C_QRED_OTHER_TXT. Was the Red quality control tube QRED collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_N3A_QLAV_COLLECTED_YN | CE_N3A_QLAV_COLLECTED_YN. Was the Lavender quality control tube QLAV collected? | NUM | YN | | .S | | Skipped | 3193 | 93.9 |
| | | | | | 1 | | Yes | 201 | 5.9 |
| | | | | | 2 | | No | 7 | 0.2 |
| CE_N3B_QLAV_WHY_NOT | CE_N3B_QLAV_WHY_NOT. Was the Lavender quality control tube QLAV collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3394 | 99.8 |
| | | | | | 1 | | Unable To Collect | 6 | 0.2 |
| | | | | | 2 | | Medical Reason | 1 | 0.0 |
| CE_N3C_QLAV_OTHER_TXT | CE_N3C_QLAV_OTHER_TXT. Was the Lavender quality control tube QLAV collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_N3A_QACD_COLLECTED_YN | CE_N3A_QACD_COLLECTED_YN. Was the Yellow quality control tube QACD collected? | NUM | YN | | .S | | Skipped | 3193 | 93.9 |
| | | | | | 1 | | Yes | 200 | 5.9 |
| | | | | | 2 | | No | 8 | 0.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_N3B_QACD_WHY_NOT | CE_N3B_QACD_WHY_NOT. Was the Yellow quality control tube QACD collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3393 | 99.8 |
| | | | | | 1 | | Unable To Collect | 7 | 0.2 |
| | | | | | 2 | | Medical Reason | 1 | 0.0 |
| CE_N3C_QACD_OTHER_TXT | CE_N3C_QACD_OTHER_TXT. Was the Yellow quality control tube QACD collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_N3A_QBLU01_ COLLECTED_YN | CE_N3A_QBLU01_COLLECTED_YN. Was the Royal Blue quality control tube QBLU collected? | NUM | YN | | .S | | Skipped | 3193 | 93.9 |
| | | | | | 1 | | Yes | 194 | 5.7 |
| | | | | | 2 | | No | 14 | 0.4 |
| CE_N3B_QBLU01_WHY_NOT | CE_N3B_QBLU01_WHY_NOT. Was the Royal Blue quality control tube QBLU collected? If no, why? | NUM | NOCOLLB | | .S | | Skipped | 3387 | 99.6 |
| | | | | | 1 | | Unable To Collect | 13 | 0.4 |
| | | | | | 2 | | Medical Reason | 1 | 0.0 |
| CE_N3C_QBLU01_OTHER_TXT | CE_N3C_QBLU01_OTHER_TXT. Was the Royal Blue quality control tube QBLU collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_N5_YN | CE_N5_YN. Participant selected for expanded lymphocyte isolation blood collection. Did the participant agree to the collection of additional expanded lymphocyte isolation blood tubes? | NUM | YN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3068 | 90.2 |
| | | | | | 1 | | Yes | 318 | 9.4 |
| | | | | | 2 | | No | 12 | 0.4 |
| CE_N6A_ACD300_ COLLECTED_YN | CE_N6A_ACD300_COLLECTED_YN. Was the Yellow expanded lympocyte isolation tube ACD300 collected? | NUM | YN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3080 | 90.6 |
| | | | | | 1 | | Yes | 305 | 9.0 |
| | | | | | 2 | | No | 13 | 0.4 |
| CE_N6B_ACD300_WHY_NOT | CE_N6B_ACD300_WHY_NOT. Was the Yellow expanded lympocyte isolation tube ACD300 collected? If no, why? | NUM | NOCOLLB | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3385 | 99.5 |
| | | | | | 1 | | Unable To Collect | 12 | 0.4 |
| | | | | | 2 | | Medical Reason | 1 | 0.0 |
| CE_N6C_ACD300_OTHER_TXT | CE_N6C_ACD300_OTHER_TXT. Was the Yellow expanded lympocyte isolation tube ACD300 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_N6A_ACD400_ COLLECTED_YN | CE_N6A_ACD400_COLLECTED_YN. Was the Yellow expanded lympocyte isolation tube ACD400 collected? | NUM | YN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3080 | 90.6 |
| | | | | | 1 | | Yes | 301 | 8.9 |
| | | | | | 2 | | No | 17 | 0.5 |
| CE_N6B_ACD400_WHY_NOT | CE_N6B_ACD400_WHY_NOT. Was the Yellow expanded lympocyte isolation tube ACD400 collected? If no, why? | NUM | NOCOLLB | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3381 | 99.4 |
| | | | | | 1 | | Unable To Collect | 15 | 0.4 |
| | | | | | 2 | | Medical Reason | 1 | 0.0 |
| | | | | | 5 | | Other | 1 | 0.0 |
| CE_N6C_ACD400_OTHER_TXT | CE_N6C_ACD400_OTHER_TXT. Was the Yellow expanded lympocyte isolation tube ACD400 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_N6A_ACD500_ COLLECTED_YN | CE_N6A_ACD500_COLLECTED_YN. Was the Yellow expanded lympocyte isolation tube ACD500 collected? | NUM | YN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3080 | 90.6 |
| | | | | | 1 | | Yes | 299 | 8.8 |
| | | | | | 2 | | No | 19 | 0.6 |
| CE_N6B_ACD500_WHY_NOT | CE_N6B_ACD500_WHY_NOT. Was the Yellow expanded lympocyte isolation tube ACD500 collected? If no, why? | NUM | NOCOLLB | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3379 | 99.4 |
| | | | | | 1 | | Unable To Collect | 16 | 0.5 |
| | | | | | 2 | | Medical Reason | 1 | 0.0 |
| | | | | | 5 | | Other | 2 | 0.1 |
| CE_N6C_ACD500_OTHER_TXT | CE_N6C_ACD500_OTHER_TXT. Was the Yellow expanded lympocyte isolation tube ACD500 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_N6A_ACD600_ COLLECTED_YN | CE_N6A_ACD600_COLLECTED_YN. Was the Yellow expanded lympocyte isolation tube ACD600 collected? | NUM | YN | | . | | Missing | 3 | 0.1 |
| | | | | | .S | | Skipped | 3080 | 90.6 |
| | | | | | 1 | | Yes | 294 | 8.6 |
| | | | | | 2 | | No | 24 | 0.7 |
| CE_N6B_ACD600_WHY_NOT | CE_N6B_ACD600_WHY_NOT. Was the Yellow expanded lympocyte isolation tube ACD600 collected? If no, why? | NUM | NOCOLLB | | . | | Missing | 3 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | .S | | Skipped | 3374 | 99.2 |
| | | | | | 1 | | Unable To Collect | 22 | 0.6 |
| | | | | | 2 | | Medical Reason | 1 | 0.0 |
| | | | | | 5 | | Other | 1 | 0.0 |
| CE_N6C_ACD600_OTHER_TXT | CE_N6C_ACD600_OTHER_TXT. Was the Yellow expanded lymphocyte isolation tube ACD600 collected? If 'other', specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_O1_YN | CE_O1_YN. Was a finger stick capillary blood sample collected? | NUM | YN | | 1 | | Yes | 3390 | 99.7 |
| | | | | | 2 | | No | 11 | 0.3 |
| CE_O1A_DATE | CE_O1A_DATE. Date of capillary blood sample [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3389 | MISSING | 1 | 0.0 |
| | | | | | | | SKIPPED | 11 | 0.3 |
| CE_O1B_TIME | CE_O1B_TIME. Enter time of capillary blood sample collection [TIME: HH:MM AM/PM] | NUM | TIME | 11:04 | 7:47-17:21 | 3385 | MISSING | 5 | 0.1 |
| | | | | | | | SKIPPED | 11 | 0.3 |
| CE_O1C | CE_O1C. Was a finger stick capillary blood sample collected? If no, provide a reason | NUM | NOCOLLC | | .S | | Skipped | 3390 | 99.7 |
| | | | | | 2 | | Medical Reason | 1 | 0.0 |
| | | | | | 5 | | Other, Specify | 1 | 0.0 |
| | | | | | 9 | | Refused | 9 | 0.3 |
| CE_O1C_OTHER_TXT | CE_O1C_OTHER_TXT. Was a finger stick capillary blood sample collected? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_O2 | CE_O2. Record hemoglobin A1C result | NUM | HEMOGLOBIN | | . | | Missing | 10 | 0.3 |
| | | | | | .S | | Skipped | 11 | 0.3 |
| | | | | | 1 | | < 2.5 % | 1 | 0.0 |
| | | | | | 2 | | [enter Value Between 2.5 And 14%] | 3374 | 99.2 |
| | | | | | 3 | | > 14.0 % | 5 | 0.1 |
| CE_O2_NUM | CE_O2_NUM. Recorded value of hemoglobin A1C result | NUM | BEST | 5.7 | 4-14 | 3366 | MISSING | 18 | 0.5 |
| | | | | | | | SKIPPED | 17 | 0.5 |
| CE_O3A_TOTAL_CHOLESTEROL_NUM | CE_O3A_TOTAL_CHOLESTEROL_NUM. Recorded result of Total Cholesterol [UNIT: mg/dL] | NUM | BEST | 182.5 | 0-427 | 3377 | MISSING | 13 | 0.4 |

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 11 | 0.3 |
| CE_O3B_HDL_CHOLESTEROL_NUM | CE_O3B_HDL_CHOLESTEROL_NUM. Recorded result of HDL Cholesterol [UNIT: mg/dL] | NUM | BEST | 47.3 | 0-100 | 3377 | MISSING | 13 | 0.4 |
| | | | | | SKIPPED | | | 11 | 0.3 |
| CE_O3C_TRIGLYCERIDES_NUM | CE_O3C_TRIGLYCERIDES_NUM. Recorded result of Triglycerides [UNIT: mg/dL] | NUM | BEST | 158.4 | 0-650 | 3377 | MISSING | 13 | 0.4 |
| | | | | | SKIPPED | | | 11 | 0.3 |
| CE_O3D_LDL_CHOLESTEROL_NUM | CE_O3D_LDL_CHOLESTEROL_NUM. Recorded result of LDL Cholesterol [UNIT: mg/dL] | NUM | BEST | 95.3 | 0-312 | 3377 | MISSING | 13 | 0.4 |
| | | | | | SKIPPED | | | 11 | 0.3 |
| BASO_ABSOLUTE | BASO_ABSOLUTE. Baso (Absolute) - x10E3/uL | NUM | | 0.0 | 0-0 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| BASOS | BASOS. Basos - % | NUM | | 0.4 | 0-3 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| EOS | EOS. Eos - % | NUM | | 2.5 | 0-14 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| EOS_ABSOLUTE | EOS_ABSOLUTE. Eos (Absolute) - x10E3/uL | NUM | | 0.2 | 0-1 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| HEMATOCRIT | HEMATOCRIT. Hematocrit - % | NUM | | 42.5 | 27-54 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| HEMOGLOBIN | HEMOGLOBIN. Hemoglobin - g/dL | NUM | | 14.2 | 9-18 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| IMMATURE_CELLS | IMMATURE_CELLS. Immature Cells | NUM | | | MISSING | | | 3390 | 99.7 |

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | SKIPPED | 11 | 0.3 |
| IMMATURE_GRANS_ABS | IMMATURE_GRANS_ABS. Immature Grans (Absolute) - x10E3/uL | NUM | | 0.0 | 0-0 | 313 | MISSING | 3078 | 90.5 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| IMMATURE_GRANULOCYTES | IMMATURE_GRANULOCYTES. Immature Granulocytes - % | NUM | | 0.1 | 0-4 | 313 | MISSING | 3078 | 90.5 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| LYMPHS | LYMPHS. Lymphs - % | NUM | | 31.2 | 10-72 | 319 | MISSING | 3072 | 90.3 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| LYMPHS_ABSOLUTE | LYMPHS_ABSOLUTE. Lymphs (Absolute) - x10E3/uL | NUM | | 2.1 | 0-6 | 319 | MISSING | 3072 | 90.3 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| MCH | MCH. MCH - pg | NUM | | 29.5 | 19-36 | 319 | MISSING | 3072 | 90.3 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| MCHC | MCHC. MCHC - g/dL | NUM | | 33.3 | 29-36 | 319 | MISSING | 3072 | 90.3 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| MCV | MCV. MCV - fL | NUM | | 88.5 | 61-105 | 319 | MISSING | 3072 | 90.3 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| MONOCYTES | MONOCYTES. Monocytes - % | NUM | | 7.5 | 1-16 | 319 | MISSING | 3072 | 90.3 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| MONOCYTES_ABSOLUTE | MONOCYTES_ABSOLUTE. Monocytes (Absolute) - x10E3/uL | NUM | | 0.5 | 0-1 | 319 | MISSING | 3072 | 90.3 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| NEUTROPHILS | NEUTROPHILS. Neutrophils - % | NUM | | 58.3 | 10-82 | 319 | MISSING | 3072 | 90.3 |
| | | | | | | | SKIPPED | 10 | 0.3 |
| NEUTROPHILS_ABSOLUTE | NEUTROPHILS_ABSOLUTE. Neutrophils (Absolute) - x10E3/uL | NUM | | 4.1 | 1-11 | 319 | MISSING | 3072 | 90.3 |

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 10 | 0.3 |
| NRBC | NRBC. NRBC - % | NUM | | | MISSING | | | 3390 | 99.7 |
| | | | | | SKIPPED | | | 11 | 0.3 |
| PLATELETS | PLATELETS. Platelets - x10E3/uL | NUM | | 246.2 | 91-544 | 318 | MISSING | 3073 | 90.4 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| RBC | RBC. RBC - x10E6/uL | NUM | | 4.8 | 3-6 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| RDW | RDW. RDW - % | NUM | | 14.2 | 12-21 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| WBC | WBC. WBC - x10E3/uL | NUM | | 6.8 | 3-15 | 319 | MISSING | 3072 | 90.3 |
| | | | | | SKIPPED | | | 10 | 0.3 |
| WRITTEN_AUTHORIZATION | WRITTEN_AUTHORIZATION. Written Authorization | CHAR | $ | | .-. | | | | |
| VERBAL_ORDER | VERBAL_ORDER. Verbal Order | CHAR | $ | | .-. | | | | |
| REQUEST_PROBLEM | REQUEST_PROBLEM. Request Problem | CHAR | $ | | .-. | | | | |
| SPECIMEN_STATUS_REPORT | SPECIMEN_STATUS_REPORT. Specimen Status Report | CHAR | $ | | .-. | | | | |
| EXAM_SAMPLE | EXAM_SAMPLE. Selected for clinical exam | NUM | DYNF | | . | | Missing | 3069 | 90.2 |
| | | | | | .S | | Skipped | 10 | 0.3 |
| | | | | | 1 | | Yes | 322 | 9.5 |
| CBC_WBC_ALT | CBC_WBC_ALT. WBC - Alert | NUM | CBC_ALERT | | . | | Missing | 3069 | 90.2 |
| | | | | | .S | | Skipped | 10 | 0.3 |
| | | | | | 3 | | High | 17 | 0.5 |
| | | | | | 4 | | Low | 11 | 0.3 |
| | | | | | 5 | | No | 294 | 8.6 |

*DATA SET: ce_blood_collection_20171011_c*
*DATE CREATED: 10/11/2017*
*Number of Observations: 3401*
*Number of Variables: 160*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CBC_HEMOG_ALT | CBC_HEMOG_ALT. Hemoglobin - Alert | NUM | CBC_ALERT | | . | | Missing | 3069 | 90.2 |
| | | | | | .S | | Skipped | 10 | 0.3 |
| | | | | | 2 | | Alert - Low | 12 | 0.4 |
| | | | | | 3 | | High | 7 | 0.2 |
| | | | | | 4 | | Low | 12 | 0.4 |
| | | | | | 5 | | No | 291 | 8.6 |
| CBC_HEMATO_ALT | CBC_HEMATO_ALT. Hematocrit - Alert | NUM | CBC_ALERT | | . | | Missing | 3069 | 90.2 |
| | | | | | .S | | Skipped | 10 | 0.3 |
| | | | | | 1 | | Alert - High | 1 | 0.0 |
| | | | | | 5 | | No | 321 | 9.4 |
| CBC_PLAT_ALT | CBC_PLAT_ALT. Platelets - Alert | NUM | CBC_ALERT | | . | | Missing | 3069 | 90.2 |
| | | | | | .S | | Skipped | 10 | 0.3 |
| | | | | | 1 | | Alert - High | 1 | 0.0 |
| | | | | | 5 | | No | 321 | 9.4 |

DATA SET: ce_visual_20170928_c
DATE CREATED: 09/28/2017
Number of Observations: 3401
Number of Variables: 46
Organization of file: One Record per Participant (ID)

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | GULFID. GULF ID | CHAR | $ | | .-. | | | | |
| CE_P1_YN | CE_P1_YN. Do you normally wear or use glasses, contacts or something else to help you see at a distance (for example, while driving a car)? | NUM | DKREFYN | | . | | Missing | 11 | 0.3 |
| | | | | | 1 | | Yes | 1186 | 34.9 |
| | | | | | 2 | | No | 2201 | 64.7 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_P1A_YN | CE_P1A_YN. Are you wearing them or do you have them with you today? | NUM | DKREFYN | | . | | Missing | 14 | 0.4 |
| | | | | | .S | | Skipped | 2204 | 64.8 |
| | | | | | 1 | | Yes | 979 | 28.8 |
| | | | | | 2 | | No | 204 | 6.0 |
| CE_P2_YN | CE_P2_YN. Was visual acuity test attempted? | NUM | YN | | . | | Missing | 6 | 0.2 |
| | | | | | 1 | | Yes | 3387 | 99.6 |
| | | | | | 2 | | No | 8 | 0.2 |
| CE_P2A | CE_P2A. Was visual acuity test attempted? If no, provide a reason | NUM | NOCOLLD | | . | | Missing | 6 | 0.2 |
| | | | | | .S | | Skipped | 3387 | 99.6 |
| | | | | | 3 | | Other, Specify | 6 | 0.2 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_P2A_OTHER_TXT | CE_P2A_OTHER_TXT. Was visual acuity test attempted? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_P3_DATE | CE_P3_DATE. Date of visual acuity test [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3384 | MISSING | 9 | 0.3 |
| | | | | | | | SKIPPED | 8 | 0.2 |
| CE_P4_START_TIME | CE_P4_START_TIME. Start time of visual acuity test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:22 | 7:57-17:40 | 3387 | MISSING | 6 | 0.2 |
| | | | | | | | SKIPPED | 8 | 0.2 |
| CE_P4A_NUM | CE_P4A_NUM. Highest row selected for the visual acuity test | NUM | ACUITY | | . | | Missing | 6 | 0.2 |
| | | | | | .S | | Skipped | 8 | 0.2 |
| | | | | | 1 | | 1 | 49 | 1.4 |
| | | | | | 2 | | 2 | 89 | 2.6 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 3 | | 3 | 149 | 4.4 |
| | | | | | 4 | | 4 | 366 | 10.8 |
| | | | | | 5 | | 5 | 570 | 16.8 |
| | | | | | 6 | | 6 | 1118 | 32.9 |
| | | | | | 7 | | 7 | 954 | 28.1 |
| | | | | | 8 | | Results Not Obtained | 92 | 2.7 |
| CE_P5_YN | CE_P5_YN. Was participant wearing corrective lenses? | NUM | YN | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 100 | 2.9 |
| | | | | | 1 | | Yes | 1234 | 36.3 |
| | | | | | 2 | | No | 2060 | 60.6 |
| CE_P6 | CE_P6. If result not obtained, provide a reason | NUM | NOCOLLD | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 3302 | 97.1 |
| | | | | | 1 | | Equipment Malfunction | 2 | 0.1 |
| | | | | | 2 | | Examinee Unable To Understand/Follow Directions | 5 | 0.1 |
| | | | | | 3 | | Other, Specify | 85 | 2.5 |
| CE_P6_OTHER_TXT | CE_P6_OTHER_TXT. If result not obtained, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_P6A_STOP_TIME | CE_P6A_STOP_TIME. Stop time of visual acuity test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:23 | 7:57-17:42 | 3386 | MISSING | 7 | 0.2 |
| | | | | | | | SKIPPED | 8 | 0.2 |
| CE_P7_YN | CE_P7_YN. Was contrast sensitivity test attempted? | NUM | YN | | . | | Missing | 5 | 0.1 |
| | | | | | 1 | | Yes | 3383 | 99.5 |
| | | | | | 2 | | No | 13 | 0.4 |
| CE_P7A | CE_P7A. Was contrast sensitivity test attempted? If no, provide a reason | NUM | NOCOLLD | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 3383 | 99.5 |
| | | | | | 2 | | Examinee Unable To Understand/Follow Directions | 1 | 0.0 |
| | | | | | 3 | | Other, Specify | 10 | 0.3 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_P7A_OTHER_TXT | CE_P7A_OTHER_TXT. Was contrast sensitivity test attempted? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_visual_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 46*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_P8_DATE | CE_P8_DATE. Date of contrast sensitivity test [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3375 | MISSING | 13 | 0.4 |
|  |  |  |  |  |  |  | SKIPPED | 13 | 0.4 |
| CE_P9_START_TIME | CE_P9_START_TIME. Start time of contrast sensitivity test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:24 | 7:57-17:42 | 3383 | MISSING | 5 | 0.1 |
|  |  |  |  |  |  |  | SKIPPED | 13 | 0.4 |
| CE_P10A_NUM | CE_P10A_NUM. Test A result value | NUM | CONTRAST_RESULT |  | . |  | Missing | 7 | 0.2 |
|  |  |  |  |  | .S |  | Skipped | 13 | 0.4 |
|  |  |  |  |  | 1 |  | 1 | 13 | 0.4 |
|  |  |  |  |  | 2 |  | 2 | 27 | 0.8 |
|  |  |  |  |  | 3 |  | 3 | 31 | 0.9 |
|  |  |  |  |  | 4 |  | 4 | 1880 | 55.3 |
|  |  |  |  |  | 5 |  | 5 | 748 | 22.0 |
|  |  |  |  |  | 6 |  | 6 | 544 | 16.0 |
|  |  |  |  |  | 7 |  | 7 | 71 | 2.1 |
|  |  |  |  |  | 8 |  | 8 | 7 | 0.2 |
|  |  |  |  |  | 9 |  | 9 | 6 | 0.2 |
|  |  |  |  |  | 10 |  | Participant Unable To Understand/Follow Instructions | 5 | 0.1 |
|  |  |  |  |  | 12 |  | Other,specify | 49 | 1.4 |
| CE_P10A_OTHER_TXT | CE_P10A_OTHER_TXT. Test A result value OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR |  | .-. |  |  |  |  |
| CE_P10B_NUM | CE_P10B_NUM. Test B result value | NUM | CONTRAST_RESULT |  | . |  | Missing | 7 | 0.2 |
|  |  |  |  |  | .S |  | Skipped | 13 | 0.4 |
|  |  |  |  |  | 1 |  | 1 | 16 | 0.5 |
|  |  |  |  |  | 2 |  | 2 | 29 | 0.9 |
|  |  |  |  |  | 3 |  | 3 | 101 | 3.0 |
|  |  |  |  |  | 4 |  | 4 | 576 | 16.9 |
|  |  |  |  |  | 5 |  | 5 | 846 | 24.9 |
|  |  |  |  |  | 6 |  | 6 | 1503 | 44.2 |
|  |  |  |  |  | 7 |  | 7 | 281 | 8.3 |

*DATA SET: ce_visual_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 46*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | 8 | 10 | 0.3 |
| | | | | | 9 | | 9 | 9 | 0.3 |
| | | | | | 10 | | Participant Unable To Understand/Follow Instructions | 5 | 0.1 |
| | | | | | 12 | | Other,specify | 5 | 0.1 |
| CE_P10B_OTHER_TXT | CE_P10B_OTHER_TXT. Test B result value OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_P10C_NUM | CE_P10C_NUM. Test C result value | NUM | CONTRAST_ RESULT | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 13 | 0.4 |
| | | | | | 1 | | 1 | 22 | 0.6 |
| | | | | | 2 | | 2 | 75 | 2.2 |
| | | | | | 3 | | 3 | 276 | 8.1 |
| | | | | | 4 | | 4 | 950 | 27.9 |
| | | | | | 5 | | 5 | 163 | 4.8 |
| | | | | | 6 | | 6 | 966 | 28.4 |
| | | | | | 7 | | 7 | 783 | 23.0 |
| | | | | | 8 | | 8 | 20 | 0.6 |
| | | | | | 9 | | 9 | 112 | 3.3 |
| | | | | | 10 | | Participant Unable To Understand/Follow Instructions | 7 | 0.2 |
| | | | | | 12 | | Other,specify | 7 | 0.2 |
| CE_P10C_OTHER_TXT | CE_P10C_OTHER_TXT. Test C result value OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_P10D_NUM | CE_P10D_NUM. Test D result value | NUM | CONTRAST_ RESULT | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 13 | 0.4 |
| | | | | | 1 | | 1 | 28 | 0.8 |
| | | | | | 2 | | 2 | 243 | 7.1 |
| | | | | | 3 | | 3 | 620 | 18.2 |
| | | | | | 4 | | 4 | 440 | 12.9 |
| | | | | | 5 | | 5 | 296 | 8.7 |
| | | | | | 6 | | 6 | 1233 | 36.3 |
| | | | | | 7 | | 7 | 397 | 11.7 |
| | | | | | 8 | | 8 | 9 | 0.3 |
| | | | | | 9 | | 9 | 84 | 2.5 |

*DATA SET: ce_visual_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 46*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 10 | | Participant Unable To Understand/Follow Instructions | 7 | 0.2 |
| | | | | | 12 | | Other,specify | 24 | 0.7 |
| | | | | | | | | | |
| CE_P10D_OTHER_TXT | CE_P10D_OTHER_TXT. Test D result value OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_P10E_NUM | CE_P10E_NUM. Test E result value | NUM | CONTRAST_RESULT | | . | | Missing | 7 | 0.2 |
| | | | | | .S | | Skipped | 13 | 0.4 |
| | | | | | 1 | | 1 | 232 | 6.8 |
| | | | | | 2 | | 2 | 169 | 5.0 |
| | | | | | 3 | | 3 | 469 | 13.8 |
| | | | | | 4 | | 4 | 787 | 23.1 |
| | | | | | 5 | | 5 | 594 | 17.5 |
| | | | | | 6 | | 6 | 797 | 23.4 |
| | | | | | 7 | | 7 | 96 | 2.8 |
| | | | | | 8 | | 8 | 5 | 0.1 |
| | | | | | 9 | | 9 | 12 | 0.4 |
| | | | | | 10 | | Participant Unable To Understand/Follow Instructions | 13 | 0.4 |
| | | | | | 12 | | Other,specify | 207 | 6.1 |
| | | | | | | | | | |
| CE_P10E_OTHER_TXT | CE_P10E_OTHER_TXT. Test E result value OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_P11_STOP_TIME | CE_P11_STOP_TIME. Stop time of contrast sensitivity test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:26 | 7:59-17:45 | 3380 | MISSING | 8 | 0.2 |
| | | | | | | | SKIPPED | 13 | 0.4 |

*DATA SET: ce_grip_strength_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 35*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | GULFID. GULF ID | CHAR | $ | | .-. | | | | |
| CE_Q1_YN | CE_Q1_YN. Did participant attempt hang/grip strength test? | NUM | YN | | . | | Missing | 5 | 0.1 |
| | | | | | 1 | | Yes | 3393 | 99.8 |
| | | | | | 2 | | No | 3 | 0.1 |
| CE_Q1A | CE_Q1A. Did participant attempt hang/grip strength test? If no, provide a reason | NUM | NOCOLLD | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 3393 | 99.8 |
| | | | | | 3 | | Other, Specify | 1 | 0.0 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_Q1A_OTHER_TXT | CE_Q1A_OTHER_TXT. Did participant attempt hang/grip strength test? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_Q2_DATE | CE_Q2_DATE. Date of hand/grip strength test [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3392 | MISSING | 6 | 0.2 |
| | | | | | | | SKIPPED | 3 | 0.1 |
| CE_Q3 | CE_Q3. Are you right handed, left handed, or do you use both hands equally to write with and complete most other tasks? | NUM | HANDED | | . | | Missing | 6 | 0.2 |
| | | | | | .S | | Skipped | 3 | 0.1 |
| | | | | | 1 | | Right Handed | 2947 | 86.7 |
| | | | | | 2 | | Left Handed | 297 | 8.7 |
| | | | | | 3 | | Ambidextrous (Use Both Hands Equally) | 147 | 4.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_Q4_START_TIME | CE_Q4_START_TIME. Start time of hand/grip strength test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:27 | 8:00-17:46 | 3392 | MISSING | 6 | 0.2 |
| | | | | | | | SKIPPED | 3 | 0.1 |
| CE_Q5A_TRIAL_1_RIGHT_NUM | CE_Q5A_TRIAL_1_RIGHT_NUM. Right hand grip trial 1 results [UNIT: LBS] | NUM | BEST | 109.4 | 7-200 | 3378 | MISSING | 20 | 0.6 |
| | | | | | | | SKIPPED | 3 | 0.1 |
| CE_Q5B_TRIAL_2_RIGHT_NUM | CE_Q5B_TRIAL_2_RIGHT_NUM. Right hand grip trial 2 results [UNIT: LBS] | NUM | BEST | 106.2 | 6-200 | 3378 | MISSING | 20 | 0.6 |
| | | | | | | | SKIPPED | 3 | 0.1 |

*DATA SET: ce_grip_strength_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 35*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_Q5C_TRIAL_3_RIGHT_NUM | CE_Q5C_TRIAL_3_RIGHT_NUM. Right hand grip trial 3 results [UNIT: LBS] | NUM | BEST | 103.0 | 6-200 | 3378 | MISSING | 20 | 0.6 |
| | | | | | SKIPPED | | | 3 | 0.1 |
| CE_Q5D_TRIAL_4_RIGHT_YN | CE_Q5D_TRIAL_4_RIGHT_YN. Were all right hand grip trials done? | NUM | YN | | . | | Missing | 8 | 0.2 |
| | | | | | .S | | Skipped | 3 | 0.1 |
| | | | | | 1 | | Yes | 3376 | 99.3 |
| | | | | | 2 | | No | 14 | 0.4 |
| CE_Q5E_REASON_RIGHT | CE_Q5E_REASON_RIGHT. Were all right hand grip trials done? NO: Reason | NUM | NOCOLLH | | . | | Missing | 8 | 0.2 |
| | | | | | .S | | Skipped | 3379 | 99.4 |
| | | | | | 3 | | Other, Specify | 14 | 0.4 |
| CE_Q5E1_NOTE_RIGHT_TXT | CE_Q5E1_NOTE_RIGHT_TXT. Were all right hand grip trials done? NO: Reason OTHER [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_Q5A_TRIAL_1_LEFT_NUM | CE_Q5A_TRIAL_1_LEFT_NUM. Left hand grip trial 1 results [UNIT: LBS] | NUM | BEST | 105.6 | 4-200 | 3381 | MISSING | 17 | 0.5 |
| | | | | | SKIPPED | | | 3 | 0.1 |
| CE_Q5B_TRIAL_2_LEFT_NUM | CE_Q5B_TRIAL_2_LEFT_NUM. Left hand grip trial 2 results [UNIT: LBS] | NUM | BEST | 101.3 | 12-200 | 3380 | MISSING | 18 | 0.5 |
| | | | | | SKIPPED | | | 3 | 0.1 |
| CE_Q5C_TRIAL_3_LEFT_NUM | CE_Q5C_TRIAL_3_LEFT_NUM. Left hand grip trial 3 results [UNIT: LBS] | NUM | BEST | 97.5 | 11-200 | 3379 | MISSING | 19 | 0.6 |
| | | | | | SKIPPED | | | 3 | 0.1 |
| CE_Q5D_TRIAL_4_LEFT_YN | CE_Q5D_TRIAL_4_LEFT_YN. Were all left hand grip trials done? | NUM | YN | | . | | Missing | 8 | 0.2 |
| | | | | | .S | | Skipped | 3 | 0.1 |
| | | | | | 1 | | Yes | 3378 | 99.3 |
| | | | | | 2 | | No | 12 | 0.4 |
| CE_Q5E_REASON_LEFT | CE_Q5E_REASON_LEFT. Were all left hand grip trials done? NO: Reason | NUM | NOCOLLH | | . | | Missing | 8 | 0.2 |
| | | | | | .S | | Skipped | 3381 | 99.4 |
| | | | | | 3 | | Other, Specify | 11 | 0.3 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_Q5E1_NOTE_LEFT_TXT | CE_Q5E1_NOTE_LEFT_TXT. Were all left hand grip trials done? NO: Reason OTHER [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_grip_strength_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 35*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_Q6_STOP_TIME | CE_Q6_STOP_TIME. Stop time of hand/grip strength test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:30 | 8:02-17:48 | 3390 | MISSING | 8 | 0.2 |
| | | | | | | | SKIPPED | 3 | 0.1 |

*DATA SET: ce_vibrotactile_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 41*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_R1_YN | CE_R1_YN. Was vibrotactile threshold test attempted? | NUM | YN | | . | | Missing | 5 | 0.1 |
| | | | | | 1 | | Yes | 3384 | 99.5 |
| | | | | | 2 | | No | 12 | 0.4 |
| CE_R1A | CE_R1A. Was vibrotactile threshold test attempted? If no, provide a reason | NUM | NOCOLLD | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 3384 | 99.5 |
| | | | | | 1 | | Equipment Malfunction | 2 | 0.1 |
| | | | | | 3 | | Other, Specify | 5 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_R1A_OTHER_TXT | CE_R1A_OTHER_TXT. Was vibrotactile threshold test attempted? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_R2_DATE | CE_R2_DATE. Date of vibrotactile threshold test [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3384 | MISSING | 5 | 0.1 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R3_START_TIME | CE_R3_START_TIME. Start time of vibrotactile threshold test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:30 | 8:02-17:48 | 3383 | MISSING | 6 | 0.2 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4A_RIGHT_TOE_1_DOWN_NUM | CE_R4A_RIGHT_TOE_1_DOWN_NUM. Result of Trial 1 right toe down | NUM | BEST | 3.9 | 0-20 | 3337 | MISSING | 52 | 1.5 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4A_RIGHT_TOE_2_UP_NUM | CE_R4A_RIGHT_TOE_2_UP_NUM. Result of Trial 2 right toe up | NUM | BEST | 4.5 | 0-22 | 3326 | MISSING | 63 | 1.9 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4A_RIGHT_TOE_3_DOWN_NUM | CE_R4A_RIGHT_TOE_3_DOWN_NUM. Result of Trial 3 right toe down | NUM | BEST | 3.9 | 0-22 | 3325 | MISSING | 64 | 1.9 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4A_RIGHT_TOE_4_UP_NUM | CE_R4A_RIGHT_TOE_4_UP_NUM. Result of Trial 4 right toe up | NUM | BEST | 4.6 | 0-22 | 3321 | MISSING | 68 | 2.0 |
| | | | | | SKIPPED | | | 12 | 0.4 |

*DATA SET: ce_vibrotactile_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 41*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_R4A_RIGHT_TOE_5_ DOWN_NUM | CE_R4A_RIGHT_TOE_5_DOWN_NUM. Result of Trial 5 right toe down | NUM | BEST | 3.9 | 0-21 | 3319 | MISSING | 70 | 2.1 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4A_RIGHT_TOE_TRIAL_ DONE_YN | CE_R4A_RIGHT_TOE_TRIAL_DONE_YN. Were all right toe trials done? | NUM | YN | . | | | Missing | 8 | 0.2 |
| | | | | | .S | | Skipped | 12 | 0.4 |
| | | | | | 1 | | Yes | 3319 | 97.6 |
| | | | | | 2 | | No | 62 | 1.8 |
| CE_R4A_RIGHT_TOE_REASON | CE_R4A_RIGHT_TOE_REASON. Were all right toe trials done? NO: Reason | NUM | NOCOLLE | . | | | Missing | 8 | 0.2 |
| | | | | | .S | | Skipped | 3331 | 97.9 |
| | | | | | 2 | | Participant Unable To Understand / Follow Instructions | 19 | 0.6 |
| | | | | | 5 | | Other | 43 | 1.3 |
| CE_R4A_RIGHT_TOE_ REASON_NOTE_TXT | CE_R4A_RIGHT_TOE_REASON_NOTE_TXT. Were all right toe trials done? NO: Reason OTHER [TEXT: SPECIFY] | CHAR | $CHAR | .-. | | | | | |
| CE_R4B_LEFT_TOE_1_DOWN_ NUM | CE_R4B_LEFT_TOE_1_DOWN_NUM. Result of Trial 1 left toe down | NUM | BEST | 3.9 | 0-21 | 3351 | MISSING | 38 | 1.1 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4B_LEFT_TOE_2_UP_ NUM | CE_R4B_LEFT_TOE_2_UP_NUM. Result of Trial 2 left toe up | NUM | BEST | 4.6 | 1-22 | 3348 | MISSING | 41 | 1.2 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4B_LEFT_TOE_3_DOWN_ NUM | CE_R4B_LEFT_TOE_3_DOWN_NUM. Result of Trial 3 left toe down | NUM | BEST | 4.0 | 0-22 | 3347 | MISSING | 42 | 1.2 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4B_LEFT_TOE_4_UP_ NUM | CE_R4B_LEFT_TOE_4_UP_NUM. Result of Trial 4 left toe up | NUM | BEST | 4.7 | 1-22 | 3343 | MISSING | 46 | 1.4 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| CE_R4B_LEFT_TOE_5_DOWN_ NUM | CE_R4B_LEFT_TOE_5_DOWN_NUM. Result of Trial 5 left toe down | NUM | BEST | 4.0 | 0-22 | 3343 | MISSING | 46 | 1.4 |

*DATA SET: ce_vibrotactile_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 41*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 12 | 0.4 |
| | | | | | | | | | |
| CE_R4B_LEFT_TOE_TRIAL_DONE_YN | CE_R4B_LEFT_TOE_TRIAL_DONE_YN. Were all left toe trials done? | NUM | YN | | . | | Missing | 8 | 0.2 |
| | | | | | .S | | Skipped | 12 | 0.4 |
| | | | | | 1 | | Yes | 3342 | 98.3 |
| | | | | | 2 | | No | 39 | 1.1 |
| | | | | | | | | | |
| CE_R4B_LEFT_TOE_REASON | CE_R4B_LEFT_TOE_REASON. Were all left toe trials done? NO: Reason | NUM | NOCOLLE | | . | | Missing | 8 | 0.2 |
| | | | | | .S | | Skipped | 3354 | 98.6 |
| | | | | | 1 | | Equipment Malfunction | 1 | 0.0 |
| | | | | | 2 | | Participant Unable To Understand / Follow Instructions | 11 | 0.3 |
| | | | | | 5 | | Other | 27 | 0.8 |
| | | | | | | | | | |
| CE_R4B_LEFT_TOE_REASON_NOTE_TXT | CE_R4B_LEFT_TOE_REASON_NOTE_TXT. Were all left toe trials done? NO: Reason OTHER [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |
| CE_R5_STOP_TIME | CE_R5_STOP_TIME. Stop time of vibrotactile threshold test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:35 | 8:05-17:53 | 3384 | MISSING | 5 | 0.1 |
| | | | | | SKIPPED | | | 12 | 0.4 |
| | | | | | | | | | |

*DATA SET: ce_accusway_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 18*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_S1_YN | CE_S1_YN. Was postural stability/standing steadiness test (sway) performed? | NUM | YN | | . | | Missing | 5 | 0.1 |
| | | | | | 1 | | Yes | 3361 | 98.8 |
| | | | | | 2 | | No | 35 | 1.0 |
| CE_S1A | CE_S1A. Was postural stability/standing steadiness test (sway) performed? If no, provide a reason | NUM | NOCOLLD | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 3361 | 98.8 |
| | | | | | 1 | | Equipment Malfunction | 4 | 0.1 |
| | | | | | 2 | | Examinee Unable To Understand/Follow Directions | 2 | 0.1 |
| | | | | | 3 | | Other, Specify | 27 | 0.8 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_S1A_OTHER_TXT | CE_S1A_OTHER_TXT. Was postural stability/standing steadiness test (sway) performed? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_S2_DATE | CE_S2_DATE. Date of postural stability/standing steadiness (sway) test [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3361 | MISSING | 5 | 0.1 |
| | | | | | | | SKIPPED | 35 | 1.0 |
| CE_S3_START_TIME | CE_S3_START_TIME. Start time of postural stability/standing steadiness (sway) test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:36 | 8:05-17:54 | 3360 | MISSING | 6 | 0.2 |
| | | | | | | | SKIPPED | 35 | 1.0 |
| CE_S3A | CE_S3A. Enter problems encountered during accusway test | NUM | NONEOTH | | . | | Missing | 6 | 0.2 |
| | | | | | .S | | Skipped | 312 | 9.2 |
| | | | | | 1 | | None | 2884 | 84.8 |
| | | | | | 2 | | Other, Specify | 199 | 5.9 |
| CE_S3A_OTHER_TXT | CE_S3A_OTHER_TXT. Enter problems encountered during accusway test OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_S4_STOP_TIME | CE_S4_STOP_TIME. Stop time of postural stability/standing steadiness (sway) test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:44 | 8:12-18:03 | 3340 | MISSING | 26 | 0.8 |
| | | | | | | | SKIPPED | 35 | 1.0 |
| CE_S_1_EYES_OPEN | CE_S_1_EYES_OPEN. Postural stability/standing steadiness (sway) test _1_Eyes_Open | NUM | BEST | 40.5 | 1-383 | 3341 | MISSING | 60 | 1.8 |

*Section S - Accusway (Postural Stability)*

*DATA SET: ce_accusway_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 18*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_S_2_EYES_CLOSED | CE_S_2_EYES_CLOSED. Postural stability/standing steadiness (sway) test _2_Eyes_Closed | NUM | BEST | 62.3 | 1-777 | 3330 | MISSING | 71 | 2.1 |
| CE_S_3_EYES_OPEN | CE_S_3_EYES_OPEN. Postural stability/standing steadiness (sway) test _3_Eyes_Open | NUM | BEST | 40.6 | 1-777 | 3325 | MISSING | 76 | 2.2 |
| CE_S_4_EYES_CLOSED | CE_S_4_EYES_CLOSED. Postural stability/standing steadiness (sway) test _4_Eyes_Closed | NUM | BEST | 62.4 | 1-777 | 3275 | MISSING | 126 | 3.7 |

*DATA SET: ce_single_leg_stance_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 31*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_T1_YN | CE_T1_YN. Was one leg stand trial 1 attempted? | NUM | YN | | . | | Missing | 5 | 0.1 |
| | | | | | 1 | | Yes | 3316 | 97.5 |
| | | | | | 2 | | No | 80 | 2.4 |
| CE_T1A | CE_T1A. Was one leg stand trial 1 attempted? If no, provide a reason | NUM | NOCOLLF | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 3316 | 97.5 |
| | | | | | 1 | | Examinee Unable To Understand/Follow Directions | 2 | 0.1 |
| | | | | | 2 | | Other, Specify | 65 | 1.9 |
| | | | | | 9 | | Refused | 13 | 0.4 |
| CE_T1A_OTHER_TXT | CE_T1A_OTHER_TXT. Was one leg stand trial 1 attempted? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_T1B_START_TIME | CE_T1B_START_TIME. Start time of single leg stance test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:41 | 8:12-17:11 | 3053 | MISSING | 6 | 0.2 |
| | | | | | | | SKIPPED | 342 | 10.1 |
| CE_T2 | CE_T2. Record result of one leg stand trial 1 | NUM | HOLD | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 80 | 2.4 |
| | | | | | 1 | | Unable To Attain Position | 66 | 1.9 |
| | | | | | 2 | | Unable To Hold For 1 Sec | 51 | 1.5 |
| | | | | | 3 | | Holds For 1 Sec But < 30 Sec | 1309 | 38.5 |
| | | | | | 4 | | Holds For 30 Sec | 1890 | 55.6 |
| CE_T2_NUM | CE_T2_NUM. Recorded result value of one leg stand trial 1 | NUM | | 10.8 | 1-30 | 1309 | MISSING | 5 | 0.1 |
| | | | | | | | SKIPPED | 2087 | 61.4 |
| CE_T3_YN | CE_T3_YN. Was one leg stand trial 2 performed? | NUM | YN | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 2087 | 61.4 |
| | | | | | 1 | | Yes | 1304 | 38.3 |
| | | | | | 2 | | No | 5 | 0.1 |
| CE_T3A | CE_T3A. Was one leg stand trial 2 performed? If no, provide a reason | NUM | NOCOLLF | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 3391 | 99.7 |
| | | | | | 2 | | Other, Specify | 2 | 0.1 |

*DATA SET: ce_single_leg_stance_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 31*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_T3A_OTHER_TXT | CE_T3A_OTHER_TXT. Was one leg stand trial 2 performed? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_T4 | CE_T4. Record result of one leg stand trial 2 | NUM | HOLD | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 2092 | 61.5 |
| | | | | | 1 | | Unable To Attain Position | 11 | 0.3 |
| | | | | | 2 | | Unable To Hold For 1 Sec | 11 | 0.3 |
| | | | | | 3 | | Holds For 1 Sec But < 30 Sec | 858 | 25.2 |
| | | | | | 4 | | Holds For 30 Sec | 424 | 12.5 |
| CE_T4_NUM | CE_T4_NUM. Recorded result value of one leg stand trial 2 | NUM | | 11.0 | 1-30 | 858 | MISSING | 5 | 0.1 |
| | | | | | | | SKIPPED | 2538 | 74.6 |
| CE_T5_YN | CE_T5_YN. Was one leg stand trial 3 performed? | NUM | YN | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 2538 | 74.6 |
| | | | | | 1 | | Yes | 845 | 24.8 |
| | | | | | 2 | | No | 13 | 0.4 |
| CE_T5A | CE_T5A. Was one leg stand trial 3 performed? If no, provide a reason | NUM | NOCOLLF | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 3383 | 99.5 |
| | | | | | 2 | | Other, Specify | 7 | 0.2 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_T5A_OTHER_TXT | CE_T5A_OTHER_TXT. Was one leg stand trial 3 performed? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_T6 | CE_T6. Record result of one leg stand trial 3 | NUM | HOLD | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 2551 | 75.0 |
| | | | | | 1 | | Unable To Attain Position | 7 | 0.2 |
| | | | | | 2 | | Unable To Hold For 1 Sec | 10 | 0.3 |
| | | | | | 3 | | Holds For 1 Sec But < 30 Sec | 627 | 18.4 |
| | | | | | 4 | | Holds For 30 Sec | 201 | 5.9 |
| CE_T6_NUM | CE_T6_NUM. Recorded result value of one leg stand trial 3 | NUM | | 10.9 | 1-30 | 627 | MISSING | 5 | 0.1 |
| | | | | | | | SKIPPED | 2769 | 81.4 |

*DATA SET: ce_single_leg_stance_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 31*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_T6A_STOP_TIME | CE_T6A_STOP_TIME. Stop time of single leg stance test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:42 | 8:13-17:12 | 3054 | MISSING | 5 | 0.1 |
| | | | | | | | SKIPPED | 342 | 10.1 |

*DATA SET: ce_ldcw_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 85*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_U1_YN | CE_U1_YN. Is there any reason you would feel unsafe or unable to complete the walking tests? | NUM | DKREFYN | | . | | Missing | 44 | 1.3 |
| | | | | | .S | | Skipped | 549 | 16.1 |
| | | | | | 1 | | Yes | 112 | 3.3 |
| | | | | | 2 | | No | 2692 | 79.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_U1_SPECIFY_TXT | CE_U1_SPECIFY_TXT. Is there any reason you would feel unsafe or unable to complete the walking tests? YES, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_U2_YN | CE_U2_YN. Will you need any walking aids or assistive devices such as crutches, a cane or walker to help you complete the walking tests today? | NUM | DKREFYN | | . | | Missing | 44 | 1.3 |
| | | | | | .S | | Skipped | 661 | 19.4 |
| | | | | | 1 | | Yes | 24 | 0.7 |
| | | | | | 2 | | No | 2669 | 78.5 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_U3_YN | CE_U3_YN. Are you wearing shoes that make it difficult for you to walk? | NUM | DKREFYN | | . | | Missing | 44 | 1.3 |
| | | | | | .S | | Skipped | 685 | 20.1 |
| | | | | | 1 | | Yes | 1 | 0.0 |
| | | | | | 2 | | No | 2659 | 78.2 |
| | | | | | 8 | | Don't Know | 10 | 0.3 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_U4_DATE | CE_U4_DATE. Date of long distance corridor walk [DATE: MM/DD/YYYY] | NUM | MMDDYY | 06/10/15 | 08/27/14-06/30/16 | 2670 | MISSING | 45 | 1.3 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5A_LAP_START_TIME_LAP_START | CE_U5A_LAP_START_TIME_LAP_START. Start time of laps | NUM | TIME | 11:50 | 8:14-18:07 | 2655 | MISSING | 60 | 1.8 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5B_LAP_TIME_LAP_START | CE_U5B_LAP_TIME_LAP_START. Lap start time | NUM | TIME | 0:00 | 0:00-0:00 | 2655 | MISSING | 60 | 1.8 |

*DATA SET: ce_ldcw_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 85*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5C_LAP_ELAPSED_LAP_START | CE_U5C_LAP_ELAPSED_LAP_START. Start time elapsed | NUM | TIME | 0:00 | 0:00-0:00 | 2655 | MISSING | 60 | 1.8 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5A_LAP_START_TIME_LAP_1 | CE_U5A_LAP_START_TIME_LAP_1. Start time of lap 1 | NUM | TIME | 11:50 | 8:15-18:07 | 2653 | MISSING | 62 | 1.8 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5B_LAP_TIME_LAP_1 | CE_U5B_LAP_TIME_LAP_1. Lap time of lap 1 | NUM | TIME | 0:00 | 0:00-0:01 | 2653 | MISSING | 62 | 1.8 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5C_LAP_ELAPSED_LAP_1 | CE_U5C_LAP_ELAPSED_LAP_1. Elapsed time of lap 1 | NUM | TIME | 0:00 | 0:00-0:01 | 2653 | MISSING | 62 | 1.8 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5A_LAP_START_TIME_LAP_2 | CE_U5A_LAP_START_TIME_LAP_2. Start time of lap 2 | NUM | TIME | 11:51 | 8:15-18:07 | 2650 | MISSING | 65 | 1.9 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5B_LAP_TIME_LAP_2 | CE_U5B_LAP_TIME_LAP_2. Lap time of lap 2 | NUM | TIME | 0:00 | 0:00-0:01 | 2649 | MISSING | 66 | 1.9 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5C_LAP_ELAPSED_LAP_2 | CE_U5C_LAP_ELAPSED_LAP_2. Elapsed time of lap 2 | NUM | TIME | 0:00 | 0:00-0:01 | 2649 | MISSING | 66 | 1.9 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5A_LAP_START_TIME_LAP_3 | CE_U5A_LAP_START_TIME_LAP_3. Start time of lap 3 | NUM | TIME | 11:51 | 8:15-18:08 | 2647 | MISSING | 68 | 2.0 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5B_LAP_TIME_LAP_3 | CE_U5B_LAP_TIME_LAP_3. Lap time of lap 3 | NUM | TIME | 0:00 | 0:00-0:01 | 2648 | MISSING | 67 | 2.0 |

*DATA SET: ce_ldcw_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 85*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5C_LAP_ELAPSED_LAP_3 | CE_U5C_LAP_ELAPSED_LAP_3. Elapsed time of lap 3 | NUM | TIME | 0:01 | 0:00-0:02 | 2648 | MISSING | 67 | 2.0 |
| | | | | | | | SKIPPED | 686 | 20.2 |
| CE_U5A_LAP_START_TIME_LAP_4 | CE_U5A_LAP_START_TIME_LAP_4. Start time of lap 4 | NUM | TIME | 11:51 | 8:16-18:08 | 2638 | MISSING | 76 | 2.2 |
| | | | | | | | SKIPPED | 687 | 20.2 |
| CE_U5B_LAP_TIME_LAP_4 | CE_U5B_LAP_TIME_LAP_4. Lap time of lap 4 | NUM | TIME | 0:00 | 0:00-0:01 | 2637 | MISSING | 77 | 2.3 |
| | | | | | | | SKIPPED | 687 | 20.2 |
| CE_U5C_LAP_ELAPSED_LAP_4 | CE_U5C_LAP_ELAPSED_LAP_4. Elapsed time of lap 4 | NUM | TIME | 0:01 | 0:01-0:04 | 2637 | MISSING | 77 | 2.3 |
| | | | | | | | SKIPPED | 687 | 20.2 |
| CE_U5A_LAP_START_TIME_LAP_5 | CE_U5A_LAP_START_TIME_LAP_5. Start time of lap 5 | NUM | TIME | 11:52 | 8:16-18:08 | 2631 | MISSING | 83 | 2.4 |
| | | | | | | | SKIPPED | 687 | 20.2 |
| CE_U5B_LAP_TIME_LAP_5 | CE_U5B_LAP_TIME_LAP_5. Lap time of lap 5 | NUM | TIME | 0:00 | 0:00-0:00 | 2631 | MISSING | 83 | 2.4 |
| | | | | | | | SKIPPED | 687 | 20.2 |
| CE_U5C_LAP_ELAPSED_LAP_5 | CE_U5C_LAP_ELAPSED_LAP_5. Elapsed time of lap 5 | NUM | TIME | 0:02 | 0:01-0:05 | 2631 | MISSING | 83 | 2.4 |
| | | | | | | | SKIPPED | 687 | 20.2 |
| CE_U5A_LAP_START_TIME_LAP_6 | CE_U5A_LAP_START_TIME_LAP_6. Start time of lap 6 | NUM | TIME | 11:52 | 8:16-18:09 | 2615 | MISSING | 97 | 2.9 |
| | | | | | | | SKIPPED | 689 | 20.3 |
| CE_U5B_LAP_TIME_LAP_6 | CE_U5B_LAP_TIME_LAP_6. Lap time of lap 6 | NUM | TIME | 0:00 | 0:00-0:01 | 2616 | MISSING | 96 | 2.8 |

*DATA SET: ce_ldcw_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 85*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5C_LAP_ELAPSED_LAP_6 | CE_U5C_LAP_ELAPSED_LAP_6. Elapsed time of lap 6 | NUM | TIME | 0:02 | 0:01-0:06 | 2615 | MISSING | 97 | 2.9 |
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5A_LAP_START_TIME_LAP_7 | CE_U5A_LAP_START_TIME_LAP_7. Start time of lap 7 | NUM | TIME | 11:52 | 8:17-18:09 | 2607 | MISSING | 105 | 3.1 |
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5B_LAP_TIME_LAP_7 | CE_U5B_LAP_TIME_LAP_7. Lap time of lap 7 | NUM | TIME | 0:00 | 0:00-0:01 | 2606 | MISSING | 106 | 3.1 |
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5C_LAP_ELAPSED_LAP_7 | CE_U5C_LAP_ELAPSED_LAP_7. Elapsed time of lap 7 | NUM | TIME | 0:03 | 0:02-0:07 | 2607 | MISSING | 105 | 3.1 |
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5A_LAP_START_TIME_LAP_8 | CE_U5A_LAP_START_TIME_LAP_8. Start time of lap 8 | NUM | TIME | 11:53 | 8:17-18:10 | 2603 | MISSING | 109 | 3.2 |
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5B_LAP_TIME_LAP_8 | CE_U5B_LAP_TIME_LAP_8. Lap time of lap 8 | NUM | TIME | 0:00 | 0:00-0:01 | 2604 | MISSING | 108 | 3.2 |
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5C_LAP_ELAPSED_LAP_8 | CE_U5C_LAP_ELAPSED_LAP_8. Elapsed time of lap 8 | NUM | TIME | 0:03 | 0:02-0:08 | 2602 | MISSING | 110 | 3.2 |
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5A_LAP_START_TIME_LAP_9 | CE_U5A_LAP_START_TIME_LAP_9. Start time of lap 9 | NUM | TIME | 11:53 | 8:17-18:10 | 2600 | MISSING | 112 | 3.3 |
| | | | | | SKIPPED | | | 689 | 20.3 |
| CE_U5B_LAP_TIME_LAP_9 | CE_U5B_LAP_TIME_LAP_9. Lap time of lap 9 | NUM | TIME | 0:00 | 0:00-0:01 | 2600 | MISSING | 112 | 3.3 |

*DATA SET: ce_ldcw_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 85*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | SKIPPED | 689 | 20.3 |
| CE_U5C_LAP_ELAPSED_LAP_9 | CE_U5C_LAP_ELAPSED_LAP_9. Elapsed time of lap 9 | NUM | TIME | 0:04 | 0:02-0:09 | 2599 | MISSING | 113 | 3.3 |
| | | | | | | | SKIPPED | 689 | 20.3 |
| CE_U5A_LAP_START_TIME_LAP_END | CE_U5A_LAP_START_TIME_LAP_END. End time of laps | NUM | TIME | 11:54 | 8:18-18:10 | 2596 | MISSING | 116 | 3.4 |
| | | | | | | | SKIPPED | 689 | 20.3 |
| CE_U5B_LAP_TIME_LAP_END | CE_U5B_LAP_TIME_LAP_END. Lap end time | NUM | TIME | 0:00 | 0:00-0:01 | 2596 | MISSING | 116 | 3.4 |
| | | | | | | | SKIPPED | 689 | 20.3 |
| CE_U5C_LAP_ELAPSED_LAP_END | CE_U5C_LAP_ELAPSED_LAP_END. End time of elapsed laps | NUM | TIME | 0:04 | 0:02-0:10 | 2596 | MISSING | 116 | 3.4 |
| | | | | | | | SKIPPED | 689 | 20.3 |
| CE_U5A_LAP_START_TIME_TEST_QUIT | CE_U5A_LAP_START_TIME_TEST_QUIT. Start time of quit lap | NUM | TIME | 12:10 | 8:54-16:26 | 53 | MISSING | 66 | 1.9 |
| | | | | | | | SKIPPED | 3282 | 96.5 |
| CE_U5B_LAP_TIME_TEST_QUIT | CE_U5B_LAP_TIME_TEST_QUIT. Lap end time if lap ended prematurely | NUM | TIME | 0:00 | 0:00-0:01 | 53 | MISSING | 66 | 1.9 |
| | | | | | | | SKIPPED | 3282 | 96.5 |
| CE_U5C_LAP_ELAPSED_TEST_QUIT | CE_U5C_LAP_ELAPSED_TEST_QUIT. Elapsed time if lap ended prematurely | NUM | TIME | 0:03 | 0:00-0:05 | 53 | MISSING | 66 | 1.9 |
| | | | | | | | SKIPPED | 3282 | 96.5 |
| CE_U6 | CE_U6. Enter reason long distance corridor walk was not completed | NUM | WALK | | . | | Missing | 67 | 2.0 |
| | | | | | .S | | Skipped | 3282 | 96.5 |
| | | | | | 1 | | Participant Unable To Walk Full Distance | 41 | 1.2 |
| | | | | | 2 | | Other, Specify | 10 | 0.3 |
| | | | | | 9 | | Refused | 1 | 0.0 |

*DATA SET: ce_ldcw_20170928_c*
*DATE CREATED: 09/28/2017*
**Number of Observations: 3401**
**Number of Variables: 85**
**Organization of file: One Record per Participant (ID)**

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_U6_OTHER_TXT | CE_U6_OTHER_TXT. Enter reason long distance corridor walk was not completed OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| | | | | | | | | | |

*DATA SET: ce_trail_making_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 27*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_V1_YN | CE_V1_YN. Was trailmaking test attempted? | NUM | YN | | . | | Missing | 2 | 0.1 |
| | | | | | 1 | | Yes | 3395 | 99.8 |
| | | | | | 2 | | No | 4 | 0.1 |
| CE_V1A | CE_V1A. Was trailmaking test attempted? If no, provide a reason | NUM | NOCOLLF | | . | | Missing | 2 | 0.1 |
| | | | | | .S | | Skipped | 3395 | 99.8 |
| | | | | | 2 | | Other, Specify | 3 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_V1A_OTHER_TXT | CE_V1A_OTHER_TXT. Was trailmaking test attempted? If no, provide a reason OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_V2_DATE | CE_V2_DATE. Date of trailmaking test [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3393 | MISSING | 4 | 0.1 |
| | | | | | | | SKIPPED | 4 | 0.1 |
| CE_V3_START_TIME | CE_V3_START_TIME. Start time of trailmaking test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:48 | 8:07-18:11 | 3394 | MISSING | 3 | 0.1 |
| | | | | | | | SKIPPED | 4 | 0.1 |
| CE_V4A_TEST_A_YN | CE_V4A_TEST_A_YN. Score obtained for trailmaking test A? | NUM | YN | | . | | Missing | 13 | 0.4 |
| | | | | | .S | | Skipped | 4 | 0.1 |
| | | | | | 1 | | Yes | 3372 | 99.1 |
| | | | | | 2 | | No | 12 | 0.4 |
| CE_V4B_TEST_A_TIME | CE_V4B_TEST_A_TIME. Enter time of trailmaking test A [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 0:00 | 0:00-0:01 | 3372 | MISSING | 13 | 0.4 |
| | | | | | | | SKIPPED | 16 | 0.5 |
| CE_V4C_TEST_A | CE_V4C_TEST_A. Reason why trailmaking test A score not obtained | NUM | NOCOLLG | | . | | Missing | 13 | 0.4 |
| | | | | | .S | | Skipped | 3376 | 99.3 |
| | | | | | 1 | | Equipment Malfunction | 1 | 0.0 |
| | | | | | 2 | | Participant Unable To Understand / Follow Instruction(S) | 3 | 0.1 |
| | | | | | 5 | | Other | 8 | 0.2 |

*DATA SET: ce_trail_making_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 27*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_V4C1_TEST_A_TXT | CE_V4C1_TEST_A_TXT. Reason why trailmaking test A score not obtained: OTHER [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_V4A_TEST_B_YN | CE_V4A_TEST_B_YN. Score obtained for trailmaking test B? | NUM | YN | | . | | Missing | 13 | 0.4 |
| | | | | | .S | | Skipped | 4 | 0.1 |
| | | | | | 1 | | Yes | 3292 | 96.8 |
| | | | | | 2 | | No | 92 | 2.7 |
| CE_V4B_TEST_B_TIME | CE_V4B_TEST_B_TIME. Enter time of trailmaking test B [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 0:01 | 0:00-0:05 | 3292 | MISSING | 13 | 0.4 |
| | | | | | SKIPPED | | | 96 | 2.8 |
| CE_V4C_TEST_B | CE_V4C_TEST_B. Reason why trailmaking test B score not obtained | NUM | NOCOLLG | | . | | Missing | 13 | 0.4 |
| | | | | | .S | | Skipped | 3296 | 96.9 |
| | | | | | 2 | | Participant Unable To Understand / Follow Instruction(S) | 62 | 1.8 |
| | | | | | 5 | | Other | 30 | 0.9 |
| CE_V4C1_TEST_B_TXT | CE_V4C1_TEST_B_TXT. Reason why trailmaking test B score not obtained: OTHER [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_V5_STOP_TIME | CE_V5_STOP_TIME. Stop time of trailmaking test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:53 | 8:10-18:18 | 3387 | MISSING | 10 | 0.3 |
| | | | | | SKIPPED | | | 4 | 0.1 |
| CE_V6 | CE_V6. Scan barcode for trailmaking form A | CHAR | $CHAR | | .-. | | | | |
| CE_V7 | CE_V7. Scan barcode for trailmaking form B | CHAR | $CHAR | | .-. | | | | |

*DATA SET: ce_bars_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 111*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_W1_YN | CE_W1_YN. Were any of the neurobehavioral test battery (BARS computer tests) completed? | NUM | YN | | . | | Missing | 27 | 0.8 |
| | | | | | 1 | | Yes | 3365 | 98.9 |
| | | | | | 2 | | No | 9 | 0.3 |
| CE_W1A | CE_W1A. Were any of the neurobehavioral test battery (BARS computer tests) completed? If no, provide a reason | NUM | NOCOLLD | | . | | Missing | 27 | 0.8 |
| | | | | | .S | | Skipped | 3365 | 98.9 |
| | | | | | 1 | | Equipment Malfunction | 1 | 0.0 |
| | | | | | 2 | | Examinee Unable To Understand/Follow Directions | 1 | 0.0 |
| | | | | | 3 | | Other, Specify | 6 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_W1A_TXT | CE_W1A_TXT. Were any of the neurobehavioral test battery (BARS computer tests) completed? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | | | .-. | | | | |
| CE_W2_DATE | CE_W2_DATE. Date of BARS tests [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3364 | MISSING | 28 | 0.8 |
| | | | | | SKIPPED | | | 9 | 0.3 |
| CE_W3_START_TIME | CE_W3_START_TIME. Start time of BARS test (military time) [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 11:47 | 7:51-18:19 | 3362 | MISSING | 30 | 0.9 |
| | | | | | SKIPPED | | | 9 | 0.3 |
| CE_W3A | CE_W3A. Problems encountered during BARS tests | NUM | NONEOTH | | . | | Missing | 28 | 0.8 |
| | | | | | .S | | Skipped | 393 | 11.6 |
| | | | | | 1 | | None | 2882 | 84.7 |
| | | | | | 2 | | Other, Specify | 98 | 2.9 |
| CE_W3A_OTHER_TXT | CE_W3A_OTHER_TXT. Problems encountered during BARS tests: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_W4_STOP_TIME | CE_W4_STOP_TIME. Stop time of BARS tests (military time) [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 12:24 | 8:23-19:00 | 3230 | MISSING | 162 | 4.8 |
| | | | | | SKIPPED | | | 9 | 0.3 |

*DATA SET: ce_bars_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 111*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_A1_DATE | Exam Start Date | NUM | MMDDYY | 07/02/15 | 08/27/14-06/30/16 | 3398 | MISSING | 3 | 0.1 |
| CE_BARS_TAP_RIGHT1_PREF | CE_BARS_TAP_RIGHT1_PREF. Right Hand Trial 1, Preferred: Number of Taps | NUM | BEST | 98.3 | 0-173 | 3043 | MISSING | 358 | 10.5 |
| CE_BARS_TAP_LEFT2_NONPREF | CE_BARS_TAP_LEFT2_NONPREF. Left Hand Trial 2, Non-Preferred: Number of Taps | NUM | BEST | 90.0 | 11-177 | 3043 | MISSING | 358 | 10.5 |
| CE_BARS_TAP_RIGHT3_PREF | CE_BARS_TAP_RIGHT3_PREF. Right Hand Trial 3, Preferred: Number of Taps | NUM | BEST | 98.1 | 0-183 | 3043 | MISSING | 358 | 10.5 |
| CE_BARS_TAP_LEFT4_NONPREF | CE_BARS_TAP_LEFT4_NONPREF. Left Hand Trial 4, Non-Preferred: Number of Taps | NUM | BEST | 88.7 | 0-155 | 3043 | MISSING | 358 | 10.5 |
| CE_BARS_TAP_ALT5_BOTH | CE_BARS_TAP_ALT5_BOTH. Alternating Hands Trial 5: Number of Taps | NUM | BEST | 58.7 | 0-125 | 3343 | MISSING | 58 | 1.7 |
| CE_BARS_TAP_ALT6_BOTH | CE_BARS_TAP_ALT6_BOTH. Alternating Hands Trial 6: Number of Taps | NUM | BEST | 55.8 | 0-124 | 3343 | MISSING | 58 | 1.7 |
| CE_BARS_TAP_RIGHT1_NONPREF | CE_BARS_TAP_RIGHT1_NONPREF. Right Hand Trial 1, Non-Preferred: Number of Taps | NUM | BEST | 94.4 | 5-139 | 300 | MISSING | 3101 | 91.2 |
| CE_BARS_TAP_LEFT2_PREF | CE_BARS_TAP_LEFT2_PREF. Left Hand Trial 2, Preferred: Number of Taps | NUM | BEST | 97.2 | 23-147 | 300 | MISSING | 3101 | 91.2 |
| CE_BARS_TAP_RIGHT3_NONPREF | CE_BARS_TAP_RIGHT3_NONPREF. Right Hand Trial 3, Non-Preferred: Number of Taps | NUM | BEST | 93.5 | 0-135 | 300 | MISSING | 3101 | 91.2 |
| CE_BARS_TAP_LEFT4_PREF | CE_BARS_TAP_LEFT4_PREF. Left Hand Trial 4, Preferred: Number of Taps | NUM | BEST | 96.3 | 0-158 | 300 | MISSING | 3101 | 91.2 |
| CE_BARS_TAP_RIGHT_NONPREF_AVG | CE_BARS_TAP_RIGHT_NONPREF_AVG. Right Hand Trial, Non-Preferred: Mean Number of Taps | NUM | | 94.0 | 6-134 | 300 | MISSING | 3101 | 91.2 |
| CE_BARS_TAP_LEFT_PREF_AVG | CE_BARS_TAP_LEFT_PREF_AVG. Left Hand Trial, Preferred: Mean Number of Taps | NUM | | 96.7 | 12-153 | 300 | MISSING | 3101 | 91.2 |
| CE_BARS_TAP_ALT_BOTH_AVG | CE_BARS_TAP_ALT_BOTH_AVG. Alternating Hands Trial: Mean Number of Taps | NUM | | 57.2 | 0-123 | 3343 | MISSING | 58 | 1.7 |
| CE_BARS_TAP_RIGHT_PREF_AVG | CE_BARS_TAP_RIGHT_PREF_AVG. Right Hand Trial, Preferred: Mean Number of Taps | NUM | | 98.2 | 13-173 | 3043 | MISSING | 358 | 10.5 |
| CE_BARS_TAP_LEFT_NONPREF_AVG | CE_BARS_TAP_LEFT_NONPREF_AVG. Left Hand Trial, Non-Preferred: Mean Number of Taps | NUM | | 89.3 | 8-150 | 3043 | MISSING | 358 | 10.5 |
| CE_BARS_SDT_AVE_COR_LAT | CE_BARS_SDT_AVE_COR_LAT. Average Correct Latency (msec) | NUM | | 2459.4 | 416-21321 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_TOTAL_ERRS | CE_BARS_SDT_TOTAL_ERRS. Total Errors | NUM | | 2.2 | 0-41 | 3339 | MISSING | 62 | 1.8 |

*DATA SET: ce_bars_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 111*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_BARS_SDT_COR_LAT_T1 | CE_BARS_SDT_COR_LAT_T1. Average Correct Latency: Trial 1 (msec) | NUM | | 2676.3 | 0-61793 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_ERR_CNT_T1 | CE_BARS_SDT_ERR_CNT_T1. Error Count: Trial 1 | NUM | | 0.6 | 0-8 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_COR_LAT_T2 | CE_BARS_SDT_COR_LAT_T2. Average Correct Latency: Trial 2 (msec) | NUM | | 2516.5 | 0-11254 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_ERR_CNT_T2 | CE_BARS_SDT_ERR_CNT_T2. Error Count: Trial 2 | NUM | | 0.5 | 0-8 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_COR_LAT_T3 | CE_BARS_SDT_COR_LAT_T3. Average Correct Latency: Trial 3 (msec) | NUM | | 2438.6 | 0-22089 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_ERR_CNT_T3 | CE_BARS_SDT_ERR_CNT_T3. Error Count: Trial 3 | NUM | | 0.4 | 0-8 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_COR_LAT_T4 | CE_BARS_SDT_COR_LAT_T4. Average Correct Latency: Trial 4 (msec) | NUM | | 2367.0 | 0-24115 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_ERR_CNT_T4 | CE_BARS_SDT_ERR_CNT_T4. Error Count: Trial 4 | NUM | | 0.3 | 0-8 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_COR_LAT_T5 | CE_BARS_SDT_COR_LAT_T5. Average Correct Latency: Trial 5 (msec) | NUM | | 2339.9 | 0-21385 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SDT_ERR_CNT_T5 | CE_BARS_SDT_ERR_CNT_T5. Error Count: Trial 5 | NUM | | 0.3 | 0-8 | 3339 | MISSING | 62 | 1.8 |
| CE_BARS_SRT_AVE_COR_LAT | CE_BARS_SRT_AVE_COR_LAT. Average Correct Latency (msec) | NUM | | 334.7 | 188-2216 | 3338 | MISSING | 63 | 1.9 |
| CE_BARS_SRT_AVE_COR_TMLY_LAT | CE_BARS_SRT_AVE_COR_TMLY_LAT. Average Correct Timely Latency (msec) | NUM | | 323.6 | 188-965 | 3336 | MISSING | 65 | 1.9 |
| CE_BARS_SRT_TOTAL_ERRS | CE_BARS_SRT_TOTAL_ERRS. Total Number of Errors | NUM | | 1.5 | 0-50 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_TOTAL_SLOW_RESPS | CE_BARS_SRT_TOTAL_SLOW_RESPS. Total Number of Slow Responses | NUM | | 0.0 | 0-0 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B1_AVE_COR_LAT | CE_BARS_SRT_B1_AVE_COR_LAT. Block 1: Average Correct Latency (msec) | NUM | | 357.9 | 180-2736 | 3334 | MISSING | 67 | 2.0 |
| CE_BARS_SRT_B1_AVE_TMLY_COR_LAT | CE_BARS_SRT_B1_AVE_TMLY_COR_LAT. Block 1: Average Correct Timely Latency (msec) | NUM | | 336.1 | 180-965 | 3316 | MISSING | 85 | 2.5 |
| CE_BARS_SRT_B1_ERR_CNT | CE_BARS_SRT_B1_ERR_CNT. Block 1: Number of Errors | NUM | | 0.4 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B1_SLOW_RESP_CNT | CE_BARS_SRT_B1_SLOW_RESP_CNT. Block 1: Number of Slow Responses | NUM | | 0.1 | 0-8 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B1_DURATION | CE_BARS_SRT_B1_DURATION. Block 1: Duration (sec) | NUM | | 9.6 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B2_AVE_COR_LAT | CE_BARS_SRT_B2_AVE_COR_LAT. Block 2: Average Correct Latency (msec) | NUM | | 326.7 | 143-2397 | 3318 | MISSING | 83 | 2.4 |

*DATA SET: ce_bars_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 111*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_BARS_SRT_B2_AVE_ TMLY_COR_LAT | CE_BARS_SRT_B2_AVE_TMLY_COR_LAT. Block 2: Average Correct Timely Latency (msec) | NUM | | 319.3 | 143-902 | 3316 | MISSING | 85 | 2.5 |
| CE_BARS_SRT_B2_ERR_CNT | CE_BARS_SRT_B2_ERR_CNT. Block 2: Number of Errors | NUM | | 0.3 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B2_SLOW_ RESP_CNT | CE_BARS_SRT_B2_SLOW_RESP_CNT. Block 2: Number of Slow Responses | NUM | | 0.1 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B2_DURATION | CE_BARS_SRT_B2_DURATION. Block 2: Duration (sec) | NUM | | 9.7 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B3_AVE_COR_ LAT | CE_BARS_SRT_B3_AVE_COR_LAT. Block 3: Average Correct Latency (msec) | NUM | | 327.3 | 130-2456 | 3319 | MISSING | 82 | 2.4 |
| CE_BARS_SRT_B3_AVE_ TMLY_COR_LAT | CE_BARS_SRT_B3_AVE_TMLY_COR_LAT. Block 3: Average Correct Timely Latency (msec) | NUM | | 318.8 | 32-976 | 3316 | MISSING | 85 | 2.5 |
| CE_BARS_SRT_B3_ERR_CNT | CE_BARS_SRT_B3_ERR_CNT. Block 3: Number of Errors | NUM | | 0.3 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B3_SLOW_ RESP_CNT | CE_BARS_SRT_B3_SLOW_RESP_CNT. Block 3: Number of Slow Responses | NUM | | 0.1 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B3_DURATION | CE_BARS_SRT_B3_DURATION. Block 3: Duration (sec) | NUM | | 9.7 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B4_AVE_COR_ LAT | CE_BARS_SRT_B4_AVE_COR_LAT. Block 4: Average Correct Latency (msec) | NUM | | 327.0 | 152-2113 | 3322 | MISSING | 79 | 2.3 |
| CE_BARS_SRT_B4_AVE_ TMLY_COR_LAT | CE_BARS_SRT_B4_AVE_TMLY_COR_LAT. Block 4: Average Correct Timely Latency (msec) | NUM | | 319.3 | 152-931 | 3320 | MISSING | 81 | 2.4 |
| CE_BARS_SRT_B4_ERR_CNT | CE_BARS_SRT_B4_ERR_CNT. Block 4: Number of Errors | NUM | | 0.3 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B4_SLOW_ RESP_CNT | CE_BARS_SRT_B4_SLOW_RESP_CNT. Block 4: Number of Slow Responses | NUM | | 0.1 | 0-9 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B4_DURATION | CE_BARS_SRT_B4_DURATION. Block 4: Duration (sec) | NUM | | 9.7 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B5_AVE_COR_ LAT | CE_BARS_SRT_B5_AVE_COR_LAT. Block 5: Average Correct Latency (msec) | NUM | | 331.6 | 117-2001 | 3324 | MISSING | 77 | 2.3 |
| CE_BARS_SRT_B5_AVE_ TMLY_COR_LAT | CE_BARS_SRT_B5_AVE_TMLY_COR_LAT. Block 5: Average Correct Timely Latency (msec) | NUM | | 322.1 | 117-992 | 3324 | MISSING | 77 | 2.3 |
| CE_BARS_SRT_B5_ERR_CNT | CE_BARS_SRT_B5_ERR_CNT. Block 5: Number of Errors | NUM | | 0.3 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_SRT_B5_SLOW_ RESP_CNT | CE_BARS_SRT_B5_SLOW_RESP_CNT. Block 5: Number of Slow Responses | NUM | | 0.1 | 0-9 | 3340 | MISSING | 61 | 1.8 |

*DATA SET: ce_bars_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 111*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_BARS_SRT_B5_DURATION | CE_BARS_SRT_B5_DURATION. Block 5: Duration (sec) | NUM | | 9.7 | 0-10 | 3340 | MISSING | 61 | 1.8 |
| CE_BARS_DST_FORWARD_ KEY | CE_BARS_DST_FORWARD_KEY. Forward Key | CHAR | $ | | .-. | | | | |
| CE_BARS_DST_REVERSE_ KEY | CE_BARS_DST_REVERSE_KEY. Reverse Key | CHAR | $ | | .-. | | | | |
| CE_BARS_DST_FORWARD_ CNT | CE_BARS_DST_FORWARD_CNT. Forward Count | NUM | | 5.4 | 0-9 | 3335 | MISSING | 66 | 1.9 |
| CE_BARS_DST_REVERSE_ CNT | CE_BARS_DST_REVERSE_CNT. Reverse Count | NUM | | 4.2 | 0-9 | 3335 | MISSING | 66 | 1.9 |
| CE_BARS_MTS_COR_CNT | CE_BARS_MTS_COR_CNT. Number of Correct Responses | NUM | | 17.5 | 2-20 | 3330 | MISSING | 71 | 2.1 |
| CE_BARS_MTS_WRONG_CNT | CE_BARS_MTS_WRONG_CNT. Number of Incorrect Responses | NUM | | 2.5 | 0-18 | 3330 | MISSING | 71 | 2.1 |
| CE_BARS_MTS_OMITTED_ CNT | CE_BARS_MTS_OMITTED_CNT. Number of Omitted Responses | NUM | | 0.2 | 0-12 | 3330 | MISSING | 71 | 2.1 |
| CE_BARS_MTS_AVE_COR_ LAT | CE_BARS_MTS_AVE_COR_LAT. Average Correct Latency (msec) | NUM | | 3134.4 | 1461-672 6 | 3330 | MISSING | 71 | 2.1 |
| CE_BARS_MTS_LAT_DELAY | CE_BARS_MTS_LAT_DELAY. Correct Latency, 1000 (msec) | NUM | | 2883.3 | 1229-864 1 | 3330 | MISSING | 71 | 2.1 |
| CE_BARS_MTS_COR_CNT_ DELAY | CE_BARS_MTS_COR_CNT_DELAY. Number of Correct Responses, 1000 (msec) | NUM | | 9.2 | 1-10 | 3330 | MISSING | 71 | 2.1 |
| CE_BARS_MTS_LAT_DELAY2 | CE_BARS_MTS_LAT_DELAY2. Correct Latency, 4000 (msec) | NUM | | 3414.1 | 1181-746 7 | 3328 | MISSING | 73 | 2.1 |
| CE_BARS_MTS_COR_CNT_ DELAY2 | CE_BARS_MTS_COR_CNT_DELAY2. Number of Correct Responses, 4000 (msec) | NUM | | 8.4 | 1-10 | 3328 | MISSING | 73 | 2.1 |
| CE_BARS_CPT_TRIALS | CE_BARS_CPT_TRIALS. Number of Trials | NUM | BEST | 300.0 | 300-300 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_HITS | CE_BARS_CPT_HITS. Number of Hits | NUM | BEST | 68.1 | 0-75 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_MISSES | CE_BARS_CPT_MISSES. Number of Misses | NUM | BEST | 6.8 | 0-75 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_INCORRECTS | CE_BARS_CPT_INCORRECTS. Number of Incorrect Selections | NUM | BEST | 0.1 | 0-46 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_CR | CE_BARS_CPT_CR. Number of Correct Response | NUM | BEST | 217.5 | 5-225 | 3307 | MISSING | 94 | 2.8 |

*DATA SET: ce_bars_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 111*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_BARS_CPT_FA | CE_BARS_CPT_FA. Number of False Alarms | NUM | BEST | 7.5 | 0-220 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_FAT | CE_BARS_CPT_FAT. Number of False Alarms (T) | NUM | BEST | 1.7 | 0-75 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_FANT | CE_BARS_CPT_FANT. Number of False Alarms (NT) | NUM | BEST | 5.8 | 0-145 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_ ANTICIPATIONS | CE_BARS_CPT_ANTICIPATIONS. Number of Anticipations | NUM | BEST | 0.0 | 0-0 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_EXTRAS | CE_BARS_CPT_EXTRAS. Number of Extra Selections | NUM | BEST | 0.2 | 0-8 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_ERRORS | CE_BARS_CPT_ERRORS. Number of Errors | NUM | BEST | 14.3 | 0-220 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_HIT_ FRACTION | CE_BARS_CPT_HIT_FRACTION. Hit Fraction (%) | NUM | BEST | 0.9 | 0-1 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_CR_FRACTION | CE_BARS_CPT_CR_FRACTION. Correct Response Fraction (%) | NUM | BEST | 1.0 | 0-1 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_FA_FRACTION | CE_BARS_CPT_FA_FRACTION. False Alarm Fraction (%) | NUM | BEST | 0.0 | 0-1 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_COR_HIT_ FRACTION | CE_BARS_CPT_COR_HIT_FRACTION. Corrected Hit Fraction (%) | NUM | BEST | 0.9 | 0-1 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_COR_FA_ FRACTION | CE_BARS_CPT_COR_FA_FRACTION. Corrected False Alarm Fraction (%) | NUM | BEST | 0.0 | 0-1 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_D_PRIME | CE_BARS_CPT_D_PRIME. D Prime | NUM | BEST | 3.7 | -2-5 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_HIT_LATENCY | CE_BARS_CPT_HIT_LATENCY. Hit Latency (msec) | NUM | BEST | 377.0 | 0-938 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_CPT_FA_LATENCY | CE_BARS_CPT_FA_LATENCY. False Alarm Latency (msec) | NUM | BEST | 369.9 | 0-2183 | 3307 | MISSING | 94 | 2.8 |
| CE_BARS_PRT_TOTAL_TAPS | CE_BARS_PRT_TOTAL_TAPS. Total Taps | NUM | BEST | 597.4 | 68-979 | 3308 | MISSING | 93 | 2.7 |
| CE_BARS_PRT_TOTAL_ REINFORCERS | CE_BARS_PRT_TOTAL_REINFORCERS. Total Reinforcers | NUM | BEST | 9.9 | 3-13 | 3308 | MISSING | 93 | 2.7 |
| INTAP | INTAP. Record Present: Finger Tapping (TAP) | NUM | YN | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | Yes | 3343 | 98.3 |
| | | | | | 2 | | No | 2 | 0.1 |
| INSDT | INSDT. Record Present: Symbol-Digit (SDT) | NUM | YN | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | Yes | 3339 | 98.2 |
| | | | | | 2 | | No | 6 | 0.2 |

*DATA SET: ce_bars_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 111*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| INSRT | INSRT. Record Present: Simple Reaction Time (SRT) | NUM | YN | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | Yes | 3340 | 98.2 |
| | | | | | 2 | | No | 5 | 0.1 |
| INDST | INDST. Record Present: Digit Span Test (DST) | NUM | YN | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | Yes | 3335 | 98.1 |
| | | | | | 2 | | No | 10 | 0.3 |
| INMTS | INMTS. Record Present: Match-to-Sample (MTS) | NUM | YN | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | Yes | 3330 | 97.9 |
| | | | | | 2 | | No | 15 | 0.4 |
| INCPT | INCPT. Record Present: Continuous Performance Test (CPT) | NUM | YN | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | Yes | 3307 | 97.2 |
| | | | | | 2 | | No | 38 | 1.1 |
| INPRT | INPRT. Record Present: Progressive Ratio Test (PRT) | NUM | YN | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | Yes | 3308 | 97.3 |
| | | | | | 2 | | No | 37 | 1.1 |

*DATA SET: ce_eno_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 42*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_X1_YN | CE_X1_YN. Within the last hour, have you smoked a cigarette, cigar, pipe, or used any other tobacco product? | NUM | DKREFYN | | . | | Missing | 201 | 5.9 |
| | | | | | 1 | | Yes | 115 | 3.4 |
| | | | | | 2 | | No | 3079 | 90.5 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_X2_YN | CE_X2_YN. Within the last hour, have you done any vigorous or strenuous exercise? ... | NUM | DKREFYN | | . | | Missing | 201 | 5.9 |
| | | | | | 1 | | Yes | 247 | 7.3 |
| | | | | | 2 | | No | 2946 | 86.6 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_X3_YN | CE_X3_YN. Within the last hour, have you had anything to eat or drink? | NUM | DKREFYN | | . | | Missing | 201 | 5.9 |
| | | | | | 1 | | Yes | 2232 | 65.6 |
| | | | | | 2 | | No | 956 | 28.1 |
| | | | | | 8 | | Don't Know | 8 | 0.2 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_X4_YN | CE_X4_YN. Within the last 3 hours, have you eaten beets, broccoli, cabbage, celery, lettuce, spinach, radishes or root vegetables? | NUM | DKREFYN | | . | | Missing | 200 | 5.9 |
| | | | | | 1 | | Yes | 119 | 3.5 |
| | | | | | 2 | | No | 3068 | 90.2 |
| | | | | | 8 | | Don't Know | 10 | 0.3 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_X5_YN | CE_X5_YN. Within the last 3 hours, have you eaten bacon, ham, hot dogs, or smoked fish? | NUM | DKREFYN | | . | | Missing | 200 | 5.9 |
| | | | | | 1 | | Yes | 156 | 4.6 |
| | | | | | 2 | | No | 3037 | 89.3 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_X6_YN | CE_X6_YN. Within the past 2 days, have you used any oral or inhaled steroids? (I.e. inhaled glucocorticoids and montelukast)? | NUM | DKREFYN | | . | | Missing | 200 | 5.9 |
| | | | | | 1 | | Yes | 122 | 3.6 |

*Section X - Exhaled Nitric Oxide (eNO)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | No | 3069 | 90.2 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_X7_YN | CE_X7_YN. In the past 7 days, have you had a cough, cold, airway infection, respiratory illness, phlegm or runny nose? Do not count allergies or hay fever. | NUM | DKREFYN | | . | | Missing | 182 | 5.4 |
| | | | | | 1 | | Yes | 758 | 22.3 |
| | | | | | 2 | | No | 2437 | 71.7 |
| | | | | | 8 | | Don't Know | 20 | 0.6 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_X8_YN | CE_X8_YN. Was test for exhaled nitric oxide completed? | NUM | YN | | . | | Missing | 49 | 1.4 |
| | | | | | 1 | | Yes | 2804 | 82.4 |
| | | | | | 2 | | No | 548 | 16.1 |
| CE_X8A | CE_X8A. Was test for exhaled nitric oxide completed? If no, provide a reason | NUM | NOCOLLD | | . | | Missing | 49 | 1.4 |
| | | | | | .S | | Skipped | 2804 | 82.4 |
| | | | | | 1 | | Equipment Malfunction | 531 | 15.6 |
| | | | | | 2 | | Examinee Unable To Understand/Follow Directions | 5 | 0.1 |
| | | | | | 3 | | Other, Specify | 10 | 0.3 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_X8A_OTHER_TXT | CE_X8A_OTHER_TXT. Was test for exhaled nitric oxide completed? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_X9_DATE | CE_X9_DATE. Date exhaled nitric oxide test performed [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/08/15 | 08/27/14-06/30/16 | 2785 | MISSING | 68 | 2.0 |
| | | | | | SKIPPED | | | 548 | 16.1 |
| CE_X10_START_TIME | CE_X10_START_TIME. Start time of exhaled nitric oxide test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 12:31 | 8:44-18:53 | 2803 | MISSING | 50 | 1.5 |
| | | | | | SKIPPED | | | 548 | 16.1 |
| CE_X11_NUM | CE_X11_NUM. How many total maneuvers/attempts were performed? | NUM | BEST | 4.5 | 1-8 | 2785 | MISSING | 68 | 2.0 |
| | | | | | SKIPPED | | | 548 | 16.1 |

*DATA SET: ce_eno_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 42*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_X12_STOP_TIME | CE_X12_STOP_TIME. Stop time of exhaled nitric oxide test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 12:38 | 8:50-19:19 | 2786 | MISSING | 67 | 2.0 |
|  |  |  |  |  |  |  | SKIPPED | 548 | 16.1 |
| FILE | FILE. File | CHAR |  |  | .-. |  |  |  |  |
| SITE | SITE. Site | CHAR | $ |  | .-. |  |  |  |  |
| ENODT | ENODT. Exhaled nitric oxide date | NUM | MMDDYY | 07/08/15 | 08/27/14-06/30/16 | 2798 | MISSING | 59 | 1.7 |
|  |  |  |  |  |  |  | SKIPPED | 544 | 16.0 |
| ENOTM | ENOTM. Exhaled nitric oxide time | NUM | TIME | 12:38 | 8:50-19:19 | 2798 | MISSING | 59 | 1.7 |
|  |  |  |  |  |  |  | SKIPPED | 544 | 16.0 |
| NO1 | NO1. NO results 1 | NUM |  | 24.0 | 0-283 | 2798 | MISSING | 59 | 1.7 |
|  |  |  |  |  |  |  | SKIPPED | 544 | 16.0 |
| NO2 | NO2. NO results 2 | NUM |  | 24.1 | 0-254 | 2775 | MISSING | 79 | 2.3 |
|  |  |  |  |  |  |  | SKIPPED | 547 | 16.1 |
| NO3 | NO3. NO results 3 | NUM |  | 24.3 | 1-257 | 2753 | MISSING | 100 | 2.9 |
|  |  |  |  |  |  |  | SKIPPED | 548 | 16.1 |
| ATS1 | ATS1. ATS results 1 | NUM |  | 0.9 | 0-1 | 2798 | MISSING | 59 | 1.7 |
|  |  |  |  |  |  |  | SKIPPED | 544 | 16.0 |
| ATS2 | ATS2. ATS results 2 | NUM |  | 0.9 | 0-1 | 2775 | MISSING | 79 | 2.3 |
|  |  |  |  |  |  |  | SKIPPED | 547 | 16.1 |
| ATS3 | ATS3. ATS results 3 | NUM |  | 0.9 | 0-1 | 2753 | MISSING | 100 | 2.9 |
|  |  |  |  |  |  |  | SKIPPED | 548 | 16.1 |
| AVG_NO | AVG_NO. Average NO results | NUM |  | 23.9 | 0-263 | 2798 | MISSING | 59 | 1.7 |

*Section X - Exhaled Nitric Oxide (eNO)*

*DATA SET: ce_eno_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 42*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 544 | 16.0 |
| | | | | | | | | | |
| PCT_AVG_DEV | PCT_AVG_DEV. Percent average deviation results | NUM | | 3.4 | 0-84 | 2798 | MISSING | 59 | 1.7 |
| | | | | | SKIPPED | | | 544 | 16.0 |
| | | | | | | | | | |

*DATA SET: ce_pft_20180117*
*DATE CREATED: 01/17/2018*
*Number of Observations: 3401*
*Number of Variables: 76*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | GULFID. GULF ID | CHAR | $CHAR | | .-. | | | | |
| CE_Y1_YN | CE_Y1_YN. Do you consider yourself to be Hispanic or Latino? | NUM | DKREFYN | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 1 | | Yes | 76 | 2.2 |
| | | | | | 2 | | No | 3093 | 90.9 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y2_1_YN | CE_Y2_1_YN. What race do you consider yourself to be? Please select one or more of these categories: American Indian or Alaskan Native | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3021 | 88.8 |
| | | | | | 1 | | Yes | 151 | 4.4 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_2_YN | CE_Y2_2_YN. What race do you consider yourself to be? Please select one or more of these categories: Asian | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3150 | 92.6 |
| | | | | | 1 | | Yes | 22 | 0.6 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_3_YN | CE_Y2_3_YN. What race do you consider yourself to be? Please select one or more of these categories: Black or African American | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1888 | 55.5 |
| | | | | | 1 | | Yes | 1284 | 37.8 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_4_YN | CE_Y2_4_YN. What race do you consider yourself to be? Please select one or more of these categories: Native Hawaiian or Pacific Islander | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3160 | 92.9 |
| | | | | | 1 | | Yes | 12 | 0.4 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_5_YN | CE_Y2_5_YN. What race do you consider yourself to be? Please select one or more of these categories: White | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |

*DATA SET: ce_pft_20180117*
*DATE CREATED: 01/17/2018*
*Number of Observations: 3401*
*Number of Variables: 76*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1431 | 42.1 |
| | | | | | 1 | | Yes | 1741 | 51.2 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_6_YN | CE_Y2_6_YN. What race do you consider yourself to be? Please select one or more of these categories: OTHER, SPECIFY | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3110 | 91.4 |
| | | | | | 1 | | Yes | 62 | 1.8 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_6_OTHER_TXT | CE_Y2_6_OTHER_TXT. What race do you consider yourself to be? Please select one or more of these categories: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_Y3_YN | CE_Y3_YN. Do you consider your (biological) mother to be Hispanic or Latino? | NUM | DKREFYN | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 1 | | Yes | 51 | 1.5 |
| | | | | | 2 | | No | 3112 | 91.5 |
| | | | | | 8 | | Don't Know | 10 | 0.3 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y4_1_YN | CE_Y4_1_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: American Indian or Alaskan Native | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3004 | 88.3 |
| | | | | | 1 | | Yes | 159 | 4.7 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_2_YN | CE_Y4_2_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: Asian | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3138 | 92.3 |
| | | | | | 1 | | Yes | 25 | 0.7 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |

*DATA SET: ce_pft_20180117*
*DATE CREATED: 01/17/2018*
*Number of Observations: 3401*
*Number of Variables: 76*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_Y4_3_YN | CE_Y4_3_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: Black or African American | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1905 | 56.0 |
| | | | | | 1 | | Yes | 1258 | 37.0 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_4_YN | CE_Y4_4_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: Native Hawaiian or Pacific Islander | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3154 | 92.7 |
| | | | | | 1 | | Yes | 9 | 0.3 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_5_YN | CE_Y4_5_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: White | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1449 | 42.6 |
| | | | | | 1 | | Yes | 1714 | 50.4 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_6_YN | CE_Y4_6_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: OTHER, SPECIFY | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3091 | 90.9 |
| | | | | | 1 | | Yes | 72 | 2.1 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_6_OTHER_TXT | CE_Y4_6_OTHER_TXT. What race do you consider your (biological) mother to be? Please select one or more of these categories: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_Y5_YN | CE_Y5_YN. Do you consider your (biological) father to be Hispanic or Latino? | NUM | DKREFYN | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 1 | | Yes | 56 | 1.6 |

*Section Y - Pulmonary Function Testing (PFT)*

*DATA SET: ce_pft_20180117*
*DATE CREATED: 01/17/2018*
*Number of Observations: 3401*
*Number of Variables: 76*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | No | 3098 | 91.1 |
| | | | | | 8 | | Don't Know | 20 | 0.6 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_Y6_1_YN | CE_Y6_1_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: American Indian or Alaskan Native | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3004 | 88.3 |
| | | | | | 1 | | Yes | 145 | 4.3 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_2_YN | CE_Y6_2_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: Asian | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3126 | 91.9 |
| | | | | | 1 | | Yes | 23 | 0.7 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_3_YN | CE_Y6_3_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: Black or African American | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1879 | 55.2 |
| | | | | | 1 | | Yes | 1270 | 37.3 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_4_YN | CE_Y6_4_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: Native Hawaiian or Pacific Islander | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3140 | 92.3 |
| | | | | | 1 | | Yes | 9 | 0.3 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_5_YN | CE_Y6_5_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: White | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |

*DATA SET: ce_pft_20180117*
*DATE CREATED: 01/17/2018*
*Number of Observations: 3401*
*Number of Variables: 76*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1451 | 42.7 |
| | | | | | 1 | | Yes | 1698 | 49.9 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_6_YN | CE_Y6_6_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: OTHER, SPECIFY | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3080 | 90.6 |
| | | | | | 1 | | Yes | 69 | 2.0 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_6_OTHER_TXT | CE_Y6_6_OTHER_TXT. What race do you consider your (biological) father to be? Please select one or more of these categories: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_Y7_YN | CE_Y7_YN. Did participant complete pulmonary function testing (PFT)? | NUM | YN | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 1 | | Yes | 3132 | 92.1 |
| | | | | | 2 | | No | 48 | 1.4 |
| CE_Y7A | CE_Y7A. Did participant complete pulmonary function testing (PFT)? If no, provide a reason | NUM | NOCOLLH | | . | | Missing | 38 | 1.1 |
| | | | | | .S | | Skipped | 3348 | 98.4 |
| | | | | | 3 | | Other, Specify | 15 | 0.4 |
| CE_Y7A_OTHER_TXT | CE_Y7A_OTHER_TXT. Did participant complete pulmonary function testing (PFT)? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_Y8_DATE | CE_Y8_DATE. Date of PFT procedure [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/04/15 | 08/27/14-06/30/16 | 3121 | MISSING | 14 | 0.4 |
| | | | | | | | SKIPPED | 266 | 7.8 |
| CE_Y10 | CE_Y10. Record start time of pre-bronchodilator (albuterol) spirometry | NUM | AMPM | | . | | Missing | 13 | 0.4 |
| | | | | | .S | | Skipped | 264 | 7.8 |
| | | | | | 1 | | Am | 1260 | 37.0 |
| | | | | | 2 | | Pm | 1864 | 54.8 |

*DATA SET: ce_pft_20180117*
*DATE CREATED: 01/17/2018*
*Number of Observations: 3401*
*Number of Variables: 76*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_Y10_PRE_START_TIME | CE_Y10_PRE_START_TIME. Start time of pre-bronchodilator (albuterol) spirometry | NUM | TIME | 12:47 | 8:55-19:05 | 3124 | MISSING | 13 | 0.4 |
|  |  |  |  |  |  |  | SKIPPED | 264 | 7.8 |
| CE_Y10A_YN | CE_Y10A_YN. Did participant agree to albuterol administration? | NUM | YN |  | . |  | Missing | 239 | 7.0 |
|  |  |  |  |  | .S |  | Skipped | 266 | 7.8 |
|  |  |  |  |  | 1 |  | Yes | 2817 | 82.8 |
|  |  |  |  |  | 2 |  | No | 79 | 2.3 |
| CE_Y10B | CE_Y10B. Did participant agree to albuterol administration? If no, provide a reason | NUM | NOCOLL |  | . |  | Missing | 239 | 7.0 |
|  |  |  |  |  | .S |  | Skipped | 3083 | 90.6 |
|  |  |  |  |  | 1 |  | Medical Reason | 16 | 0.5 |
|  |  |  |  |  | 2 |  | Other, Specify | 37 | 1.1 |
|  |  |  |  |  | 9 |  | Refused | 26 | 0.8 |
| CE_Y10B_OTHER_TXT | CE_Y10B_OTHER_TXT. Did participant agree to albuterol administration? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR |  | .-. |  |  |  |  |
| CE_Y11 | CE_Y11. Record start time of bronchodilator (albuterol) administration [UNITS: AM, PM] | NUM | AMPM |  | . |  | Missing | 22 | 0.6 |
|  |  |  |  |  | .S |  | Skipped | 345 | 10.1 |
|  |  |  |  |  | 1 |  | Am | 1165 | 34.3 |
|  |  |  |  |  | 2 |  | Pm | 1869 | 55.0 |
| CE_Y11_START_TIME | CE_Y11_START_TIME. Start time of bronchodilator (albuterol) administration [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 12:53 | 8:58-19:14 | 3034 | MISSING | 22 | 0.6 |
|  |  |  |  |  |  |  | SKIPPED | 345 | 10.1 |
| CE_Y12_NUM | CE_Y12_NUM. Bronchodilator (albuterol) puffs administered [UNITS: NUMBER OF PUFFS ADMINISTERED] | NUM | BEST | 4.0 | 1-4 | 3031 | MISSING | 25 | 0.7 |
|  |  |  |  |  |  |  | SKIPPED | 345 | 10.1 |
| CE_Y13 | CE_Y13. Record start time of post-bronchodilator (albuterol) spirometry [UNITS: AM, PM] | NUM | AMPM |  | . |  | Missing | 48 | 1.4 |
|  |  |  |  |  | .S |  | Skipped | 349 | 10.3 |
|  |  |  |  |  | 1 |  | Am | 1044 | 30.7 |
|  |  |  |  |  | 2 |  | Pm | 1960 | 57.6 |

*Section Y - Pulmonary Function Testing (PFT)*

*DATA SET: ce_pft_20180117*
*DATE CREATED: 01/17/2018*
*Number of Observations: 3401*
*Number of Variables: 76*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_Y13_POST_START_TIME | CE_Y13_POST_START_TIME. Start time of post-bronchodilator (albuterol) spirometry [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 13:06 | 9:12-19:29 | 3004 | MISSING | 48 | 1.4 |
|  |  |  |  |  |  |  | SKIPPED | 349 | 10.3 |
| CE_Y14 | CE_Y14. Record stop time of spirometry test [UNITS: AM, PM] | NUM | AMPM |  | . |  | Missing | 76 | 2.2 |
|  |  |  |  |  | .S |  | Skipped | 274 | 8.1 |
|  |  |  |  |  | 1 |  | Am | 1016 | 29.9 |
|  |  |  |  |  | 2 |  | Pm | 2035 | 59.8 |
| CE_Y14_STOP_TIME | CE_Y14_STOP_TIME. Stop time of spirometry test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 13:11 | 9:14-19:33 | 3051 | MISSING | 76 | 2.2 |
|  |  |  |  |  |  |  | SKIPPED | 274 | 8.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | | | | | |
| EXAM_COMPLETE | Completed Clinical Exam | NUM | DYNF | | 1 | | Yes | 3401 | 100.0 |
| MASTER_ID | Master ID | CHAR | $ | | | | | | |
| PRE_POST_BD | Pre Post BD | NUM | | 1.0 | 0-1 | 3140 | MISSING | 261 | 7.7 |
| PATIENT_ID | Patient ID | CHAR | $ | | | | | | |
| DATE | Date | NUM | MMDDYY | 07/04/15 | 08/27/14-06/30/16 | 3140 | MISSING | 261 | 7.7 |
| TIME | Time | CHAR | $ | | | | | | |
| AGE | Age | NUM | | 49.0 | 24-86 | 3140 | MISSING | 261 | 7.7 |
| HEIGHT_CM | Height - CM | NUM | | 173.3 | 127-199 | 3140 | MISSING | 261 | 7.7 |
| WEIGHT_KG | Weight - Kg | NUM | | 0.7 | 0-133 | 3140 | MISSING | 261 | 7.7 |
| SEX | Sex | CHAR | $ | | | | | | |
| RACE | Race | CHAR | $ | | | | | | |
| TECH_ID | Tech ID | CHAR | $ | | | | | | |
| SERIAL_NUMBER | Serial Number | NUM | | 207245.4 | 204173-210946 | 3140 | MISSING | 261 | 7.7 |
| COMPUTER_QC__FLOW_ | Computer QC (Flow) | CHAR | $ | | | | | | |
| COMPUTER_QC__VOLUME_ | Computer QC (Volume) | CHAR | $ | | | | | | |
| DATE_TIME_REVIEWED | Date Time Reviewed | NUM | DATETIME | 1751794257 | 1.72549E9-1.7833E9 | 3140 | MISSING | 261 | 7.7 |
| QX_RACE | [Clinical Exam Machine] Race/Ethnicity categories using derived variables EN_RACE2 and EN_HISPANIC2 | CHAR | $ | | | | | | |
| CALC_RACE_NEW_ASIAN | [Clinical Exam Machine] Flag for Asian .88 adjustment used in calculating the Hankinson (1999) equations | CHAR | $ | | | | | | |
| LAB_RACE | [Clinical Exam Machine] Race/Ethnicity value keyed into spirometer by examiner | CHAR | $ | | | | | | |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| ORIG_LAB_RACE | [Clinical Exam Machine] Flag for Asian .88 adjustment used in calculating the Hankinson (1999) equations[obsolete] | CHAR | $ | | | | | | |
| CALC_RACE_NEW | [Clinical Exam Machine] Race/Ethnicity value for calculating predicted values using the Hankinson (1999) method | CHAR | | | | | | | |
| CALC_RACE_OLD | [Clinical Exam Machine] Race/Ethnicity value for calculating predicted values using the Hankinson (1999) method [obsolete] | CHAR | | | | | | | |
| QX_SEX | [Clinical Exam Machine] Sex using derived variable EN_SEX | CHAR | | | | | | | |
| LAB_SEX | [Clinical Exam Machine] Sex value keyed into spirometer by examiner | CHAR | | | | | | | |
| CALC_SEX | [Clinical Exam Machine] Sex value for calculating predicted values using the Hankinson (1999) method | CHAR | | | | | | | |
| QX_AGE | [Clinical Exam Machine] Age using derived variable BEST_DOB and EXAM_COMP_DATE [Clinical Exam Complete Date] | NUM | | 48.8 | 23-86 | 3401 | | 3401 | 100.0 |
| LAB_AGE | [Clinical Exam Machine] Age using DOB keyed into spirometer and EXAM_COMP_DATE [Clinical Exam Complete Date] | NUM | | 48.4 | 23-86 | 3143 | MISSING | 258 | 7.6 |
| CALC_AGE | [Clinical Exam Machine] Age value for calculating predicted values using the Hankinson (1999) method | NUM | | 48.8 | 23-86 | 3401 | | 3401 | 100.0 |
| QX_HEIGHTCM | [Clinical Exam Machine] Average height from questionnaire variable ce_d_avg_ht_cm (cm) | NUM | | 173.3 | 141-200 | 3398 | MISSING | 3 | 0.1 |
| LAB_HEIGHTCM | [Clinical Exam Machine] Height value keyed into spirometer by examiner (cm) | NUM | | 173.4 | 127-270 | 3143 | MISSING | 258 | 7.6 |
| CALC_HEIGHTCM | [Clinical Exam Machine] Height value for calculating predicted values using the Hankinson (1999) method (cm) | NUM | | 173.3 | 141-200 | 3398 | MISSING | 3 | 0.1 |
| PFT_COMPLETE | [Clinical Exam Machine] Flag for machine completion | NUM | PFTCOMP | . | | | Missing | 5 | 0.1 |
| | | | | | .M | | Missing | 5 | 0.1 |
| | | | | | 0 | | Neither Pre-BD or Post-BD Complete | 256 | 7.5 |
| | | | | | 1 | | Both Pre-BD and Post-BD Complete | 3045 | 89.5 |
| | | | | | 2 | | Only Pre-BD Complete | 95 | 2.8 |
| CE_PRE_SAMPLE_TEST_DATE | [Clinical Exam Machine] Pre-BD sample test date/timestamp | NUM | DATETIME | 1751642324 | 1.72477E9-1.78291E9 | 3143 | MISSING | 258 | 7.6 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_PRE_TEST_ID | [Clinical Exam Machine] Pre-BD test ID | NUM | BEST | 3133.8 | 33-6234 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_TEST_DATE | [Clinical Exam Machine] Pre-BD test date/timestamp | NUM | MMDDYY | ******** | ********-********E9 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_TRIAL_ID | [Clinical Exam Machine] Pre-BD trial ID | NUM | BEST | 18790.8 | 188-37018 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_QUALITY_GRADE | [Clinical Exam Machine] Pre-BD PFT Quality Grade | CHAR | $ | | | | | | |
| CE_PRE_PFT_INTERP_OLD | [Clinical Exam Machine] Interpretation of PRE-BD PFT results using Hankinson (1999) method [obsolete] | CHAR | | | | | | | |
| CE_PRE_PFT_INTERP_NEW | [Clinical Exam Machine] Interpretation of PRE-BD PFT results using Hankinson (1999) method | CHAR | | | | | | | |
| CE_PRE_BEV | [Clinical Exam Machine] Pre-BD Back Extrapolated Volume (L) | NUM | BEST | 0.1 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_EOTV | [Clinical Exam Machine] Pre-BD End of Test Volume (L) | NUM | BEST | 0.0 | 0-2 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF10 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 10% of FVC (L/s) | NUM | BEST | 7.0 | 0-14 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF25 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 25% of FVC (L/s) | NUM | BEST | 6.5 | 0-13 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF2575 | [Clinical Exam Machine] Pre-BD Average flow rate between 25 and 75% of FVC (L/s) | NUM | BEST | 2.8 | 0-9 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF2575_PRED | [Clinical Exam Machine] Pre-BD Predicted Average flow rate between 25 and 75% of FVC (L/s) | NUM | BEST | 3.3 | 1-5 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF2575_LLN | [Clinical Exam Machine] Pre-BD Average flow rate between 25 and 75% of FVC lower limit of normal (L/s) | NUM | BEST | 1.7 | 0-3 | 3141 | MISSING | 260 | 7.6 |
| CE_PRE_FEF2575_6 | [Clinical Exam Machine] Pre-BD Average flow rate between 25% and 75% of FVC6 (L/s) | NUM | BEST | 3.1 | 0-9 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF2575_FVC | [Clinical Exam Machine] Pre-BD Ratio of FEF2575 and FVC (%) | NUM | BEST | 0.7 | 0-3 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF40 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 40% of FVC (L/s) | NUM | BEST | 4.8 | 0-12 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF50 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 50% of FVC (L/s) | NUM | BEST | 3.7 | 0-10 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF50_FVC | [Clinical Exam Machine] Pre-BD Ratio of FEF50 and FVC (%) | NUM | BEST | 0.9 | 0-3 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF50_VCMAX | [Clinical Exam Machine] Pre-BD Ratio of FEF50 and VCMax (%) | NUM | BEST | 0.9 | 0-3 | 3143 | MISSING | 258 | 7.6 |

*Section Y - Pulmonary Function Testing (PFT)*

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_PRE_FEF60 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 60% of FVC (L/s) | NUM | BEST | 2.6 | 0-9 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF75 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 75% of FVC (L/s) | NUM | BEST | 1.1 | 0-5 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF7585 | [Clinical Exam Machine] Pre-BD Average flow rate between 75 and 85% of FVC (L/s) | NUM | BEST | 0.6 | 0-4 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEF80 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 80% of FVC (L/s) | NUM | BEST | 0.7 | 0-4 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FET | [Clinical Exam Machine] Pre-BD Forced Expiratory Time. Elapsed time since T0 at which end-of-test criteria is met. (s) | NUM | BEST | 10.3 | 1-25 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FET2575 | [Clinical Exam Machine] Pre-BD Forced Expiratory Time between FEF25 and FEF75. Also called Mean Expiratory Time. (s) | NUM | BEST | 0.9 | 0-9 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1 | [Clinical Exam Machine] Pre-BD Forced Expiratory Volume after 1 second (L) | NUM | | 3.1 | 1-6 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_PRED | [Clinical Exam Machine] Pre-BD Predicted FEV1 (L) | NUM | | 3.4 | 1-6 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_LLN | [Clinical Exam Machine] Pre-BD FEV1 lower limit of normal (L) | NUM | | 2.7 | 1-5 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_FEV6 | [Clinical Exam Machine] Pre-BD Ratio of FEV1 and FEV6 (%) | NUM | | 0.8 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_FEV6_PRED | [Clinical Exam Machine] Pre-BD Predicted Ratio of FEV1 to FEV6 (%) | NUM | | 0.8 | 1-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_FEV6_LLN | [Clinical Exam Machine] Pre-BD Ratio of FEV1 to FEV6 lower limit of normal (%) | NUM | | 0.7 | 1-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_FVC | [Clinical Exam Machine] Pre-BD Tiffenau Index, ratio of FEV1 and FVC (%) | NUM | | 0.8 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_FVC_PRED | [Clinical Exam Machine] Pre-BD Predicted FEV1/FVC (%) | NUM | | 0.8 | 1-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_FVC_LLN | [Clinical Exam Machine] Pre-BD FEV1/FVC lower limit of normal (%) | NUM | | 0.7 | 1-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_VCMAX | [Clinical Exam Machine] Pre-BD Ratio of FEV1 to VCMax (%) | NUM | | 0.8 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_VCMAX_PRED | [Clinical Exam Machine] Pre-BD Predicted Ratio of FEV1 to VCMax (%) | NUM | | 0.8 | 1-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV1_VCMAX_LLN | [Clinical Exam Machine] Pre-BD Ratio of FEV1 to VCMax lower limit of normal (%) | NUM | | 0.7 | 1-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV_25 | [Clinical Exam Machine] Pre-BD Forced Expiratory Volume after 0.25 seconds (L) | NUM | | 1.6 | 0-3 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV3 | [Clinical Exam Machine] Pre-BD Forced Expiratory Volume after 3 seconds (L) | NUM | | 3.6 | 1-7 | 3143 | MISSING | 258 | 7.6 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_PRE_FEV3_FVC | [Clinical Exam Machine] Pre-BD Ratio of FEV3 and FVC (%) | NUM | | 0.9 | 1-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV3_VCMAX | [Clinical Exam Machine] Pre-BD Ratio of FEV3 and VCMax (%) | NUM | | 0.9 | 1-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV_5 | [Clinical Exam Machine] Pre-BD Forced Expiratory Volume after 0.5 seconds (L) | NUM | | 2.4 | 0-5 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV_5_FVC | [Clinical Exam Machine] Pre-BD Ratio of FEV.5 and FVC (%) | NUM | | 0.6 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV6 | [Clinical Exam Machine] Pre-BD Forced Expiratory Volume after 6 seconds (L) | NUM | | 3.9 | 1-8 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV6_PRED | [Clinical Exam Machine] Pre-BD Predicted Forced Expiratory Volume after 6 seconds (L) | NUM | | 4.2 | 2-7 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV6_LLN | [Clinical Exam Machine] Pre-BD Forced Expiratory Volume after 6 seconds lower limit of normal (L) | NUM | | 3.4 | 1-6 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV_75 | [Clinical Exam Machine] Pre-BD Forced expiratory volume after 0.75 seconds (L) | NUM | | 2.8 | 1-6 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV_75_FEV6 | [Clinical Exam Machine] Pre-BD Ratio of FEV.75 and FEV6 (%) | NUM | | 0.7 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV_75_FVC | [Clinical Exam Machine] Pre-BD Ratio of FEV.75 and FVC (%) | NUM | | 0.7 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FEV_75_VCMAX | [Clinical Exam Machine] Pre-BD Ratio of FEV.75 and VCMax (%) | NUM | | 0.7 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FVC | [Clinical Exam Machine] Pre-BD Forced vital capacity (L) | NUM | | 4.0 | 1-8 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FVC_PRED | [Clinical Exam Machine] Pre-BD Predicted FVC (L) | NUM | | 4.3 | 2-7 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_FVC_LLN | [Clinical Exam Machine] Pre-BD FVC lower limit of normal (L) | NUM | | 3.5 | 1-6 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MEF20 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 20% of FVC which still can be exhaled (FEF80) (L/s) | NUM | | 0.7 | 0-4 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MEF25 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 25% of FVC which still can be exhaled (FEF75) (L/s) | NUM | | 1.1 | 0-5 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MEF40 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 40% of FVC which still can be exhaled (FEF60) (L/s) | NUM | | 2.6 | 0-9 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MEF50 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 50% of FVC which still can be exhaled (FEF50) (L/s) | NUM | | 3.7 | 0-10 | 3143 | MISSING | 258 | 7.6 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_PRE_MEF60 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 60% of FVC which still can be exhaled (FEF40) (L/s) | NUM | | 4.8 | 0-12 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MEF75 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 75% of FVC which still can be exhaled (FEF25) (L/s) | NUM | | 6.5 | 0-13 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MEF90 | [Clinical Exam Machine] Pre-BD Forced Expiratory Flow at 90% of FVC which still can be exhaled (FEF10) (L/s) | NUM | | 7.0 | 0-14 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MMEF | [Clinical Exam Machine] Pre-BD Average flow rate between 25 and 75% of FVC (L/s) | NUM | | 2.8 | 0-9 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MMEF_PRED | [Clinical Exam Machine] Pre-BD Predicted Average flow rate between 25 and 75% of FVC (L/s) | NUM | | 3.3 | 1-5 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MMEF_LLN | [Clinical Exam Machine] Pre-BD Average flow rate between 25 and 75% of FVC lower limit of normal (L/s) | NUM | | 1.7 | 0-3 | 3141 | MISSING | 260 | 7.6 |
| CE_PRE_MTC1 | [Clinical Exam Machine] Pre-BD (FEF75 - FEF50) * 4 / FVC | NUM | | -2.7 | -9-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MTC2 | [Clinical Exam Machine] Pre-BD (FEF50 - FEF25) * 4 / FVC | NUM | | -2.8 | -9-2 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MTC3 | [Clinical Exam Machine] Pre-BD FEF25 * 4 / FVC | NUM | | 6.6 | 1-16 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_MTCR | [Clinical Exam Machine] Pre-BD MTC1 / MTC3 | NUM | | 1.0 | -337-133 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_PEF | [Clinical Exam Machine] Pre-BD Peak Expiratory Flow (L/s) | NUM | | 8.3 | 1-16 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_PEF_PRED | [Clinical Exam Machine] Pre-BD Predicted Peak Expiratory Flow (L/s) | NUM | | 8.6 | 4-12 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_PEF_LLN | [Clinical Exam Machine] Pre-BD Peak Expiratory Flow lower limit of normal (L/s) | NUM | | 6.3 | 2-9 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_PEF_L_MIN | [Clinical Exam Machine] Pre-BD Peak Expiratory Flow in liters per minute | NUM | | 499.0 | 88-977 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_PEF_L_MIN_PRED | [Clinical Exam Machine] Pre-BD Predicted Peak Expiratory Flow in liters per minute | NUM | | 517.0 | 249-737 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_PEF_L_MIN_LLN | [Clinical Exam Machine] Pre-BD Peak Expiratory Flow in liters per minute lower limit of normal | NUM | | 379.7 | 149-563 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_PEFT | [Clinical Exam Machine] Pre-BD Peak Expiratory Flow time (s) | NUM | | 0.1 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_T0 | [Clinical Exam Machine] Pre-BD T0 value | NUM | | 0.2 | 0-7 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_VCMAX | [Clinical Exam Machine] Pre-BD Largest VC value of a trial (L) | NUM | | 4.0 | 1-8 | 3143 | MISSING | 258 | 7.6 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_PRE_VCMAX_PRED | [Clinical Exam Machine] Pre-BD Predicted Largest VC value of a trial (L) | NUM | BEST | 4.3 | 2-7 | 3143 | MISSING | 258 | 7.6 |
| CE_PRE_VCMAX_LLN | [Clinical Exam Machine] Pre-BD Largest VC value of a trial lower limit of normal (L) | NUM | BEST | 3.5 | 1-6 | 3143 | MISSING | 258 | 7.6 |
| CE_POST_SAMPLE_TEST_DATE | [Clinical Exam Machine] Post-BD sample test date/timestamp | NUM | DATETIME | 1751664693 | 1.72477E9-1.78291E9 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_TEST_ID | [Clinical Exam Machine] Post-BD test ID | NUM | BEST | 3137.9 | 34-6233 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_TEST_DATE | [Clinical Exam Machine] Post-BD test date/timestamp | NUM | MMDDYY | ******** | ********-********E9 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_TRIAL_ID | [Clinical Exam Machine] Post-BD trial ID | NUM | BEST | 18815.6 | 193-37014 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_QUALITY_GRADE | [Clinical Exam Machine] Post-BD PFT Quality Grade | CHAR | $ | | | | | | |
| CE_POST_PFT_INTERP_OLD | [Clinical Exam Machine] Interpretation of POST-BD PFT results using Hankinson (1999) method [obsolete] | CHAR | | | | | | | |
| CE_POST_PFT_INTERP_NEW | [Clinical Exam Machine] Interpretation of POST-BD PFT results using Hankinson (1999) method | CHAR | | | | | | | |
| CE_POST_BEV | [Clinical Exam Machine] Post-BD Back Extrapolated Volume (L) | NUM | BEST | 0.1 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_EOTV | [Clinical Exam Machine] Post-BD End of Test Volume (L) | NUM | BEST | 0.0 | 0-2 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF10 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 10% of FVC (L/s) | NUM | BEST | 7.3 | 0-16 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF25 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 25% of FVC (L/s) | NUM | BEST | 6.9 | 1-14 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF2575 | [Clinical Exam Machine] Post-BD Average flow rate between 25 and 75% of FVC (L/s) | NUM | BEST | 3.3 | 0-9 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF2575_PRED | [Clinical Exam Machine] Post-BD Predicted Average flow rate between 25 and 75% of FVC (L/s) | NUM | BEST | 3.3 | 1-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF2575_LLN | [Clinical Exam Machine] Post-BD Average flow rate between 25 and 75% of FVC lower limit of normal (L/s) | NUM | BEST | 1.7 | 0-3 | 3047 | MISSING | 354 | 10.4 |
| CE_POST_FEF2575_6 | [Clinical Exam Machine] Post-BD Average flow rate between 25% and 75% of FVC6 (L/s) | NUM | BEST | 3.5 | 0-9 | 3048 | MISSING | 353 | 10.4 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_POST_FEF2575_FVC | [Clinical Exam Machine] Post-BD Ratio of FEF2575 and FVC (%) | NUM | BEST | 0.8 | 0-2 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF40 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 40% of FVC (L/s) | NUM | BEST | 5.3 | 0-13 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF50 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 50% of FVC (L/s) | NUM | BEST | 4.1 | 0-11 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF50_FVC | [Clinical Exam Machine] Post-BD Ratio of FEF50 and FVC (%) | NUM | BEST | 1.1 | 0-3 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF50_VCMAX | [Clinical Exam Machine] Post-BD Ratio of FEF50 and VCMax (%) | NUM | BEST | 1.1 | 0-3 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF60 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 60% of FVC (L/s) | NUM | BEST | 3.0 | 0-8 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF75 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 75% of FVC (L/s) | NUM | BEST | 1.3 | 0-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF7585 | [Clinical Exam Machine] Post-BD Average flow rate between 75 and 85% of FVC (L/s) | NUM | BEST | 0.8 | 0-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEF80 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 80% of FVC (L/s) | NUM | BEST | 0.9 | 0-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FET | [Clinical Exam Machine] Post-BD Forced Expiratory Time. Elapsed time since T0 at which end-of-test criteria is met. (s) | NUM | BEST | 9.4 | 2-25 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FET2575 | [Clinical Exam Machine] Post-BD Forced Expiratory Time between FEF25 and FEF75. Also called Mean Expiratory Time. (s) | NUM | BEST | 0.8 | 0-12 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1 | [Clinical Exam Machine] Post-BD Forced Expiratory Volume after 1 second (L) | NUM | BEST | 3.2 | 1-6 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_PRED | [Clinical Exam Machine] Post-BD Predicted FEV1 (L) | NUM | BEST | 3.4 | 1-6 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_LLN | [Clinical Exam Machine] Post-BD FEV1 lower limit of normal (L) | NUM | BEST | 2.7 | 1-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_FEV6 | [Clinical Exam Machine] Post-BD Ratio of FEV1 and FEV6 (%) | NUM | BEST | 0.8 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_FEV6_PRED | [Clinical Exam Machine] Post-BD Predicted Ratio of FEV1 to FEV6 (%) | NUM | BEST | 0.8 | 1-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_FEV6_LLN | [Clinical Exam Machine] Post-BD Ratio of FEV1 to FEV6 lower limit of normal (%) | NUM | BEST | 0.7 | 1-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_FVC | [Clinical Exam Machine] Post-BD Tiffenau Index, ratio of FEV1 and FVC (%) | NUM | BEST | 0.8 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_FVC_PRED | [Clinical Exam Machine] Post-BD Predicted FEV1/FVC (%) | NUM | BEST | 0.8 | 1-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_FVC_LLN | [Clinical Exam Machine] Post-BD FEV1/FVC lower limit of normal (%) | NUM | BEST | 0.7 | 1-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_VCMAX | [Clinical Exam Machine] Post-BD Ratio of FEV1 to VCMax (%) | NUM | BEST | 0.8 | 0-1 | 3048 | MISSING | 353 | 10.4 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_POST_FEV1_VCMAX_ PRED | [Clinical Exam Machine] Post-BD Predicted Ratio of FEV1 to VCMax (%) | NUM | BEST | 0.8 | 1-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV1_VCMAX_LLN | [Clinical Exam Machine] Post-BD Ratio of FEV1 to VCMax lower limit of normal (%) | NUM | BEST | 0.7 | 1-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV_25 | [Clinical Exam Machine] Post-BD Forced Expiratory Volume after 0.25 seconds (L) | NUM | BEST | 1.7 | 0-3 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV3 | [Clinical Exam Machine] Post-BD Forced Expiratory Volume after 3 seconds (L) | NUM | BEST | 3.7 | 1-8 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV3_FVC | [Clinical Exam Machine] Post-BD Ratio of FEV3 and FVC (%) | NUM | BEST | 0.9 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV3_VCMAX | [Clinical Exam Machine] Post-BD Ratio of FEV3 and VCMax (%) | NUM | BEST | 0.9 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV_5 | [Clinical Exam Machine] Post-BD Forced Expiratory Volume after 0.5 seconds (L) | NUM | BEST | 2.5 | 1-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV_5_FVC | [Clinical Exam Machine] Post-BD Ratio of FEV.5 and FVC (%) | NUM | BEST | 0.6 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV6 | [Clinical Exam Machine] Post-BD Forced Expiratory Volume after 6 seconds (L) | NUM | BEST | 3.9 | 1-8 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV6_PRED | [Clinical Exam Machine] Post-BD Predicted Forced Expiratory Volume after 6 seconds (L) | NUM | BEST | 4.2 | 2-7 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV6_LLN | [Clinical Exam Machine] Post-BD Forced Expiratory Volume after 6 seconds lower limit of normal (L) | NUM | BEST | 3.4 | 1-6 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV_75 | [Clinical Exam Machine] Post-BD Forced expiratory volume after 0.75 seconds (L) | NUM | BEST | 3.0 | 1-6 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV_75_FEV6 | [Clinical Exam Machine] Post-BD Ratio of FEV.75 and FEV6 (%) | NUM | BEST | 0.8 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV_75_FVC | [Clinical Exam Machine] Post-BD Ratio of FEV.75 and FVC (%) | NUM | BEST | 0.7 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FEV_75_VCMAX | [Clinical Exam Machine] Post-BD Ratio of FEV.75 and VCMax (%) | NUM | BEST | 0.7 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FVC | [Clinical Exam Machine] Post-BD Forced vital capacity (L) | NUM | BEST | 4.0 | 1-8 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FVC_PRED | [Clinical Exam Machine] Post-BD Predicted FVC (L) | NUM | BEST | 4.3 | 2-7 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_FVC_LLN | [Clinical Exam Machine] Post-BD FVC lower limit of normal (L) | NUM | BEST | 3.5 | 1-6 | 3048 | MISSING | 353 | 10.4 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_POST_MEF20 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 20% of FVC which still can be exhaled (FEF80) (L/s) | NUM | BEST | 0.9 | 0-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MEF25 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 25% of FVC which still can be exhaled (FEF75) (L/s) | NUM | BEST | 1.3 | 0-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MEF40 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 40% of FVC which still can be exhaled (FEF60) (L/s) | NUM | BEST | 3.0 | 0-8 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MEF50 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 50% of FVC which still can be exhaled (FEF50) (L/s) | NUM | BEST | 4.1 | 0-11 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MEF60 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 60% of FVC which still can be exhaled (FEF40) (L/s) | NUM | BEST | 5.3 | 0-13 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MEF75 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 75% of FVC which still can be exhaled (FEF25) (L/s) | NUM | BEST | 6.9 | 1-14 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MEF90 | [Clinical Exam Machine] Post-BD Forced Expiratory Flow at 90% of FVC which still can be exhaled (FEF10) (L/s) | NUM | BEST | 7.3 | 0-16 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MMEF | [Clinical Exam Machine] Post-BD Average flow rate between 25 and 75% of FVC (L/s) | NUM | BEST | 3.3 | 0-9 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MMEF_PRED | [Clinical Exam Machine] Post-BD Predicted Average flow rate between 25 and 75% of FVC (L/s) | NUM | BEST | 3.3 | 1-5 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MMEF_LLN | [Clinical Exam Machine] Post-BD Average flow rate between 25 and 75% of FVC lower limit of normal (L/s) | NUM | BEST | 1.7 | 0-3 | 3047 | MISSING | 354 | 10.4 |
| CE_POST_MTC1 | [Clinical Exam Machine] Post-BD (FEF75 - FEF50) * 4 / FVC | NUM | BEST | -2.9 | -10-1 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MTC2 | [Clinical Exam Machine] Post-BD (FEF50 - FEF25) * 4 / FVC | NUM | BEST | -2.8 | -9-2 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MTC3 | [Clinical Exam Machine] Post-BD FEF25 * 4 / FVC | NUM | BEST | 7.1 | 1-16 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_MTCR | [Clinical Exam Machine] Post-BD MTC1 / MTC3 | NUM | BEST | 2.1 | -178-1368 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_PEF | [Clinical Exam Machine] Post-BD Peak Expiratory Flow (L/s) | NUM | BEST | 8.6 | 1-16 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_PEF_PRED | [Clinical Exam Machine] Post-BD Predicted Peak Expiratory Flow (L/s) | NUM | BEST | 8.6 | 4-12 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_PEF_LLN | [Clinical Exam Machine] Post-BD Peak Expiratory Flow lower limit of normal (L/s) | NUM | BEST | 6.3 | 2-9 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_PEF_L_MIN | [Clinical Exam Machine] Post-BD Peak Expiratory Flow in liters per minute | NUM | BEST | 514.0 | 83-982 | 3048 | MISSING | 353 | 10.4 |

*Section Y - Pulmonary Function Testing (PFT)*

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_POST_PEF_L_MIN_PRED | [Clinical Exam Machine] Post-BD Predicted Peak Expiratory Flow in liters per minute | NUM | BEST | 517.4 | 249-737 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_PEF_L_MIN_LLN | [Clinical Exam Machine] Post-BD Peak Expiratory Flow in liters per minute lower limit of normal | NUM | BEST | 380.2 | 149-563 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_PEFT | [Clinical Exam Machine] Post-BD Peak Expiratory Flow time (s) | NUM | BEST | 0.1 | 0-0 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_T0 | [Clinical Exam Machine] Post-BD T0 value | NUM | BEST | 0.2 | 0-3 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_VCMAX | [Clinical Exam Machine] Post-BD Largest VC value of a trial (L) | NUM | BEST | 4.0 | 1-8 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_VCMAX_PRED | [Clinical Exam Machine] Post-BD Predicted Largest VC value of a trial (L) | NUM | BEST | 4.3 | 2-7 | 3048 | MISSING | 353 | 10.4 |
| CE_POST_VCMAX_LLN | [Clinical Exam Machine] Post-BD Largest VC value of a trial lower limit of normal (L) | NUM | BEST | 3.5 | 1-6 | 3048 | MISSING | 353 | 10.4 |
| CE_HANK_FEF2575_PRED_OLD | [Clinical Exam Machine] Predicted Average flow rate between 25 and 75% of FVC using Hankinson (1999) method (L) [obsolete] | NUM | | 3.3 | 1-5 | 3141 | MISSING | 260 | 7.6 |
| CE_HANK_FEF2575_PRED_NEW | [Clinical Exam Machine] Predicted Average flow rate between 25 and 75% of FVC using Hankinson (1999) method (L) | NUM | | 3.2 | 1-5 | 3147 | MISSING | 254 | 7.5 |
| CE_HANK_FEV1_PRED_OLD | [Clinical Exam Machine] Predicted FEV1 using Hankinson (1999) method (L) [obsolete] | NUM | | 3.4 | 2-6 | 3141 | MISSING | 260 | 7.6 |
| CE_HANK_FEV1_LLN_OLD | [Clinical Exam Machine] FEV1 lower limit of normal using Hankinson (1999) method (L) [obsolete] | NUM | | 2.7 | 1-5 | 3141 | MISSING | 260 | 7.6 |
| CE_HANK_FEV1_PRED_NEW | [Clinical Exam Machine] Predicted FEV1 using Hankinson (1999) method (L) | NUM | | 3.4 | 2-6 | 3147 | MISSING | 254 | 7.5 |
| CE_HANK_FEV1_LLN_NEW | [Clinical Exam Machine] FEV1 lower limit of normal using Hankinson (1999) method (L) | NUM | | 2.7 | 1-5 | 3147 | MISSING | 254 | 7.5 |
| CE_HANK_FEV1_FVC_PRED_OLD | [Clinical Exam Machine] Predicted FEV1/FVC using Hankinson (1999) method (%) [obsolete] | NUM | | 0.8 | 1-1 | 3141 | MISSING | 260 | 7.6 |
| CE_HANK_FEV1_FVC_LLN_OLD | [Clinical Exam Machine] FEV1/FVC lower limit of normal using Hankinson (1999) method (%) [obsolete] | NUM | | 0.7 | 1-1 | 3141 | MISSING | 260 | 7.6 |
| CE_HANK_FEV1_FVC_PRED_NEW | [Clinical Exam Machine] Predicted FEV1/FVC using Hankinson (1999) method (%) | NUM | | 0.8 | 1-1 | 3149 | MISSING | 252 | 7.4 |
| CE_HANK_FEV1_FVC_LLN_NEW | [Clinical Exam Machine] FEV1/FVC lower limit of normal using Hankinson (1999) method (%) | NUM | | 0.7 | 1-1 | 3149 | MISSING | 252 | 7.4 |

*Section Y - Pulmonary Function Testing (PFT)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_HANK_FVC_PRED_OLD | [Clinical Exam Machine] Predicted FVC using Hankinson (1999) method (L) [obsolete] | NUM | | 4.3 | 2-7 | 3141 | MISSING | 260 | 7.6 |
| CE_HANK_FVC_LLN_OLD | [Clinical Exam Machine] FVC lower limit of normal using Hankinson (1999) method (L) [obsolete] | NUM | | 3.5 | 2-6 | 3141 | MISSING | 260 | 7.6 |
| CE_HANK_FVC_PRED_NEW | [Clinical Exam Machine] Predicted FVC using Hankinson (1999) method (L) | NUM | | 4.3 | 2-7 | 3147 | MISSING | 254 | 7.5 |
| CE_HANK_FVC_LLN_NEW | [Clinical Exam Machine] FVC lower limit of normal using Hankinson (1999) method (L) | NUM | | 3.4 | 1-6 | 3147 | MISSING | 254 | 7.5 |
| CE_PRE_TEST_TIME | [Clinical Exam Machine] Pre-BD test time | NUM | TIME | 12:49 | 8:56-19:10 | 3140 | MISSING | 261 | 7.7 |
| CE_POST_TEST_TIME | [Clinical Exam Machine] Post-BD test time | NUM | TIME | 13:07 | 9:12-19:29 | 3045 | MISSING | 356 | 10.5 |
| CE_OVR_BEST_FVC_PRE | [Clinic Exam Overread] Best measure of forced expiratory vital capacity (L) | NUM | | 4.0 | 1-8 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_BEST_FEV1_PRE | [Clinic Exam Overread] Best measure of forced expiratory volume after 1 second (L) | NUM | | 3.1 | 1-6 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_BEST_PEF_PRE | [Clinic Exam Overread] Best measure of peak expiratory flow (L) | NUM | | 7.8 | 1-15 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_BEST_2575_PRE | [Clinic Exam Overread] Best measure of the average flow rate between 25 and 75% of FVC (L) | NUM | | 2.9 | 0-9 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_SCND_FVC_PRE | [Clinic Exam Overread] Second best measure of forced expiratory vital capacity (L) | NUM | | 3.9 | -1-8 | 3131 | MISSING | 270 | 7.9 |
| CE_OVR_SCND_FEV1_PRE | [Clinic Exam Overread] Second best measure of forced expiratory volume after 1 second (L) | NUM | | 3.0 | -1-6 | 3131 | MISSING | 270 | 7.9 |
| CE_OVR_SCND_PEF_PRE | [Clinic Exam Overread] Second best measure of peak expiratory flow (L) | NUM | | 7.7 | -1-15 | 3131 | MISSING | 270 | 7.9 |
| CE_OVR_SCND_2575_PRE | [Clinic Exam Overread] Second best measure of the average flow rate between 25 and 75% of FVC (L) | NUM | | 2.8 | -1-8 | 3131 | MISSING | 270 | 7.9 |
| CE_OVR_THRD_FVC_PRE | [Clinic Exam Overread] Third best measure of forced expiratory vital capacity (L) | NUM | | 3.8 | -1-8 | 3025 | MISSING | 376 | 11.1 |
| CE_OVR_THRD_FEV1_PRE | [Clinic Exam Overread] Third best measure of forced expiratory volume after 1 second (L) | NUM | | 2.9 | -1-6 | 3025 | MISSING | 376 | 11.1 |
| CE_OVR_THRD_PEF_PRE | [Clinic Exam Overread] Third best measure of peak expiratory flow (L) | NUM | | 7.5 | -1-15 | 3025 | MISSING | 376 | 11.1 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_OVR_THRD_2575_PRE | [Clinic Exam Overread] Third best measure of the average flow rate between 25 and 75% of FVC (L) | NUM | | 2.7 | -1-8 | 3025 | MISSING | 376 | 11.1 |
| CE_OVR_READER_QC_FEV1_PRE | [Clinic Exam Overread] Quality score for forced expiratory volume in 1 second assigned by overreader | NUM | | 3.4 | 0-4 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_READER_QC_FVC_PRE | [Clinic Exam Overread] Quality score for forced expiratory vital capacity assigned by overreader | NUM | | 3.3 | 0-4 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_READER_QC_FLOW_PRE | [Clinic Exam Overread] Quality score for flow assigned by overreader | NUM | | 3.2 | 0-4 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_COMMENTS_PRE | [Clinic Exam Overread] Comments from the overreader about quality of test | CHAR | | | | | | | |
| PRE_BD | Pre Post BD | NUM | | 0.0 | 0-0 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_BEST_FVC_POST | [Clinic Exam Overread] Best measure of forced expiratory vital capacity (L) | NUM | | 4.0 | 1-8 | 3044 | MISSING | 357 | 10.5 |
| CE_OVR_BEST_FEV1_POST | [Clinic Exam Overread] Best measure of forced expiratory volume after 1 second (L) | NUM | | 3.2 | 1-6 | 3044 | MISSING | 357 | 10.5 |
| CE_OVR_BEST_PEF_POST | [Clinic Exam Overread] Best measure of peak expiratory flow (L) | NUM | | 8.1 | 2-16 | 3044 | MISSING | 357 | 10.5 |
| CE_OVR_BEST_2575_POST | [Clinic Exam Overread] Best measure of the average flow rate between 25 and 75% of FVC (L) | NUM | | 3.3 | 0-9 | 3044 | MISSING | 357 | 10.5 |
| CE_OVR_SCND_FVC_POST | [Clinic Exam Overread] Second best measure of forced expiratory vital capacity (L) | NUM | | 3.9 | 1-8 | 3040 | MISSING | 361 | 10.6 |
| CE_OVR_SCND_FEV1_POST | [Clinic Exam Overread] Second best measure of forced expiratory volume after 1 second (L) | NUM | | 3.1 | 1-6 | 3040 | MISSING | 361 | 10.6 |
| CE_OVR_SCND_PEF_POST | [Clinic Exam Overread] Second best measure of peak expiratory flow (L) | NUM | | 8.0 | 1-16 | 3040 | MISSING | 361 | 10.6 |
| CE_OVR_SCND_2575_POST | [Clinic Exam Overread] Second best measure of the average flow rate between 25 and 75% of FVC (L) | NUM | | 3.2 | 0-9 | 3040 | MISSING | 361 | 10.6 |
| CE_OVR_THRD_FVC_POST | [Clinic Exam Overread] Third best measure of forced expiratory vital capacity (L) | NUM | | 3.8 | 1-7 | 2969 | MISSING | 432 | 12.7 |
| CE_OVR_THRD_FEV1_POST | [Clinic Exam Overread] Third best measure of forced expiratory volume after 1 second (L) | NUM | | 3.0 | 1-6 | 2969 | MISSING | 432 | 12.7 |
| CE_OVR_THRD_PEF_POST | [Clinic Exam Overread] Third best measure of peak expiratory flow (L) | NUM | | 7.8 | 1-14 | 2969 | MISSING | 432 | 12.7 |
| CE_OVR_THRD_2575_POST | [Clinic Exam Overread] Third best measure of the average flow rate between 25 and 75% of FVC (L) | NUM | | 3.1 | 0-10 | 2969 | MISSING | 432 | 12.7 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_OVR_READER_QC_FEV1_POST | [Clinic Exam Overread] Quality score for forced expiratory volume in 1 second assigned by overreader | NUM | | 3.5 | 0-4 | 3044 | MISSING | 357 | 10.5 |
| CE_OVR_READER_QC_FVC_POST | [Clinic Exam Overread] Quality score for forced expiratory vital capacity assigned by overreader | NUM | | 3.4 | 0-4 | 3044 | MISSING | 357 | 10.5 |
| CE_OVR_READER_QC_FLOW_POST | [Clinic Exam Overread] Quality score for flow assigned by overreader | NUM | | 3.3 | 0-4 | 3044 | MISSING | 357 | 10.5 |
| CE_OVR_COMMENTS_POST | [Clinic Exam Overread] Comments from the overreader about quality of test | CHAR | | | | | | | |
| POST_BD | Pre Post BD | NUM | | 1.0 | 1-1 | 3044 | MISSING | 357 | 10.5 |
| CE_PFT_COMP | [Clinical Exam Machine] Flag for machine completion | NUM | PFTCOMP | | | | 0 | Neither Pre-BD or Post-BD Complete | 258 | 7.6 |
| | | | | | | | 1 | Both Pre-BD and Post-BD Complete | 3048 | 89.6 |
| | | | | | | | 2 | Only Pre-BD Complete | 95 | 2.8 |
| CE_PRE_DISP | [Clinical Exam Machine] Flag for Pre-BD completion | NUM | PFTDISP_CE | | | | 1 | Pft Complete | 3143 | 92.4 |
| | | | | | | | 2 | Visit Terminated Early | 2 | 0.1 |
| | | | | | | | 3 | Medical Exclusion | 232 | 6.8 |
| | | | | | | | 4 | Participant Refused | 1 | 0.0 |
| | | | | | | | 5 | Technical Problem | 2 | 0.1 |
| | | | | | | | 6 | No Result, Reason Unknown | 16 | 0.5 |
| | | | | | | | 7 | Other Medical Reason | 4 | 0.1 |
| | | | | | | | 8 | Did Not Follow Directions | 1 | 0.0 |
| CE_POST_DISP | [Clinical Exam Machine] Flag for Post-BD completion | NUM | PFTDISP_CE | | | | 1 | Pft Complete | 3048 | 89.6 |
| | | | | | | | 2 | Visit Terminated Early | 2 | 0.1 |
| | | | | | | | 3 | Medical Exclusion | 232 | 6.8 |
| | | | | | | | 4 | Participant Refused | 35 | 1.0 |
| | | | | | | | 5 | Technical Problem | 7 | 0.2 |
| | | | | | | | 6 | No Result, Reason Unknown | 24 | 0.7 |
| | | | | | | | 7 | Other Medical Reason | 49 | 1.4 |
| | | | | | | | 8 | Did Not Follow Directions | 4 | 0.1 |
| CE_QUAN_SEX | [Clinical Exam Quanjer] Sex value used in calculating Quanjer (2012) equations | NUM | QSEX | 1.2 | 1-2 | 3401 | | 3401 | 100.0 |
| CE_QUAN_AGE | [Clinical Exam Quanjer] Age value used in calculating Quanjer (2012) equations | NUM | | 49.3 | 24-87 | 3401 | | 3401 | 100.0 |

*Section Y - Pulmonary Function Testing (PFT)*

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_QUAN_HEIGHT | [Clinical Exam Quanjer] Height value used in calculating Quanjer (2012) equations | NUM | | 173.3 | 141-199 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_ETHNICITY | [Clinical Exam Quanjer] Ethnicity value used in calculating Quanjer (2012) equations | NUM | QRACE | 1.7 | 1-5 | 3391 | MISSING | 10 | 0.3 |
| CE_QUAN_PRE_FEV1_VALUE | [Clinical Exam Quanjer] Forced expiratory volume after 1 second (L) | NUM | | 3.1 | 1-6 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_L_SPLINE | [Clinical Exam Quanjer] One of three splines (L,M, and S) which vary by age, sex, height, and ethnicity used to calculate Quanjer (2012) equations | NUM | | 0.0 | 0-0 | 3401 | | 3401 | 100.0 |
| CE_QUAN_PRE_M_SPLINE | [Clinical Exam Quanjer] One of three splines (L,M, and S) which vary by age, sex, height, and ethnicity used to calculate Quanjer (2012) equations | NUM | | -0.0 | -0-0 | 3401 | | 3401 | 100.0 |
| CE_QUAN_PRE_S_SPLINE | [Clinical Exam Quanjer] One of three splines (L,M, and S) which vary by age, sex, height, and ethnicity used to calculate Quanjer (2012) equations | NUM | | 0.0 | -0-0 | 3401 | | 3401 | 100.0 |
| CE_QUAN_PRE_FEV1_M | [Clinical Exam Quanjer] Predicted FEV1 using Quanjer (2012) method (L) | NUM | | 3.4 | 2-6 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FEV1_Z | [Clinical Exam Quanjer] Z score for FEV1 using Quanjer (2012) method (L) | NUM | | -0.6 | -5-3 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEV1_PCT_PRED | [Clinical Exam Quanjer] Percent predicted for FEV1 using Quanjer (2012) method (%) | NUM | | 90.7 | 21-144 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEV1_LLN | [Clinical Exam Quanjer] FEV1 lower limit of normal using Quanjer (2012) method (L) | NUM | | 2.6 | 1-5 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FVC_VALUE | [Clinical Exam Quanjer] Forced vital capacity (L) | NUM | | 4.0 | 1-8 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FVC_M | [Clinical Exam Quanjer] Predicted FVC using Quanjer (2012) method (L) | NUM | | 4.2 | 2-7 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FVC_Z | [Clinical Exam Quanjer] Z score for FVC using Quanjer (2012) method (L) | NUM | | -0.4 | -6-3 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FVC_PCT_PRED | [Clinical Exam Quanjer] Percent predicted for FVC using Quanjer (2012) method (%) | NUM | | 94.4 | 27-145 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FVC_LLN | [Clinical Exam Quanjer] FVC lower limit of normal using Quanjer (2012) method (L) | NUM | | 3.3 | 1-6 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FEV1FVC_VALUE | [Clinical Exam Quanjer] Tiffenau Index, ratio of FEV1 and FVC (%) | NUM | | 0.8 | 0-1 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEV1FVC_M | [Clinical Exam Quanjer] Predicted FEV1/FVC using Quanjer (2012) method (%) | NUM | | 0.8 | 1-1 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FEV1FVC_Z | [Clinical Exam Quanjer] Z score for FEV1/FVC using Quanjer (2012) method (%) | NUM | | -0.4 | -5-4 | 3143 | MISSING | 258 | 7.6 |

*Section Y - Pulmonary Function Testing (PFT)*

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_QUAN_PRE_FEV1FVC_ LLN | [Clinical Exam Quanjer] FEV1/FVC lower limit of normal using Quanjer (2012) method (%) | NUM | | 0.7 | 1-1 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FEV1FVC_ PCT_PRED | [Clinical Exam Quanjer] Percent predicted for FEV1/FVC using Quanjer (2012) method (%) | NUM | | 95.8 | 38-125 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEF2575_ VALUE | [Clinical Exam Quanjer] Average flow rate between 25 and 75% of FVC (L) | NUM | | 2.8 | 0-9 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEF2575_M | [Clinical Exam Quanjer] Predicted average flow rate between 25 and 75% of FVC using Quanjer (2012) method (L) | NUM | | 3.2 | 1-6 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FEF2575_Z | [Clinical Exam Quanjer] Z score for average flow rate between 25 and 75% of FVC using Quanjer (2012) method (L) | NUM | | -0.4 | -5-4 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEF2575_LLN | [Clinical Exam Quanjer] FEF2575 lower limit of normal using Quanjer (2012) method (L) | NUM | | 1.7 | 1-4 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FEF2575_PCT_ PRED | [Clinical Exam Quanjer] Percent predicted for FEF2575 using Quanjer (2012) method (%) | NUM | | 89.4 | 7-313 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEF75_VALUE | [Clinical Exam Quanjer] Forced expiratory flow at 75% of FVC (L) | NUM | | 1.1 | 0-5 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEF75_M | [Clinical Exam Quanjer] Predicted FEF75 using Quanjer (2012) method (L) | NUM | | 1.1 | 0-3 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FEF75_Z | [Clinical Exam Quanjer] Z score for FEF75 using Quanjer (2012) method (L) | NUM | | -0.2 | -5-4 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_PRE_FEF75_LLN | [Clinical Exam Quanjer] FEF75 lower limit of normal using Quanjer (2012) method (L) | NUM | | 0.5 | 0-1 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_PRE_FEF75_PCT_ PRED | [Clinical Exam Quanjer] Percent predicted for FEF25 using Quanjer (2012) method (%) | NUM | | 104.1 | 7-805 | 3143 | MISSING | 258 | 7.6 |
| CE_QUAN_POST_FEV1_ VALUE | [Clinical Exam Quanjer] Forced expiratory volume after 1 second (L) | NUM | | 3.2 | 1-6 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_L_SPLINE | [Clinical Exam Quanjer] One of three splines (L,M, and S) which vary by age, sex, height, and ethnicity used to calculate Quanjer (2012) equations | NUM | | 0.0 | 0-0 | 3401 | | 3401 | 100.0 |
| CE_QUAN_POST_M_SPLINE | [Clinical Exam Quanjer] One of three splines (L,M, and S) which vary by age, sex, height, and ethnicity used to calculate Quanjer (2012) equations | NUM | | -0.0 | -0-0 | 3401 | | 3401 | 100.0 |
| CE_QUAN_POST_S_SPLINE | [Clinical Exam Quanjer] One of three splines (L,M, and S) which vary by age, sex, height, and ethnicity used to calculate Quanjer (2012) equations | NUM | | 0.0 | -0-0 | 3401 | | 3401 | 100.0 |
| CE_QUAN_POST_FEV1_M | [Clinical Exam Quanjer] Predicted FEV1 using Quanjer (2012) method (L) | NUM | | 3.4 | 2-6 | 3398 | MISSING | 3 | 0.1 |

*Section Y - Pulmonary Function Testing (PFT)*

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_QUAN_POST_FEV1_Z | [Clinical Exam Quanjer] Z score for FEV1 using Quanjer (2012) method (L) | NUM | | -0.4 | -5-5 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEV1_PCT_PRED | [Clinical Exam Quanjer] Percent predicted for FEV1 using Quanjer (2012) method (%) | NUM | | 93.6 | 23-162 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEV1_LLN | [Clinical Exam Quanjer] FEV1 lower limit of normal using Quanjer (2012) method (L) | NUM | | 2.6 | 1-5 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_POST_FVC_VALUE | [Clinical Exam Quanjer] Forced vital capacity (L) | NUM | | 4.0 | 1-8 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FVC_M | [Clinical Exam Quanjer] Predicted FVC using Quanjer (2012) method (L) | NUM | | 4.2 | 2-7 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_POST_FVC_Z | [Clinical Exam Quanjer] Z score for FVC using Quanjer (2012) method (L) | NUM | | -0.4 | -5-4 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FVC_PCT_PRED | [Clinical Exam Quanjer] Percent predicted for FVC using Quanjer (2012) method (%) | NUM | | 94.4 | 37-155 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FVC_LLN | [Clinical Exam Quanjer] FVC lower limit of normal using Quanjer (2012) method (L) | NUM | | 3.3 | 1-6 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_POST_FEV1FVC_VALUE | [Clinical Exam Quanjer] Tiffenau Index, ratio of FEV1 and FVC (%) | NUM | | 0.8 | 0-1 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEV1FVC_M | [Clinical Exam Quanjer] Predicted FEV1/FVC using Quanjer (2012) method (%) | NUM | | 0.8 | 1-1 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_POST_FEV1FVC_Z | [Clinical Exam Quanjer] Z score for FEV1/FVC using Quanjer (2012) method (%) | NUM | | -0.0 | -5-3 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEV1FVC_LLN | [Clinical Exam Quanjer] FEV1/FVC lower limit of normal using Quanjer (2012) method (%) | NUM | | 0.7 | 1-1 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_POST_FEV1FVC_PCT_PRED | [Clinical Exam Quanjer] Percent predicted for FEV1/FVC using Quanjer (2012) method (%) | NUM | | 99.0 | 36-123 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEF2575_VALUE | [Clinical Exam Quanjer] Average flow rate between 25 and 75% of FVC (L) | NUM | | 3.3 | 0-9 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEF2575_M | [Clinical Exam Quanjer] Predicted average flow rate between 25 and 75% of FVC using Quanjer (2012) method (L) | NUM | | 3.2 | 1-6 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_POST_FEF2575_Z | [Clinical Exam Quanjer] Z score for average flow rate between 25 and 75% of FVC using Quanjer (2012) method (L) | NUM | | -0.1 | -5-3 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEF2575_LLN | [Clinical Exam Quanjer] FEF2575 lower limit of normal using Quanjer (2012) method (L) | NUM | | 1.7 | 1-4 | 3398 | MISSING | 3 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_QUAN_POST_FEF2575_ PCT_PRED | [Clinical Exam Quanjer] Percent predicted for FEF2575 using Quanjer (2012) method (%) | NUM | | 101.9 | 7-278 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEF75_ VALUE | [Clinical Exam Quanjer] Forced expiratory flow at 75% of FVC (L) | NUM | | 1.3 | 0-5 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEF75_M | [Clinical Exam Quanjer] Predicted FEF75 using Quanjer (2012) method (L) | NUM | | 1.1 | 0-3 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_POST_FEF75_Z | [Clinical Exam Quanjer] Z score for FEF75 using Quanjer (2012) method (L) | NUM | | 0.2 | -4-4 | 3048 | MISSING | 353 | 10.4 |
| CE_QUAN_POST_FEF75_LLN | [Clinical Exam Quanjer] FEF75 lower limit of normal using Quanjer (2012) method (L) | NUM | | 0.5 | 0-1 | 3398 | MISSING | 3 | 0.1 |
| CE_QUAN_POST_FEF75_PCT_ PRED | [Clinical Exam Quanjer] Percent predicted for FEF25 using Quanjer (2012) method (%) | NUM | | 124.6 | 10-501 | 3048 | MISSING | 353 | 10.4 |
| CE_OVR_SESSION_SCORE_ PRE | [Clinical Exam Overread] Minimum quality score for FEV1 and FVC | NUM | | 3.1 | 0-4 | 3140 | MISSING | 261 | 7.7 |
| CE_OVR_QUALITY_PRE | [Clinical Exam Overread] Overread quality score | CHAR | | | | | | | |
| CE_OVR_PASS_PRE | [Clinical Exam Overread] Overread passing quality score | NUM | NY | | .M | | Missing | 261 | 7.7 |
| | | | | | 0 | | No | 302 | 8.9 |
| | | | | | 1 | | Yes | 2838 | 83.4 |
| CE_PRE_PASS_PRE | [Clinical Exam Machine] Machine passing quality score | NUM | NY | | .M | | Missing | 258 | 7.6 |
| | | | | | 0 | | No | 532 | 15.6 |
| | | | | | 1 | | Yes | 2611 | 76.8 |
| CE_OVR_SAVED_PRE | [Clinical Exam Overread] Passing overread score, failing machine score | NUM | NY | | .M | | Missing | 261 | 7.7 |
| | | | | | 0 | | No | 2870 | 84.4 |
| | | | | | 1 | | Yes | 270 | 7.9 |
| CE_OVR_TOSSED_PRE | [Clinical Exam Overread] Failing overread score, passing machine score | NUM | NY | | .M | | Missing | 261 | 7.7 |
| | | | | | 0 | | No | 3100 | 91.1 |
| | | | | | 1 | | Yes | 40 | 1.2 |
| CE_OVR_SESSION_SCORE_ POST | [Clinical Exam Overread] Minimum quality score for FEV1 and FVC | NUM | | 3.2 | 0-4 | 3044 | MISSING | 357 | 10.5 |
| CE_OVR_QUALITY_POST | [Clinical Exam Overread] Overread quality score | CHAR | | | | | | | |
| CE_OVR_PASS_POST | [Clinical Exam Overread] Overread passing quality score | NUM | NY | | . | | Missing | 357 | 10.5 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 0 | | No | 216 | 6.4 |
| | | | | | 1 | | Yes | 2828 | 83.2 |
| CE_PRE_PASS_POST | [Clinical Exam Machine] Machine passing quality score | NUM | NY | | .M | | Missing | 353 | 10.4 |
| | | | | | 0 | | No | 361 | 10.6 |
| | | | | | 1 | | Yes | 2687 | 79.0 |
| CE_OVR_SAVED_POST | [Clinical Exam Overread] Passing overread score, failing machine score | NUM | NY | | .M | | Missing | 357 | 10.5 |
| | | | | | 0 | | No | 2864 | 84.2 |
| | | | | | 1 | | Yes | 180 | 5.3 |
| CE_OVR_TOSSED_POST | [Clinical Exam Overread] Failing overread score, passing machine score | NUM | NY | | .M | | Missing | 357 | 10.5 |
| | | | | | 0 | | No | 3009 | 88.5 |
| | | | | | 1 | | Yes | 35 | 1.0 |
| CE_Y1_YN | CE_Y1_YN. Do you consider yourself to be Hispanic or Latino? | NUM | DKREFYN | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 1 | | Yes | 76 | 2.2 |
| | | | | | 2 | | No | 3093 | 90.9 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y2_1_YN | CE_Y2_1_YN. What race do you consider yourself to be? Please select one or more of these categories: American Indian or Alaskan Native | NUM | NYREFDK | | . | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3021 | 88.8 |
| | | | | | 1 | | Yes | 151 | 4.4 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_2_YN | CE_Y2_2_YN. What race do you consider yourself to be? Please select one or more of these categories: Asian | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3150 | 92.6 |
| | | | | | 1 | | Yes | 22 | 0.6 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_3_YN | CE_Y2_3_YN. What race do you consider yourself to be? Please select one or more of these categories: Black or African American | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 0 | | No | 1888 | 55.5 |
| | | | | | 1 | | Yes | 1284 | 37.8 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_4_YN | CE_Y2_4_YN. What race do you consider yourself to be? Please select one or more of these categories: Native Hawaiian or Pacific Islander | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3160 | 92.9 |
| | | | | | 1 | | Yes | 12 | 0.4 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_5_YN | CE_Y2_5_YN. What race do you consider yourself to be? Please select one or more of these categories: White | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1431 | 42.1 |
| | | | | | 1 | | Yes | 1741 | 51.2 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_6_YN | CE_Y2_6_YN. What race do you consider yourself to be? Please select one or more of these categories: OTHER, SPECIFY | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3110 | 91.4 |
| | | | | | 1 | | Yes | 62 | 1.8 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y2_6_OTHER_TXT | CE_Y2_6_OTHER_TXT. What race do you consider yourself to be? Please select one or more of these categories: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | | | | | |
| CE_Y3_YN | CE_Y3_YN. Do you consider your (biological) mother to be Hispanic or Latino? | NUM | DKREFYN | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 1 | | Yes | 51 | 1.5 |
| | | | | | 2 | | No | 3112 | 91.5 |
| | | | | | 8 | | Don't Know | 10 | 0.3 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y4_1_YN | CE_Y4_1_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: American Indian or Alaskan Native | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 0 | | No | 3004 | 88.3 |
| | | | | | 1 | | Yes | 159 | 4.7 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_2_YN | CE_Y4_2_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: Asian | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3138 | 92.3 |
| | | | | | 1 | | Yes | 25 | 0.7 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_3_YN | CE_Y4_3_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: Black or African American | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1905 | 56.0 |
| | | | | | 1 | | Yes | 1258 | 37.0 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_4_YN | CE_Y4_4_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: Native Hawaiian or Pacific Islander | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3154 | 92.7 |
| | | | | | 1 | | Yes | 9 | 0.3 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_5_YN | CE_Y4_5_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: White | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1449 | 42.6 |
| | | | | | 1 | | Yes | 1714 | 50.4 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_Y4_6_YN | CE_Y4_6_YN. What race do you consider your (biological) mother to be? Please select one or more of these categories: OTHER, SPECIFY | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3091 | 90.9 |
| | | | | | 1 | | Yes | 72 | 2.1 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_Y4_6_OTHER_TXT | CE_Y4_6_OTHER_TXT. What race do you consider your (biological) mother to be? Please select one or more of these categories: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | | | | | |
| CE_Y5_YN | CE_Y5_YN. Do you consider your (biological) father to be Hispanic or Latino? | NUM | DKREFYN | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 1 | | Yes | 56 | 1.6 |
| | | | | | 2 | | No | 3098 | 91.1 |
| | | | | | 8 | | Don't Know | 20 | 0.6 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_Y6_1_YN | CE_Y6_1_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: American Indian or Alaskan Native | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3004 | 88.3 |
| | | | | | 1 | | Yes | 145 | 4.3 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_2_YN | CE_Y6_2_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: Asian | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3126 | 91.9 |
| | | | | | 1 | | Yes | 23 | 0.7 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_3_YN | CE_Y6_3_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: Black or African American | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1879 | 55.2 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | Yes | 1270 | 37.3 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_4_YN | CE_Y6_4_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: Native Hawaiian or Pacific Islander | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3140 | 92.3 |
| | | | | | 1 | | Yes | 9 | 0.3 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_5_YN | CE_Y6_5_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: White | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 1451 | 42.7 |
| | | | | | 1 | | Yes | 1698 | 49.9 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_6_YN | CE_Y6_6_YN. What race do you consider your (biological) father to be? Please select one or more of these categories: OTHER, SPECIFY | NUM | NYREFDK | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 0 | | No | 3080 | 90.6 |
| | | | | | 1 | | Yes | 69 | 2.0 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_Y6_6_OTHER_TXT | CE_Y6_6_OTHER_TXT. What race do you consider your (biological) father to be? Please select one or more of these categories: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | | | | | |
| CE_Y7_YN | CE_Y7_YN. Did participant complete pulmonary function testing (PFT)? | NUM | YN | | .M | | Missing | 5 | 0.1 |
| | | | | | .S | | Skipped | 216 | 6.4 |
| | | | | | 1 | | Yes | 3132 | 92.1 |
| | | | | | 2 | | No | 48 | 1.4 |
| CE_Y7A | CE_Y7A. Did participant complete pulmonary function testing (PFT)? If no, provide a reason | NUM | NOCOLLH | | . | | Missing | 38 | 1.1 |

*DATA SET: ce_pft_master_20250211*
*DATE CREATED: 02/11/2025*
*Number of Observations: 3401*
*Number of Variables: 356*
*Organization of file: One Record per Participant (ID)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Missing | 38 | 1.1 |
| | | | | | | | Skipped | 3348 | 98.4 |
| | | | | | 3 | | Other, Specify | 15 | 0.4 |
| CE_Y7A_OTHER_TXT | CE_Y7A_OTHER_TXT. Did participant complete pulmonary function testing (PFT)? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | | | | | |
| CE_Y8_DATE | CE_Y8_DATE. Date of PFT procedure [DATE: MM/DD/YYYY] | NUM | MMDDYY | 07/04/15 | 08/27/14-06/30/16 | 3121 | MISSING | 14 | 0.4 |
| | | | | | | | SKIPPED | 266 | 7.8 |
| CE_Y10 | CE_Y10. Record start time of pre-bronchodilator (albuterol) spirometry | NUM | AMPM | | . | | Missing | 13 | 0.4 |
| | | | | | .S | | Skipped | 264 | 7.8 |
| | | | | | 1 | | Am | 1260 | 37.0 |
| | | | | | 2 | | Pm | 1864 | 54.8 |
| CE_Y10_PRE_START_TIME | CE_Y10_PRE_START_TIME. Start time of pre-bronchodilator (albuterol) spirometry | NUM | TIME | 12:47 | 8:55-19:05 | 3124 | MISSING | 13 | 0.4 |
| | | | | | | | SKIPPED | 264 | 7.8 |
| CE_Y10A_YN | CE_Y10A_YN. Did participant agree to albuterol administration? | NUM | YN | | . | | Missing | 239 | 7.0 |
| | | | | | .S | | Skipped | 266 | 7.8 |
| | | | | | 1 | | Yes | 2817 | 82.8 |
| | | | | | 2 | | No | 79 | 2.3 |
| CE_Y10B | CE_Y10B. Did participant agree to albuterol administration? If no, provide a reason | NUM | NOCOLL | | . | | Missing | 239 | 7.0 |
| | | | | | .M | | Missing | 239 | 7.0 |
| | | | | | .S | | Skipped | 3083 | 90.6 |
| | | | | | 1 | | Medical Reason | 16 | 0.5 |
| | | | | | 2 | | Other, Specify | 37 | 1.1 |
| | | | | | 9 | | Refused | 26 | 0.8 |
| CE_Y10B_OTHER_TXT | CE_Y10B_OTHER_TXT. Did participant agree to albuterol administration? If no, provide a reason: OTHER, SPECIFY [TEXT: SPECIFY] | CHAR | $CHAR | | | | | | |
| CE_Y11 | CE_Y11. Record start time of bronchodilator (albuterol) administration [UNITS: AM, PM] | NUM | AMPM | | .M | | Missing | 22 | 0.6 |
| | | | | | .S | | Skipped | 345 | 10.1 |

*Section Y - Pulmonary Function Testing (PFT)*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | Am | 1165 | 34.3 |
| | | | | | 2 | | Pm | 1869 | 55.0 |
| CE_Y11_START_TIME | CE_Y11_START_TIME. Start time of bronchodilator (albuterol) administration [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 12:53 | 8:58-19:14 | 3034 | MISSING | 22 | 0.6 |
| | | | | | | | SKIPPED | 345 | 10.1 |
| CE_Y12_NUM | CE_Y12_NUM. Bronchodilator (albuterol) puffs administered [UNITS: NUMBER OF PUFFS ADMINISTERED] | NUM | BEST | 4.0 | 1-4 | 3031 | MISSING | 25 | 0.7 |
| | | | | | | | SKIPPED | 345 | 10.1 |
| CE_Y13 | CE_Y13. Record start time of post-bronchodilator (albuterol) spirometry [UNITS: AM, PM] | NUM | AMPM | | .M | | Missing | 48 | 1.4 |
| | | | | | .S | | Skipped | 349 | 10.3 |
| | | | | | 1 | | Am | 1044 | 30.7 |
| | | | | | 2 | | Pm | 1960 | 57.6 |
| CE_Y13_POST_START_TIME | CE_Y13_POST_START_TIME. Start time of post-bronchodilator (albuterol) spirometry [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 13:06 | 9:12-19:29 | 3004 | MISSING | 48 | 1.4 |
| | | | | | | | SKIPPED | 349 | 10.3 |
| CE_Y14 | CE_Y14. Record stop time of spirometry test [UNITS: AM, PM] | NUM | AMPM | | .M | | Missing | 76 | 2.2 |
| | | | | | .S | | Skipped | 274 | 8.1 |
| | | | | | 1 | | Am | 1016 | 29.9 |
| | | | | | 2 | | Pm | 2035 | 59.8 |
| CE_Y14_STOP_TIME | CE_Y14_STOP_TIME. Stop time of spirometry test [TIME: HH:MM (00:00-23:59)] | NUM | TIME | 13:11 | 9:14-19:33 | 3051 | MISSING | 76 | 2.2 |
| | | | | | | | SKIPPED | 274 | 8.1 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| | | | | | | | | | |
| CE_MH_A1 | CE_MH_A1. In general, would you say your health is... | NUM | EXCEL | | . | | Missing | 48 | 1.4 |
| | | | | | 1 | | Excellent | 239 | 7.0 |
| | | | | | 2 | | Very Good | 735 | 21.6 |
| | | | | | 3 | | Good | 1334 | 39.2 |
| | | | | | 4 | | Fair | 866 | 25.5 |
| | | | | | 5 | | Poor | 174 | 5.1 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| | | | | | | | | | |
| CE_MH_A2 | CE_MH_A2. In the past month (4 weeks), has your health limited you in...Moderate activities such as moving a table, pushing a vacuum cleaner, or carrying groceries. Would you say... | NUM | LIMIT | | . | | Missing | 53 | 1.6 |
| | | | | | 1 | | Yes, Limited A Lot | 341 | 10.0 |
| | | | | | 2 | | Yes, Limited A Little | 592 | 17.4 |
| | | | | | 3 | | No, Not Limited At All | 2412 | 70.9 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| | | | | | | | | | |
| CE_MH_A3 | CE_MH_A3. In the past month (4 weeks), has your health limited you in...Climbing several flights of stairs. Would you say... | NUM | LIMIT | | . | | Missing | 53 | 1.6 |
| | | | | | 1 | | Yes, Limited A Lot | 498 | 14.6 |
| | | | | | 2 | | Yes, Limited A Little | 764 | 22.5 |
| | | | | | 3 | | No, Not Limited At All | 2072 | 60.9 |
| | | | | | 8 | | Don't Know | 12 | 0.4 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| | | | | | | | | | |
| CE_MH_A4 | CE_MH_A4. During the past 4 weeks, how much of the time have you accomplished less than you would like as a result of your physical health? | NUM | FEEL | | . | | Missing | 55 | 1.6 |
| | | | | | 1 | | All Of The Time | 167 | 4.9 |
| | | | | | 2 | | Most Of The Time | 383 | 11.3 |
| | | | | | 3 | | Some Of The Time | 732 | 21.5 |
| | | | | | 4 | | A Little Of The Time | 450 | 13.2 |
| | | | | | 5 | | None Of The Time | 1610 | 47.3 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_A5 | CE_MH_A5. During the past 4 weeks, how much of the time have you been limited in the kind of work or other activities you could do as a result of your physical health? | NUM | FEEL | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | All Of The Time | 181 | 5.3 |
| | | | | | 2 | | Most Of The Time | 319 | 9.4 |
| | | | | | 3 | | Some Of The Time | 675 | 19.8 |
| | | | | | 4 | | A Little Of The Time | 401 | 11.8 |
| | | | | | 5 | | None Of The Time | 1765 | 51.9 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_A6 | CE_MH_A6. During the past 4 weeks, how much of the time have you accomplished less than you would like as a result of any emotional problems (such as feeling depressed or anxious)? | NUM | FEEL | | . | | Missing | 55 | 1.6 |
| | | | | | 1 | | All Of The Time | 91 | 2.7 |
| | | | | | 2 | | Most Of The Time | 218 | 6.4 |
| | | | | | 3 | | Some Of The Time | 567 | 16.7 |
| | | | | | 4 | | A Little Of The Time | 347 | 10.2 |
| | | | | | 5 | | None Of The Time | 2115 | 62.2 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_A7 | CE_MH_A7. During the past 4 weeks, how much of the time did you do work or other activities less carefully than usual as a result of any emotional problems (such as feeling depressed or anxious)? | NUM | FEEL | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | All Of The Time | 68 | 2.0 |
| | | | | | 2 | | Most Of The Time | 175 | 5.1 |
| | | | | | 3 | | Some Of The Time | 458 | 13.5 |
| | | | | | 4 | | A Little Of The Time | 313 | 9.2 |
| | | | | | 5 | | None Of The Time | 2323 | 68.3 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_A8 | CE_MH_A8. During the past 4 weeks, how much did pain interfere with your normal work, including work outside the home and housework? | NUM | AMOUNT | | . | | Missing | 58 | 1.7 |
| | | | | | 1 | | Not At All | 1388 | 40.8 |
| | | | | | 2 | | A Little Bit | 824 | 24.2 |
| | | | | | 3 | | Moderately | 496 | 14.6 |
| | | | | | 4 | | Quite A Bit | 375 | 11.0 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 5 | | Extremely | 258 | 7.6 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_A9 | CE_MH_A9. How much of the time during the past 4 weeks have you felt calm and peaceful? | NUM | FEEL | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | All Of The Time | 642 | 18.9 |
| | | | | | 2 | | Most Of The Time | 1461 | 43.0 |
| | | | | | 3 | | Some Of The Time | 802 | 23.6 |
| | | | | | 4 | | A Little Of The Time | 300 | 8.8 |
| | | | | | 5 | | None Of The Time | 137 | 4.0 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_A10 | CE_MH_A10. How much of the time during the past 4 weeks did you have a lot of energy? | NUM | FEEL | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | All Of The Time | 390 | 11.5 |
| | | | | | 2 | | Most Of The Time | 1182 | 34.8 |
| | | | | | 3 | | Some Of The Time | 1099 | 32.3 |
| | | | | | 4 | | A Little Of The Time | 425 | 12.5 |
| | | | | | 5 | | None Of The Time | 245 | 7.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_A11 | CE_MH_A11. How much of the time during the past 4 weeks have you felt downhearted and depressed? | NUM | FEEL | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | All Of The Time | 88 | 2.6 |
| | | | | | 2 | | Most Of The Time | 206 | 6.1 |
| | | | | | 3 | | Some Of The Time | 683 | 20.1 |
| | | | | | 4 | | A Little Of The Time | 572 | 16.8 |
| | | | | | 5 | | None Of The Time | 1793 | 52.7 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_A12 | CE_MH_A12. During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities, like visiting friends or relatives? | NUM | FEEL | | . | | Missing | 49 | 1.4 |
| | | | | | 1 | | All Of The Time | 112 | 3.3 |
| | | | | | 2 | | Most Of The Time | 214 | 6.3 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 3 | | Some Of The Time | 489 | 14.4 |
| | | | | | 4 | | A Little Of The Time | 294 | 8.6 |
| | | | | | 5 | | None Of The Time | 2233 | 65.7 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_B1 | CE_MH_B1. How much do you agree with the following statement as it applies to you over the past month: I am able to adapt when changes occur. | NUM | TRUE | | . | | Missing | 53 | 1.6 |
| | | | | | 1 | | Not True At All | 82 | 2.4 |
| | | | | | 2 | | Rarely True | 98 | 2.9 |
| | | | | | 3 | | Sometimes True | 611 | 18.0 |
| | | | | | 4 | | Often True | 841 | 24.7 |
| | | | | | 5 | | True Nearly All The Time | 1710 | 50.3 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_B2 | CE_MH_B2. How much do you agree with the following statement as it applies to you over the past month: I can deal with whatever comes my way. | NUM | TRUE | | . | | Missing | 55 | 1.6 |
| | | | | | 1 | | Not True At All | 60 | 1.8 |
| | | | | | 2 | | Rarely True | 54 | 1.6 |
| | | | | | 3 | | Sometimes True | 595 | 17.5 |
| | | | | | 4 | | Often True | 878 | 25.8 |
| | | | | | 5 | | True Nearly All The Time | 1752 | 51.5 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_B3 | CE_MH_B3. How much do you agree with the following statement as it applies to you over the past month: I try to see the humorous side of things when I am faced with problems. | NUM | TRUE | | . | | Missing | 58 | 1.7 |
| | | | | | 1 | | Not True At All | 66 | 1.9 |
| | | | | | 2 | | Rarely True | 87 | 2.6 |
| | | | | | 3 | | Sometimes True | 680 | 20.0 |
| | | | | | 4 | | Often True | 843 | 24.8 |
| | | | | | 5 | | True Nearly All The Time | 1659 | 48.8 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 2 | 0.1 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_B4 | CE_MH_B4. How much do you agree with the following statement as it applies to you over the past month: Having to cope with stress can make me stronger. | NUM | TRUE | | . | | Missing | 57 | 1.7 |
| | | | | | 1 | | Not True At All | 352 | 10.3 |
| | | | | | 2 | | Rarely True | 198 | 5.8 |
| | | | | | 3 | | Sometimes True | 846 | 24.9 |
| | | | | | 4 | | Often True | 725 | 21.3 |
| | | | | | 5 | | True Nearly All The Time | 1200 | 35.3 |
| | | | | | 8 | | Don't Know | 20 | 0.6 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_B5 | CE_MH_B5. How much do you agree with the following statement as it applies to you over the past month: I tend to bounce back after illness, injury, or other hardships. | NUM | TRUE | | . | | Missing | 57 | 1.7 |
| | | | | | 1 | | Not True At All | 79 | 2.3 |
| | | | | | 2 | | Rarely True | 68 | 2.0 |
| | | | | | 3 | | Sometimes True | 518 | 15.2 |
| | | | | | 4 | | Often True | 849 | 25.0 |
| | | | | | 5 | | True Nearly All The Time | 1821 | 53.5 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_B6 | CE_MH_B6. How much do you agree with the following statement as it applies to you over the past month: I believe I can achieve my goals, even if there are obstacles. | NUM | TRUE | | . | | Missing | 58 | 1.7 |
| | | | | | 1 | | Not True At All | 40 | 1.2 |
| | | | | | 2 | | Rarely True | 49 | 1.4 |
| | | | | | 3 | | Sometimes True | 442 | 13.0 |
| | | | | | 4 | | Often True | 894 | 26.3 |
| | | | | | 5 | | True Nearly All The Time | 1914 | 56.3 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_B7 | CE_MH_B7. How much do you agree with the following statement as it applies to you over the past month: Under pressure, I stay focused and think clearly. | NUM | TRUE | | . | | Missing | 57 | 1.7 |
| | | | | | 1 | | Not True At All | 96 | 2.8 |
| | | | | | 2 | | Rarely True | 94 | 2.8 |
| | | | | | 3 | | Sometimes True | 653 | 19.2 |
| | | | | | 4 | | Often True | 992 | 29.2 |
| | | | | | 5 | | True Nearly All The Time | 1506 | 44.3 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_B8 | CE_MH_B8. How much do you agree with the following statement as it applies to you over the past month: I am not easily discouraged by failure. | NUM | TRUE | | . | | Missing | 59 | 1.7 |
| | | | | | 1 | | Not True At All | 215 | 6.3 |
| | | | | | 2 | | Rarely True | 128 | 3.8 |
| | | | | | 3 | | Sometimes True | 637 | 18.7 |
| | | | | | 4 | | Often True | 821 | 24.1 |
| | | | | | 5 | | True Nearly All The Time | 1534 | 45.1 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_B9 | CE_MH_B9. How much do you agree with the following statement as it applies to you over the past month: I think of myself as a strong person when dealing with life's challenges and difficulties. | NUM | TRUE | | . | | Missing | 58 | 1.7 |
| | | | | | 1 | | Not True At All | 28 | 0.8 |
| | | | | | 2 | | Rarely True | 49 | 1.4 |
| | | | | | 3 | | Sometimes True | 349 | 10.3 |
| | | | | | 4 | | Often True | 865 | 25.4 |
| | | | | | 5 | | True Nearly All The Time | 2050 | 60.3 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_B10 | CE_MH_B10. How much do you agree with the following statement as it applies to you over the past month: I am able to handle unpleasant or painful feelings like sadness, fear and anger. | NUM | TRUE | | . | | Missing | 51 | 1.5 |
| | | | | | 1 | | Not True At All | 79 | 2.3 |
| | | | | | 2 | | Rarely True | 86 | 2.5 |
| | | | | | 3 | | Sometimes True | 623 | 18.3 |
| | | | | | 4 | | Often True | 981 | 28.8 |
| | | | | | 5 | | True Nearly All The Time | 1574 | 46.3 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| | | | | | 9 | | Refused | 2 | 0.1 |
| CE_MH_C1 | CE_MH_C1. How important to you is religion or spirituality? Is it... | NUM | IMPORTANT | | . | | Missing | 48 | 1.4 |
| | | | | | 1 | | Very Important | 2303 | 67.7 |
| | | | | | 2 | | Somewhat Important | 654 | 19.2 |
| | | | | | 3 | | Slightly Important | 212 | 6.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 4 | | Not At All Important | 171 | 5.0 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_C2 | CE_MH_C2. How often, if at all, do you attend church, synagogue, a mosque, or other religious or spiritual services? | NUM | NEVER | | . | | Missing | 49 | 1.4 |
| | | | | | 1 | | Never | 539 | 15.8 |
| | | | | | 2 | | Less Than Once A Year | 219 | 6.4 |
| | | | | | 3 | | A Few Times A Year | 684 | 20.1 |
| | | | | | 4 | | About Once A Month | 613 | 18.0 |
| | | | | | 5 | | Once A Week | 1221 | 35.9 |
| | | | | | 6 | | Everyday | 70 | 2.1 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_C3 | CE_MH_C3. What is your present religion, if any? | NUM | RELIG | | . | | Missing | 48 | 1.4 |
| | | | | | 1 | | Protestant (Baptist, Methodist, Non-Denominational, ... | 2046 | 60.2 |
| | | | | | 2 | | Roman Catholic (Catholic) | 609 | 17.9 |
| | | | | | 3 | | Mormon (Lds/Church Of Jesus Christ Of Latter-Day Saints) | 8 | 0.2 |
| | | | | | 4 | | Orthodox (Greek, Russian, Or Some Other Orthodox Church) | 2 | 0.1 |
| | | | | | 5 | | Jewish (Judaism) | 7 | 0.2 |
| | | | | | 6 | | Muslim (Islam) | 12 | 0.4 |
| | | | | | 7 | | Buddhist | 15 | 0.4 |
| | | | | | 8 | | Hindu | 1 | 0.0 |
| | | | | | 9 | | Atheist (Do Not Believe In God) | 16 | 0.5 |
| | | | | | 10 | | Agnostic (Not Sure If There Is A God) | 26 | 0.8 |
| | | | | | 11 | | Something Else | 61 | 1.8 |
| | | | | | 12 | | Nothing In Particular | 216 | 6.4 |
| | | | | | 13 | | (Do Not Read) Christian | 314 | 9.2 |
| | | | | | 14 | | (Do Not Read) Unitarian (Universalist) | 2 | 0.1 |
| | | | | | 88 | | Don't Know | 12 | 0.4 |
| | | | | | 99 | | Refused | 6 | 0.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_C3A_OTHER_TXT | CE_MH_C3A_OTHER_TXT. What is your present religion, if any? Something else: Specify [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_MH_C4 | CE_MH_C4. How often, if at all, do you pray or meditate? | NUM | NEVER | | . | | Missing | 45 | 1.3 |
| | | | | | 1 | | Never | 189 | 5.6 |
| | | | | | 2 | | Less Than Once A Year | 44 | 1.3 |
| | | | | | 3 | | A Few Times A Year | 136 | 4.0 |
| | | | | | 4 | | About Once A Month | 148 | 4.4 |
| | | | | | 5 | | Once A Week | 371 | 10.9 |
| | | | | | 6 | | Everyday | 2463 | 72.4 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_D1 | CE_MH_D1. Would you describe your current residence as...? | NUM | HOME | | . | | Missing | 45 | 1.3 |
| | | | | | 1 | | Single Family Home | 2560 | 75.3 |
| | | | | | 2 | | Trailer Or Mobile Home | 372 | 10.9 |
| | | | | | 3 | | Apartment, Condominium | 370 | 10.9 |
| | | | | | 4 | | Hotel Or Motel | 6 | 0.2 |
| | | | | | 5 | | Other | 45 | 1.3 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_D1A_OTHER_TXT | CE_MH_D1A_OTHER_TXT. Would you describe your current residence as...? Other: Specify other [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_MH_D1B | CE_MH_D1B. Who owns the property on which the trailer is located? | NUM | WHOM | | . | | Missing | 46 | 1.4 |
| | | | | | .S | | Skipped | 2984 | 87.7 |
| | | | | | 1 | | Respondent (Or Other Household Member) | 195 | 5.7 |
| | | | | | 2 | | Other Family Member | 74 | 2.2 |
| | | | | | 3 | | Friend | 9 | 0.3 |
| | | | | | 4 | | Other | 89 | 2.6 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_MH_D1B_OTHER_TXT | CE_MH_D1B_OTHER_TXT. Specify other property owner of trailer | CHAR | $CHAR | | .-. | | | | |
| CE_MH_D2_DATE | CE_MH_D2_DATE. When did you move to this residence? [DATE: MM/YYYY] | NUM | MMYYS | 09/2003 | 06/1941 -06/2016 | 3257 | MISSING | 46 | 1.4 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | DON'T KNOW | | | 93 | 2.7 |
| | | | | | REFUSED | | | 5 | 0.1 |
| CE_MH_D3_YN | CE_MH_D3_YN. Do you think you might have to move within the next 3 months? | NUM | DKREFYN | | . | | Missing | 39 | 1.1 |
| | | | | | 1 | | Yes | 242 | 7.1 |
| | | | | | 2 | | No | 3081 | 90.6 |
| | | | | | 8 | | Don't Know | 36 | 1.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_D3A_YN | CE_MH_D3A_YN. Do you think you might have to move within the next year? | NUM | DKREFYN | | . | | Missing | 44 | 1.3 |
| | | | | | .S | | Skipped | 242 | 7.1 |
| | | | | | 1 | | Yes | 289 | 8.5 |
| | | | | | 2 | | No | 2738 | 80.5 |
| | | | | | 8 | | Don't Know | 85 | 2.5 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_D3B1_TXT | CE_MH_D3B1_TXT. Do you think you might have to move within the next year? [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_MH_D4_YN | CE_MH_D4_YN. Do you currently own this or any other house, mobile home, or condo? | NUM | DKREFYN | | . | | Missing | 40 | 1.2 |
| | | | | | 1 | | Yes | 1790 | 52.6 |
| | | | | | 2 | | No | 1563 | 46.0 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_D4A_YN | CE_MH_D4A_YN. Is that where you are currently living? | NUM | DKREFYN | | . | | Missing | 44 | 1.3 |
| | | | | | .S | | Skipped | 1571 | 46.2 |
| | | | | | 1 | | Yes | 1735 | 51.0 |
| | | | | | 2 | | No | 51 | 1.5 |
| CE_MH_D5_YN | CE_MH_D5_YN. Since 2010, have you lived, at any time, in a place that you consider permanent and stable? | NUM | DKREFYN | | . | | Missing | 38 | 1.1 |
| | | | | | 1 | | Yes | 2715 | 79.8 |
| | | | | | 2 | | No | 641 | 18.8 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_D5A_DATE | CE_MH_D5A_DATE. When did you move to this permanent and stable housing? [DATE: MM/YYYY] | NUM | MMYYS | 11/2001 | 06/1941 -04/2016 | 2630 | MISSING | 39 | 1.1 |
| | | | | | | | DON'T KNOW | 84 | 2.5 |
| | | | | | | | SKIPPED | 648 | 19.1 |
| CE_MH_D5B_YN | CE_MH_D5B_YN. Is that where you live now? | NUM | DKREFYN | | . | | Missing | 38 | 1.1 |
| | | | | | .S | | Skipped | 648 | 19.1 |
| | | | | | 1 | | Yes | 2436 | 71.6 |
| | | | | | 2 | | No | 279 | 8.2 |
| CE_MH_D6_NUM | CE_MH_D6_NUM. Since we came to your home on [HOME VISIT DATE], how many times have you moved? [UNIT: NUMBER OF TIMES HAVE MOVED SINCE HOME VISIT] | NUM | BEST | 0.5 | 0-30 | 3344 | MISSING | 45 | 1.3 |
| | | | | | | | DON'T KNOW | 9 | 0.3 |
| | | | | | | | REFUSED | 3 | 0.1 |
| CE_MH_E1 | CE_MH_E1. Have you ever served in a war-zone or in a noncombat job that exposed you to war-related casualties, such as working as a medic or on graves registration duty? | NUM | EVER | | . | | Missing | 49 | 1.4 |
| | | | | | 1 | | Never | 3075 | 90.4 |
| | | | | | 2 | | Once | 128 | 3.8 |
| | | | | | 3 | | Twice | 36 | 1.1 |
| | | | | | 4 | | 3 Times | 22 | 0.6 |
| | | | | | 5 | | 4 Times | 8 | 0.2 |
| | | | | | 6 | | 5 Times | 7 | 0.2 |
| | | | | | 7 | | More Than 5 Times | 71 | 2.1 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_E1A_AGE | CE_MH_E1A_AGE. How old were you when this [serving in a war-zone or noncombat job] first happened? [AGE] | NUM | BEST | 23.6 | 1-63 | 272 | MISSING | 49 | 1.4 |
| | | | | | | | SKIPPED | 3080 | 90.6 |
| CE_MH_E1B_AGE | CE_MH_E1B_AGE. How old were you when this [serving in a war-zone or noncombat job] last happened? [AGE] | NUM | BEST | 30.6 | 16-65 | 268 | MISSING | 50 | 1.5 |
| | | | | | | | DON'T KNOW | 3 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 3080 | 90.6 |
| | | | | | | | | | |
| CE_MH_E2 | CE_MH_E2. Have you ever been in a serious car accident, or serious accident at work or somewhere else? | NUM | EVER | | . | | Missing | 46 | 1.4 |
| | | | | | 1 | | Never | 2095 | 61.6 |
| | | | | | 2 | | Once | 744 | 21.9 |
| | | | | | 3 | | Twice | 296 | 8.7 |
| | | | | | 4 | | 3 Times | 102 | 3.0 |
| | | | | | 5 | | 4 Times | 39 | 1.1 |
| | | | | | 6 | | 5 Times | 32 | 0.9 |
| | | | | | 7 | | More Than 5 Times | 42 | 1.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| | | | | | | | | | |
| CE_MH_E2A_AGE | CE_MH_E2A_AGE. How old were you when this [being in a serious accident] first happened? [AGE] | NUM | BEST | 26.4 | 1-77 | 1239 | MISSING | 46 | 1.4 |
| | | | | | DON'T KNOW | | | 16 | 0.5 |
| | | | | | SKIPPED | | | 2100 | 61.7 |
| | | | | | | | | | |
| CE_MH_E2B_AGE | CE_MH_E2B_AGE. How old were you when this [being in a serious accident] last happened? [AGE] | NUM | BEST | 32.9 | 1-77 | 1240 | MISSING | 49 | 1.4 |
| | | | | | DON'T KNOW | | | 12 | 0.4 |
| | | | | | SKIPPED | | | 2100 | 61.7 |
| | | | | | | | | | |
| CE_MH_E3 | CE_MH_E3. Have you ever been in a major natural disaster, such as a fire, tornado, hurricane, flood, or earthquake? | NUM | EVER | | . | | Missing | 41 | 1.2 |
| | | | | | 1 | | Never | 893 | 26.3 |
| | | | | | 2 | | Once | 643 | 18.9 |
| | | | | | 3 | | Twice | 451 | 13.3 |
| | | | | | 4 | | 3 Times | 359 | 10.6 |
| | | | | | 5 | | 4 Times | 221 | 6.5 |
| | | | | | 6 | | 5 Times | 203 | 6.0 |
| | | | | | 7 | | More Than 5 Times | 586 | 17.2 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 3 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_E3A_AGE | CE_MH_E3A_AGE. How old were you when this [being in a major natural disaster] first happened? [AGE] | NUM | BEST | 21.2 | 0-71 | 2403 | MISSING | 41 | 1.2 |
| | | | | | | | DON'T KNOW | 60 | 1.8 |
| | | | | | | | SKIPPED | 897 | 26.4 |
| CE_MH_E3B_AGE | CE_MH_E3B_AGE. How old were you when this [being in a major natural disaster] last happened? [AGE] | NUM | BEST | 40.6 | 1-78 | 2440 | MISSING | 43 | 1.3 |
| | | | | | | | DON'T KNOW | 21 | 0.6 |
| | | | | | | | SKIPPED | 897 | 26.4 |
| CE_MH_E4 | CE_MH_E4. Have you ever had a life-threatening illness, such as cancer, a heart attack, leukemia, AIDS, multiple sclerosis, and so forth? | NUM | EVER | | . | | Missing | 50 | 1.5 |
| | | | | | 1 | | Never | 2908 | 85.5 |
| | | | | | 2 | | Once | 365 | 10.7 |
| | | | | | 3 | | Twice | 47 | 1.4 |
| | | | | | 4 | | 3 Times | 19 | 0.6 |
| | | | | | 5 | | 4 Times | 2 | 0.1 |
| | | | | | 6 | | 5 Times | 2 | 0.1 |
| | | | | | 7 | | More Than 5 Times | 3 | 0.1 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_E4A_AGE | CE_MH_E4A_AGE. How old were you when this [having a life-threatening illness] first happened? [AGE] | NUM | BEST | 44.8 | 0-79 | 437 | MISSING | 50 | 1.5 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 2913 | 85.7 |
| CE_MH_E4B_AGE | CE_MH_E4B_AGE. How old were you when this [having a life-threatening illness] last happened? [AGE] | NUM | BEST | 47.2 | 0-86 | 437 | MISSING | 50 | 1.5 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 2913 | 85.7 |
| CE_MH_E5 | CE_MH_E5. Have you ever been attacked, beaten up, or mugged by anyone, including friends, family members, or strangers? | NUM | EVER | | . | | Missing | 48 | 1.4 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | Never | 2558 | 75.2 |
| | | | | | 2 | | Once | 358 | 10.5 |
| | | | | | 3 | | Twice | 137 | 4.0 |
| | | | | | 4 | | 3 Times | 63 | 1.9 |
| | | | | | 5 | | 4 Times | 27 | 0.8 |
| | | | | | 6 | | 5 Times | 27 | 0.8 |
| | | | | | 7 | | More Than 5 Times | 174 | 5.1 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_E5A_AGE | CE_MH_E5A_AGE. How old were you when this [being attacked, beaten up, or mugged by anyone] first happened? [AGE] | NUM | BEST | 22.7 | 4-69 | 778 | MISSING | 48 | 1.4 |
| | | | | | DON'T KNOW | | | 8 | 0.2 |
| | | | | | SKIPPED | | | 2567 | 75.5 |
| CE_MH_E5B_AGE | CE_MH_E5B_AGE. How old were you when this [being attacked, beaten up, or mugged by anyone] last happened? [AGE] | NUM | BEST | 29.9 | 7-69 | 778 | MISSING | 48 | 1.4 |
| | | | | | DON'T KNOW | | | 8 | 0.2 |
| | | | | | SKIPPED | | | 2567 | 75.5 |
| CE_MH_E6 | CE_MH_E6. As a child, were you ever physically punished or beaten by a parent, caretaker, or teacher so that you were very frightened; or you thought you would be injured; or you received bruises, cuts, welts, lumps, or other injuries? | NUM | EVER | | . | | Missing | 49 | 1.4 |
| | | | | | 1 | | Never | 2908 | 85.5 |
| | | | | | 2 | | Once | 47 | 1.4 |
| | | | | | 3 | | Twice | 19 | 0.6 |
| | | | | | 4 | | 3 Times | 20 | 0.6 |
| | | | | | 5 | | 4 Times | 12 | 0.4 |
| | | | | | 6 | | 5 Times | 14 | 0.4 |
| | | | | | 7 | | More Than 5 Times | 319 | 9.4 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_E6A_AGE | CE_MH_E6A_AGE. How old were you when this [being physically punished or beaten by a parent, caretaker, or teacher] first happened? [AGE] | NUM | BEST | 7.2 | 1-32 | 402 | MISSING | 50 | 1.5 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | DON'T KNOW | | | 27 | 0.8 |
| | | | | | REFUSED | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 2921 | 85.9 |
| | | | | | | | | | |
| CE_MH_E6B_AGE | CE_MH_E6B_AGE. How old were you when this [being physically punished or beaten by a parent, caretaker, or teacher] last happened? [AGE] | NUM | BEST | 13.9 | 1-43 | 417 | MISSING | 49 | 1.4 |
| | | | | | DON'T KNOW | | | 13 | 0.4 |
| | | | | | REFUSED | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 2921 | 85.9 |
| | | | | | | | | | |
| CE_MH_E7 | CE_MH_E7. Have you ever been in a situation in which someone made or pressured you into having some type of unwanted sexual contact? | NUM | EVER | | . | | Missing | 50 | 1.5 |
| | | | | | 1 | | Never | 3045 | 89.5 |
| | | | | | 2 | | Once | 121 | 3.6 |
| | | | | | 3 | | Twice | 59 | 1.7 |
| | | | | | 4 | | 3 Times | 26 | 0.8 |
| | | | | | 5 | | 4 Times | 9 | 0.3 |
| | | | | | 6 | | 5 Times | 8 | 0.2 |
| | | | | | 7 | | More Than 5 Times | 66 | 1.9 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 11 | 0.3 |
| | | | | | | | | | |
| CE_MH_E7A_AGE | CE_MH_E7A_AGE. How old were you when this [unwanted sexual contact] first happened? [AGE] | NUM | BEST | 15.3 | 3-52 | 279 | MISSING | 50 | 1.5 |
| | | | | | DON'T KNOW | | | 10 | 0.3 |
| | | | | | SKIPPED | | | 3062 | 90.0 |
| | | | | | | | | | |
| CE_MH_E7B_AGE | CE_MH_E7B_AGE. How old were you when this [unwanted sexual contact] last happened? [AGE] | NUM | BEST | 19.8 | 4-60 | 280 | MISSING | 50 | 1.5 |
| | | | | | DON'T KNOW | | | 9 | 0.3 |
| | | | | | SKIPPED | | | 3062 | 90.0 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_E8_YN | CE_MH_E8_YN. Have you ever been in any other situation in which you were seriously injured or in which you feared you might be seriously injured or killed? | NUM | DKREFYN | | . | | Missing | 47 | 1.4 |
| | | | | | 1 | | Yes | 761 | 22.4 |
| | | | | | 2 | | No | 2584 | 76.0 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_E8A_AGE | CE_MH_E8A_AGE. How old were you when this [serious injury or fear of serious injury] first happened? [AGE] | NUM | BEST | 26.0 | 2-71 | 748 | MISSING | 48 | 1.4 |
| | | | | | DON'T KNOW | | | 12 | 0.4 |
| | | | | | SKIPPED | | | 2593 | 76.2 |
| CE_MH_E8B_AGE | CE_MH_E8B_AGE. How old were you when this [serious injury or fear of serious injury] last happened? [AGE] | NUM | BEST | 33.9 | 2-71 | 750 | MISSING | 47 | 1.4 |
| | | | | | DON'T KNOW | | | 11 | 0.3 |
| | | | | | SKIPPED | | | 2593 | 76.2 |
| CE_MH_E9 | CE_MH_E9. Have you ever witnessed a situation in which someone with whom you were very close was seriously injured or killed, or in which you feared someone would be seriously injured or killed? | NUM | EVER | | . | | Missing | 45 | 1.3 |
| | | | | | 1 | | Never | 2271 | 66.8 |
| | | | | | 2 | | Once | 496 | 14.6 |
| | | | | | 3 | | Twice | 234 | 6.9 |
| | | | | | 4 | | 3 Times | 125 | 3.7 |
| | | | | | 5 | | 4 Times | 35 | 1.0 |
| | | | | | 6 | | 5 Times | 37 | 1.1 |
| | | | | | 7 | | More Than 5 Times | 145 | 4.3 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_E9A_AGE | CE_MH_E9A_AGE. How old were you when this [witnessing a situation of someone else very close to you seriously injured or killed] first happened? [AGE] | NUM | BEST | 24.1 | 2-75 | 1052 | MISSING | 46 | 1.4 |
| | | | | | DON'T KNOW | | | 18 | 0.5 |
| | | | | | REFUSED | | | 1 | 0.0 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 2284 | 67.2 |
| | | | | | | | | | |
| CE_MH_E9B_AGE | CE_MH_E9B_AGE. How old were you when this [witnessing a situation of someone else very close to you seriously injured or killed] last happened? [AGE] | NUM | BEST | 32.4 | 2-79 | 1053 | MISSING | 46 | 1.4 |
| | | | | | DON'T KNOW | | | 18 | 0.5 |
| | | | | | SKIPPED | | | 2284 | 67.2 |
| | | | | | | | | | |
| CE_MH_E10 | CE_MH_E10. Have you ever witnessed a situation in which someone with whom you were not so close was seriously injured or killed or in which you feared someone would be seriously injured or killed? | NUM | EVER | | . | | Missing | 48 | 1.4 |
| | | | | | 1 | | Never | 2108 | 62.0 |
| | | | | | 2 | | Once | 497 | 14.6 |
| | | | | | 3 | | Twice | 211 | 6.2 |
| | | | | | 4 | | 3 Times | 123 | 3.6 |
| | | | | | 5 | | 4 Times | 52 | 1.5 |
| | | | | | 6 | | 5 Times | 54 | 1.6 |
| | | | | | 7 | | More Than 5 Times | 297 | 8.7 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| | | | | | | | | | |
| CE_MH_E10A_AGE | CE_MH_E10A_AGE. How old were you when this [witnessing a situation of someone else not so close to you seriously injured or killed] first happened? [AGE] | NUM | BEST | 24.9 | 3-74 | 1204 | MISSING | 48 | 1.4 |
| | | | | | DON'T KNOW | | | 29 | 0.9 |
| | | | | | REFUSED | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 2119 | 62.3 |
| | | | | | | | | | |
| CE_MH_E10B_AGE | CE_MH_E10B_AGE. How old were you when this [witnessing a situation of someone else not so close to you seriously injured or killed] last happened? [AGE] | NUM | BEST | 34.4 | 4-76 | 1206 | MISSING | 48 | 1.4 |
| | | | | | DON'T KNOW | | | 27 | 0.8 |
| | | | | | REFUSED | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 2119 | 62.3 |
| | | | | | | | | | |
| CE_MH_E11 | CE_MH_E11. Have any close family members or friends died violently, for example, in a serious car crash, mugging, or attack? | NUM | EVER | | . | | Missing | 48 | 1.4 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | Never | 2202 | 64.7 |
| | | | | | 2 | | Once | 678 | 19.9 |
| | | | | | 3 | | Twice | 234 | 6.9 |
| | | | | | 4 | | 3 Times | 93 | 2.7 |
| | | | | | 5 | | 4 Times | 44 | 1.3 |
| | | | | | 6 | | 5 Times | 25 | 0.7 |
| | | | | | 7 | | More Than 5 Times | 71 | 2.1 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 3 | 0.1 |
| CE_MH_E11A_AGE | CE_MH_E11A_AGE. How old were you when this [close family members or friends died violently] first happened? [AGE] | NUM | BEST | 26.4 | 0-76 | 1122 | MISSING | 49 | 1.4 |
| | | | | | | | DON'T KNOW | 22 | 0.6 |
| | | | | | | | SKIPPED | 2208 | 64.9 |
| CE_MH_E11B_AGE | CE_MH_E11B_AGE. How old were you when this [close family members or friends died violently] last happened? [AGE] | NUM | BEST | 32.8 | 0-76 | 1125 | MISSING | 51 | 1.5 |
| | | | | | | | DON'T KNOW | 17 | 0.5 |
| | | | | | | | SKIPPED | 2208 | 64.9 |
| CE_MH_E12 | CE_MH_E12. Have you experienced the death of any of your children? | NUM | EVER | | . | | Missing | 51 | 1.5 |
| | | | | | 1 | | Never | 3052 | 89.7 |
| | | | | | 2 | | Once | 253 | 7.4 |
| | | | | | 3 | | Twice | 28 | 0.8 |
| | | | | | 4 | | 3 Times | 6 | 0.2 |
| | | | | | 5 | | 4 Times | 2 | 0.1 |
| | | | | | 6 | | 5 Times | 1 | 0.0 |
| | | | | | 7 | | More Than 5 Times | 2 | 0.1 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_E12A_AGE | CE_MH_E12A_AGE. How old were you when this [death of any of your children] first happened? [AGE] | NUM | BEST | 36.2 | 13-78 | 288 | MISSING | 51 | 1.5 |
| | | | | | | | DON'T KNOW | 3 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | REFUSED | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 3058 | 89.9 |
| CE_MH_E12B_AGE | CE_MH_E12B_AGE. How old were you when this [death of any of your children] last happened? [AGE] | NUM | BEST | 37.3 | 13-78 | 288 | MISSING | 51 | 1.5 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | REFUSED | | | 1 | 0.0 |
| | | | | | SKIPPED | | | 3058 | 89.9 |
| CE_MH_E13_YN | CE_MH_E13_YN. Have you experienced a seriously traumatic event not already covered in any of these questions? | NUM | DKREFYN | | . | | Missing | 49 | 1.4 |
| | | | | | 1 | | Yes | 441 | 13.0 |
| | | | | | 2 | | No | 2903 | 85.4 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_E13A_TXT | CE_MH_E13A_TXT. Have you experienced a seriously traumatic event not already covered in any of these questions? Please describe your experience [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_MH_E13B_AGE | CE_MH_E13B_AGE. How old were you when this [seriously traumatic event] first happened? [AGE] | NUM | BEST | 37.8 | 1-76 | 433 | MISSING | 51 | 1.5 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | REFUSED | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 2911 | 85.6 |
| CE_MH_E13C_AGE | CE_MH_E13C_AGE. How old were you when this [seriously traumatic event] last happened? [AGE] | NUM | BEST | 41.1 | 1-76 | 431 | MISSING | 51 | 1.5 |
| | | | | | DON'T KNOW | | | 5 | 0.1 |
| | | | | | REFUSED | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 2911 | 85.6 |
| CE_MH_F1_YN | CE_MH_F1_YN. During the past 12 months, have you been evicted due to not paying rent? | NUM | DKREFYN | | . | | Missing | 59 | 1.7 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | Yes | 58 | 1.7 |
| | | | | | 2 | | No | 3280 | 96.4 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_F2_YN | CE_MH_F2_YN. During the past 12 months, have you received assistance from non-government organizations such as church or community groups? | NUM | DKREFYN | | . | | Missing | 65 | 1.9 |
| | | | | | 1 | | Yes | 219 | 6.4 |
| | | | | | 2 | | No | 3111 | 91.5 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_F3_YN | CE_MH_F3_YN. During the past 12 months, have you applied for federal government disability benefits? | NUM | DKREFYN | | . | | Missing | 64 | 1.9 |
| | | | | | 1 | | Yes | 436 | 12.8 |
| | | | | | 2 | | No | 2897 | 85.2 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_F3A | CE_MH_F3A. During the past 12 months, did you receive these disability benefits? | NUM | MH_F3A_FMT | | . | | Missing | 65 | 1.9 |
| | | | | | .S | | Skipped | 2901 | 85.3 |
| | | | | | 1 | | Yes | 211 | 6.2 |
| | | | | | 2 | | No | 119 | 3.5 |
| | | | | | 3 | | Awaiting Decision On Application | 105 | 3.1 |
| CE_MH_F4 | CE_MH_F4. During the past 12 months, have you borrowed money from friends or family to help pay bills? | NUM | ASKHELP | | . | | Missing | 65 | 1.9 |
| | | | | | 1 | | Yes | 769 | 22.6 |
| | | | | | 2 | | No, You Asked But Were Turned Down | 16 | 0.5 |
| | | | | | 3 | | No, You Didn't Ask | 985 | 29.0 |
| | | | | | 4 | | No (No Detail Provided) | 1560 | 45.9 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_F5_YN | CE_MH_F5_YN. During the past 12 months, have you sold possessions or property to raise money? | NUM | DKREFYN | | . | | Missing | 63 | 1.9 |
| | | | | | 1 | | Yes | 439 | 12.9 |
| | | | | | 2 | | No | 2892 | 85.0 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 6 | 0.2 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_F6_YN | CE_MH_F6_YN. During the past 12 months, has your spouse or partner begun to work outside of the home? | NUM | DKREFYN | | . | | Missing | 64 | 1.9 |
| | | | | | 1 | | Yes | 276 | 8.1 |
| | | | | | 2 | | No | 3052 | 89.7 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_F7_YN | CE_MH_F7_YN. During the past 12 months, has your spouse or partner stopped working outside of the home? | NUM | DKREFYN | | . | | Missing | 64 | 1.9 |
| | | | | | 1 | | Yes | 170 | 5.0 |
| | | | | | 2 | | No | 3155 | 92.8 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 9 | 0.3 |
| CE_MH_F8_YN | CE_MH_F8_YN. During the past 12 months, have you cashed in life insurance? | NUM | DKREFYN | | . | | Missing | 64 | 1.9 |
| | | | | | 1 | | Yes | 56 | 1.6 |
| | | | | | 2 | | No | 3272 | 96.2 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 8 | 0.2 |
| CE_MH_F9_YN | CE_MH_F9_YN. During the past 12 months, have you changed residence to save money, for example, moving somewhere with lower rent, sleeping on a couch with friends or family, living on a boat, etc.? | NUM | DKREFYN | | . | | Missing | 64 | 1.9 |
| | | | | | 1 | | Yes | 214 | 6.3 |
| | | | | | 2 | | No | 3113 | 91.5 |
| | | | | | 9 | | Refused | 10 | 0.3 |
| CE_MH_F10_YN | CE_MH_F10_YN. During the past 12 months, have you taken in a housemate to increase income? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 130 | 3.8 |
| | | | | | 2 | | No | 3198 | 94.0 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F11_YN | CE_MH_F11_YN. During the past 12 months, have you reduced medical insurance? | NUM | DKREFYN | | . | | Missing | 65 | 1.9 |
| | | | | | 1 | | Yes | 200 | 5.9 |
| | | | | | 2 | | No | 3127 | 91.9 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 7 | 0.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_F12_YN | CE_MH_F12_YN. During the past 12 months, have you eliminated medical insurance? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 234 | 6.9 |
| | | | | | 2 | | No | 3092 | 90.9 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F13_YN | CE_MH_F13_YN. During the past 12 months, have you changed food shopping habits to save money? | NUM | DKREFYN | | . | | Missing | 65 | 1.9 |
| | | | | | 1 | | Yes | 1042 | 30.6 |
| | | | | | 2 | | No | 2285 | 67.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F14_YN | CE_MH_F14_YN. During the past 12 months, have you changed eating habits to save money? | NUM | DKREFYN | | . | | Missing | 65 | 1.9 |
| | | | | | 1 | | Yes | 900 | 26.5 |
| | | | | | 2 | | No | 2428 | 71.4 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F15_YN | CE_MH_F15_YN. During the past 12 months, have you postponed paying property tax? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 201 | 5.9 |
| | | | | | 2 | | No | 3127 | 91.9 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F16_YN | CE_MH_F16_YN. During the past 12 months, have you postponed paying rent? | NUM | DKREFYN | | . | | Missing | 68 | 2.0 |
| | | | | | 1 | | Yes | 239 | 7.0 |
| | | | | | 2 | | No | 3087 | 90.8 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F17_YN | CE_MH_F17_YN. During the past 12 months, have you received shut-off warning(s) regarding utilities such as electricity, gas, water, phone, or cable due to late payment? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 504 | 14.8 |
| | | | | | 2 | | No | 2823 | 83.0 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 7 | 0.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_F18_YN | CE_MH_F18_YN. During the past 12 months, were your utilities actually shut-off due to late payment or non-payment? | NUM | DKREFYN | | . | | Missing | 64 | 1.9 |
| | | | | | 1 | | Yes | 297 | 8.7 |
| | | | | | 2 | | No | 3032 | 89.2 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F19_YN | CE_MH_F19_YN. During the past 12 months, have you cut back on social activities and entertainment expenses? | NUM | DKREFYN | | . | | Missing | 64 | 1.9 |
| | | | | | 1 | | Yes | 1429 | 42.0 |
| | | | | | 2 | | No | 1900 | 55.9 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F20_YN | CE_MH_F20_YN. During the past 12 months, have you postponed major household purchases? | NUM | DKREFYN | | . | | Missing | 65 | 1.9 |
| | | | | | 1 | | Yes | 969 | 28.5 |
| | | | | | 2 | | No | 2356 | 69.3 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 9 | 0.3 |
| CE_MH_F21_YN | CE_MH_F21_YN. During the past 12 months, have you postponed clothing purchases? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 1005 | 29.6 |
| | | | | | 2 | | No | 2323 | 68.3 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F22_YN | CE_MH_F22_YN. During the past 12 months, have you changed transportation patterns to save money? | NUM | DKREFYN | | . | | Missing | 67 | 2.0 |
| | | | | | 1 | | Yes | 844 | 24.8 |
| | | | | | 2 | | No | 2483 | 73.0 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F23_YN | CE_MH_F23_YN. During the past 12 months, have you cut back on charitable donations and/or tithing? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 751 | 22.1 |
| | | | | | 2 | | No | 2577 | 75.8 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F24_YN | CE_MH_F24_YN. During the past 12 months, have you reduced household utility use? | NUM | DKREFYN | | . | | Missing | 67 | 2.0 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 1 | | Yes | 1209 | 35.5 |
| | | | | | 2 | | No | 2116 | 62.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F25 | CE_MH_F25. During the past 12 months, have you taken on additional employment to help meet expenses? | NUM | SEEKEMPLOY | | . | | Missing | 67 | 2.0 |
| | | | | | 1 | | Yes | 581 | 17.1 |
| | | | | | 2 | | No, You Sought Additional Employment, But Didn't Find Any | 158 | 4.6 |
| | | | | | 3 | | No, You Didn't Try To Find Any | 2584 | 76.0 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F26 | CE_MH_F26. During the past 12 months, has your spouse taken on additional employment to help meet expenses? | NUM | SEEKEMPLOYA | | . | | Missing | 70 | 2.1 |
| | | | | | 1 | | Yes | 236 | 6.9 |
| | | | | | 2 | | No, He/She Sought Additional Employment, But Didn't Find Any | 45 | 1.3 |
| | | | | | 3 | | No, He/She Didn't Try To Find Any | 2371 | 69.7 |
| | | | | | 4 | | N/A | 666 | 19.6 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_F27 | CE_MH_F27. During the past 12 months, has your child taken on additional employment to help meet expenses? | NUM | SEEKEMPLOYA | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 103 | 3.0 |
| | | | | | 2 | | No, He/She Sought Additional Employment, But Didn't Find Any | 27 | 0.8 |
| | | | | | 3 | | No, He/She Didn't Try To Find Any | 1986 | 58.4 |
| | | | | | 4 | | N/A | 1206 | 35.5 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_G1_YN | CE_MH_G1_YN. In the past 6 months, have you wanted to speak with anyone about any emotional or psychological issues? | NUM | DKREFYN | | . | | Missing | 40 | 1.2 |
| | | | | | 1 | | Yes | 501 | 14.7 |
| | | | | | 2 | | No | 2852 | 83.9 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 9 | | Refused | 5 | 0.1 |
| | | | | | | | | | |
| CE_MH_G1A_YN | CE_MH_G1A_YN. Did you talk with any professional or provider about any of these issues? | NUM | DKREFYN | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 2860 | 84.1 |
| | | | | | 1 | | Yes | 265 | 7.8 |
| | | | | | 2 | | No | 236 | 6.9 |
| | | | | | | | | | |
| CE_MH_G1B_1_YN | CE_MH_G1B_1_YN. Did you talk with any professional or provider about any of these issues? Why not?: Don't know where to go | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3125 | 91.9 |
| | | | | | 0 | | No | 174 | 5.1 |
| | | | | | 1 | | Yes | 55 | 1.6 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| | | | | | | | | | |
| CE_MH_G1B_2_YN | CE_MH_G1B_2_YN. Did you talk with any professional or provider about any of these issues? Why not?: No insurance | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3125 | 91.9 |
| | | | | | 0 | | No | 153 | 4.5 |
| | | | | | 1 | | Yes | 76 | 2.2 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| | | | | | | | | | |
| CE_MH_G1B_3_YN | CE_MH_G1B_3_YN. Did you talk with any professional or provider about any of these issues? Why not?: Insurance doesn't cover it | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3125 | 91.9 |
| | | | | | 0 | | No | 199 | 5.9 |
| | | | | | 1 | | Yes | 30 | 0.9 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| | | | | | | | | | |
| CE_MH_G1B_4_YN | CE_MH_G1B_4_YN. Did you talk with any professional or provider about any of these issues? Why not?: No transportation | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3125 | 91.9 |
| | | | | | 0 | | No | 213 | 6.3 |
| | | | | | 1 | | Yes | 16 | 0.5 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_MH_G1B_5_YN | CE_MH_G1B_5_YN. Did you talk with any professional or provider about any of these issues? Why not?: No child care | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3125 | 91.9 |
| | | | | | 0 | | No | 222 | 6.5 |
| | | | | | 1 | | Yes | 7 | 0.2 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_MH_G1B_6_YN | CE_MH_G1B_6_YN. Did you talk with any professional or provider about any of these issues? Why not?: Other | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3125 | 91.9 |
| | | | | | 0 | | No | 110 | 3.2 |
| | | | | | 1 | | Yes | 119 | 3.5 |
| | | | | | 8 | | Don't Know | 6 | 0.2 |
| | | | | | 9 | | Refused | 1 | 0.0 |
| CE_MH_G1B1_OTHER_TXT | CE_MH_G1B1_OTHER_TXT. Did you talk with any professional or provider about any of these issues? Why not?: Other, Specify other [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_MH_G1C_1_YN | CE_MH_G1C_1_YN. What type or types of provider were they? Psychologist | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 200 | 5.9 |
| | | | | | 1 | | Yes | 64 | 1.9 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_G1C_2_YN | CE_MH_G1C_2_YN. What type or types of provider were they? Psychiatrist | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 153 | 4.5 |
| | | | | | 1 | | Yes | 111 | 3.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_G1C_3_YN | CE_MH_G1C_3_YN. What type or types of provider were they? Case manager, case worker, or outreach worker | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 242 | 7.1 |
| | | | | | 1 | | Yes | 22 | 0.6 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_G1C_4_YN | CE_MH_G1C_4_YN. What type or types of provider were they? Social worker | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 239 | 7.0 |
| | | | | | 1 | | Yes | 25 | 0.7 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_G1C_5_YN | CE_MH_G1C_5_YN. What type or types of provider were they? Nurse | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 254 | 7.5 |
| | | | | | 1 | | Yes | 10 | 0.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_G1C_6_YN | CE_MH_G1C_6_YN. What type or types of provider were they? Physician | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 219 | 6.4 |
| | | | | | 1 | | Yes | 45 | 1.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_G1C_7_YN | CE_MH_G1C_7_YN. What type or types of provider were they? Clergy | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 232 | 6.8 |
| | | | | | 1 | | Yes | 32 | 0.9 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_G1C_8_YN | CE_MH_G1C_8_YN. What type or types of provider were they? School counselor or guidance counselor | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 249 | 7.3 |
| | | | | | 1 | | Yes | 15 | 0.4 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_G1C_9_YN | CE_MH_G1C_9_YN. What type or types of provider were they? Other | NUM | NYREFDK | | . | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3096 | 91.0 |
| | | | | | 0 | | No | 225 | 6.6 |
| | | | | | 1 | | Yes | 39 | 1.1 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | | | | | |
| CE_MH_G1C1_OTHER_TXT | CE_MH_G1C1_OTHER_TXT. What type or types of provider were they? Other, Specify other [TEXT: SPECIFY] | CHAR | $CHAR | .-. | | | | | |
| | | | | | | | | | |
| CE_MH_G2 | CE_MH_G2. Let's talk about the mental health care professional you most recently visited. What type of provider were they? | NUM | MHPROF | . | | | Missing | 40 | 1.2 |
| | | | | | .S | | Skipped | 3322 | 97.7 |
| | | | | | 1 | | Psychologist | 14 | 0.4 |
| | | | | | 2 | | Psychiatrist | 17 | 0.5 |
| | | | | | 3 | | Social Worker | 3 | 0.1 |
| | | | | | 5 | | Physician | 3 | 0.1 |
| | | | | | 6 | | Other | 2 | 0.1 |
| | | | | | | | | | |
| CE_MH_G2A_OTHER_TXT | CE_MH_G2A_OTHER_TXT. Let's talk about the mental health care professional you most recently visited. What type of provider were they? Other, Specify other [TEXT: SPECIFY] | CHAR | $CHAR | .-. | | | | | |
| | | | | | | | | | |
| CE_MH_G3 | CE_MH_G3. Thinking back to the first time you went to this [mental health provider], did you go on your own, did someone refer you, were you just taken there, or were you there for something else? | NUM | MHSEEK | . | | | Missing | 42 | 1.2 |
| | | | | | .S | | Skipped | 3161 | 92.9 |
| | | | | | 1 | | On Your Own | 130 | 3.8 |
| | | | | | 2 | | Were Referred | 51 | 1.5 |
| | | | | | 3 | | Were Just Taken There | 11 | 0.3 |
| | | | | | 4 | | Were There For Something Else | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_G3A | CE_MH_G3A. Who referred you to this [mental health provider]? | NUM | MHWHO | . | | | Missing | 42 | 1.2 |
| | | | | | .S | | Skipped | 3308 | 97.3 |
| | | | | | 1 | | A Friend, Relative, Or Acquaintance | 13 | 0.4 |
| | | | | | 2 | | Another Medical Provider | 28 | 0.8 |
| | | | | | 3 | | A Case Manager | 6 | 0.2 |
| | | | | | 4 | | Someone Else | 4 | 0.1 |
| | | | | | | | | | |
| CE_MH_G3B | CE_MH_G3B. Overall, how satisfied are you with the care that you get from this [mental health provider] in terms of psychological counseling or support? | NUM | SATISFY | . | | | Missing | 63 | 1.9 |
| | | | | | .S | | Skipped | 3161 | 92.9 |
| | | | | | 1 | | Very Satisfied | 103 | 3.0 |
| | | | | | 2 | | Somewhat Satisfied | 54 | 1.6 |

*Mental Health Module*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 3 | | Somewhat Dissatisfied | 9 | 0.3 |
| | | | | | 4 | | Very Dissatisfied | 8 | 0.2 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | | | | | |
| CE_MH_G3B1_TXT | CE_MH_G3B1_TXT. Could you briefly explain why you are dissatisfied? [TEXT: SPECIFY] | CHAR | $CHAR | .-. | | | | | |
| | | | | | | | | | |
| CE_MH_G4_TXT | CE_MH_G4_TXT. Is there anything else you feel is important to tell me about your mental health care provider? [TEXT: SPECIFY] | CHAR | $CHAR | .-. | | | | | |
| | | | | | | | | | |
| CE_MH_H1_YN | CE_MH_H1_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because the staff at the office or clinic do not speak your language? | NUM | DKREFYN | . | | | Missing | 56 | 1.6 |
| | | | | | 1 | | Yes | 36 | 1.1 |
| | | | | | 2 | | No | 3302 | 97.1 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| | | | | | | | | | |
| CE_MH_H1A | CE_MH_H1A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | . | | | Missing | 56 | 1.6 |
| | | | | | .S | | Skipped | 3309 | 97.3 |
| | | | | | 1 | | Medical | 22 | 0.6 |
| | | | | | 2 | | Social | 4 | 0.1 |
| | | | | | 3 | | Both | 9 | 0.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | | | | | |
| CE_MH_H2_YN | CE_MH_H2_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because it cost too much or it wasn't covered by insurance? | NUM | DKREFYN | . | | | Missing | 53 | 1.6 |
| | | | | | 1 | | Yes | 489 | 14.4 |
| | | | | | 2 | | No | 2852 | 83.9 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| | | | | | | | | | |
| CE_MH_H2A | CE_MH_H2A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | . | | | Missing | 57 | 1.7 |
| | | | | | .S | | Skipped | 2859 | 84.1 |
| | | | | | 1 | | Medical | 308 | 9.1 |
| | | | | | 2 | | Social | 23 | 0.7 |
| | | | | | 3 | | Both | 151 | 4.4 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | | | | | |
| CE_MH_H3_YN | CE_MH_H3_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because you felt the staff at the office or clinic was not competent to deal with your problem? | NUM | DKREFYN | | . | | Missing | 57 | 1.7 |
| | | | | | 1 | | Yes | 119 | 3.5 |
| | | | | | 2 | | No | 3210 | 94.4 |
| | | | | | 8 | | Don't Know | 11 | 0.3 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| | | | | | | | | | |
| CE_MH_H3A | CE_MH_H3A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | | . | | Missing | 57 | 1.7 |
| | | | | | .S | | Skipped | 3225 | 94.8 |
| | | | | | 1 | | Medical | 58 | 1.7 |
| | | | | | 2 | | Social | 20 | 0.6 |
| | | | | | 3 | | Both | 39 | 1.1 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | | | | | |
| CE_MH_H4_YN | CE_MH_H4_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because you didn't know or weren't sure where to go? | NUM | DKREFYN | | . | | Missing | 54 | 1.6 |
| | | | | | 1 | | Yes | 231 | 6.8 |
| | | | | | 2 | | No | 3104 | 91.3 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| | | | | | | | | | |
| CE_MH_H4A | CE_MH_H4A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | | . | | Missing | 57 | 1.7 |
| | | | | | .S | | Skipped | 3116 | 91.6 |
| | | | | | 1 | | Medical | 88 | 2.6 |
| | | | | | 2 | | Social | 40 | 1.2 |
| | | | | | 3 | | Both | 98 | 2.9 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | | | | | |
| CE_MH_H5_YN | CE_MH_H5_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because it was difficult to get transportation there? | NUM | DKREFYN | | . | | Missing | 55 | 1.6 |
| | | | | | 1 | | Yes | 152 | 4.5 |
| | | | | | 2 | | No | 3186 | 93.7 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_H5A | CE_MH_H5A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | | . | | Missing | 56 | 1.6 |
| | | | | | .S | | Skipped | 3194 | 93.9 |
| | | | | | 1 | | Medical | 48 | 1.4 |
| | | | | | 2 | | Social | 15 | 0.4 |
| | | | | | 3 | | Both | 87 | 2.6 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| CE_MH_H6_YN | CE_MH_H6_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because the staff at the office or clinic are often not polite, are disrespectful, or are insensitive to your needs? | NUM | DKREFYN | | . | | Missing | 60 | 1.8 |
| | | | | | 1 | | Yes | 111 | 3.3 |
| | | | | | 2 | | No | 3220 | 94.7 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_H6A | CE_MH_H6A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | | . | | Missing | 60 | 1.8 |
| | | | | | .S | | Skipped | 3230 | 95.0 |
| | | | | | 1 | | Medical | 55 | 1.6 |
| | | | | | 2 | | Social | 16 | 0.5 |
| | | | | | 3 | | Both | 38 | 1.1 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_MH_H7_YN | CE_MH_H7_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because you weren't sure that the staff at the office or clinic would understand your problems? | NUM | DKREFYN | | . | | Missing | 59 | 1.7 |
| | | | | | 1 | | Yes | 124 | 3.6 |
| | | | | | 2 | | No | 3204 | 94.2 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| CE_MH_H7A | CE_MH_H7A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | | . | | Missing | 61 | 1.8 |
| | | | | | .S | | Skipped | 3218 | 94.6 |
| | | | | | 1 | | Medical | 51 | 1.5 |
| | | | | | 2 | | Social | 20 | 0.6 |
| | | | | | 3 | | Both | 48 | 1.4 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | | | | | |
| CE_MH_H8_YN | CE_MH_H8_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because you felt that the staff is not good at listening to your problems or needs? | NUM | DKREFYN | | . | | Missing | 59 | 1.7 |
| | | | | | 1 | | Yes | 127 | 3.7 |
| | | | | | 2 | | No | 3202 | 94.1 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_H8A | CE_MH_H8A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | | . | | Missing | 60 | 1.8 |
| | | | | | .S | | Skipped | 3215 | 94.5 |
| | | | | | 1 | | Medical | 62 | 1.8 |
| | | | | | 2 | | Social | 14 | 0.4 |
| | | | | | 3 | | Both | 49 | 1.4 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | | | | | |
| CE_MH_H9_YN | CE_MH_H9_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because you needed someone to take care of your children? | NUM | DKREFYN | | . | | Missing | 58 | 1.7 |
| | | | | | 1 | | Yes | 28 | 0.8 |
| | | | | | 2 | | No | 3309 | 97.3 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| | | | | | | | | | |
| CE_MH_H9A | CE_MH_H9A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | | . | | Missing | 59 | 1.7 |
| | | | | | .S | | Skipped | 3315 | 97.5 |
| | | | | | 1 | | Medical | 8 | 0.2 |
| | | | | | 2 | | Social | 3 | 0.1 |
| | | | | | 3 | | Both | 16 | 0.5 |
| | | | | | | | | | |
| CE_MH_H10_YN | CE_MH_H10_YN. At any time in the last 6 months, did you ever delay or not get the assistance you thought you needed because you were nervous or afraid of what the doctor/service provider might say? | NUM | DKREFYN | | . | | Missing | 46 | 1.4 |
| | | | | | 1 | | Yes | 130 | 3.8 |
| | | | | | 2 | | No | 3219 | 94.6 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 5 | 0.1 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_H10A | CE_MH_H10A. Did this happen when you needed medical services, social services, or both? | NUM | MEDVISIT | | . | | Missing | 46 | 1.4 |
| | | | | | .S | | Skipped | 3225 | 94.8 |
| | | | | | 1 | | Medical | 63 | 1.9 |
| | | | | | 2 | | Social | 9 | 0.3 |
| | | | | | 3 | | Both | 56 | 1.6 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_MH_I1 | CE_MH_I1. Can you count on anyone to provide you with emotional support such as talking over problems or helping you make a difficult decision? | NUM | YNHELP | | . | | Missing | 42 | 1.2 |
| | | | | | 1 | | Yes | 2925 | 86.0 |
| | | | | | 2 | | No | 411 | 12.1 |
| | | | | | 3 | | I Don't Need Help | 17 | 0.5 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_I2_1_YN | CE_MH_I2_1_YN. In the last 12 months, who has been helpful in providing you with emotional support? [SPOUSE] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 1826 | 53.7 |
| | | | | | 1 | | Yes | 1530 | 45.0 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_I2_2_YN | CE_MH_I2_2_YN. In the last 12 months, who has been helpful in providing you with emotional support? [DAUGHTER] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 2949 | 86.7 |
| | | | | | 1 | | Yes | 407 | 12.0 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_I2_3_YN | CE_MH_I2_3_YN. In the last 12 months, who has been helpful in providing you with emotional support? [SON] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 3016 | 88.7 |
| | | | | | 1 | | Yes | 340 | 10.0 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_I2_4_YN | CE_MH_I2_4_YN. In the last 12 months, who has been helpful in providing you with emotional support? [SISTER/BROTHER] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 2483 | 73.0 |
| | | | | | 1 | | Yes | 873 | 25.7 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 9 | | Refused | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_I2_5_YN | CE_MH_I2_5_YN. In the last 12 months, who has been helpful in providing you with emotional support? [PARENT] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 2357 | 69.3 |
| | | | | | 1 | | Yes | 999 | 29.4 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_I2_6_YN | CE_MH_I2_6_YN. In the last 12 months, who has been helpful in providing you with emotional support? [OTHER RELATIVE] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 2921 | 85.9 |
| | | | | | 1 | | Yes | 435 | 12.8 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_I2_7_YN | CE_MH_I2_7_YN. In the last 12 months, who has been helpful in providing you with emotional support? [NEIGHBORS] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 3243 | 95.4 |
| | | | | | 1 | | Yes | 113 | 3.3 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_I2_8_YN | CE_MH_I2_8_YN. In the last 12 months, who has been helpful in providing you with emotional support? [CO-WORKERS] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 3212 | 94.4 |
| | | | | | 1 | | Yes | 144 | 4.2 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_I2_9_YN | CE_MH_I2_9_YN. In the last 12 months, who has been helpful in providing you with emotional support? [CHURCH MEMBERS] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 3004 | 88.3 |
| | | | | | 1 | | Yes | 352 | 10.3 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_I2_10_YN | CE_MH_I2_10_YN. In the last 12 months, who has been helpful in providing you with emotional support? [CLUB MEMBERS] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 3325 | 97.8 |
| | | | | | 1 | | Yes | 31 | 0.9 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| | | | | | | | | | |
| CE_MH_I2_11_YN | CE_MH_I2_11_YN. In the last 12 months, who has been helpful in providing you with emotional support? [PROFESSIONALS] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 0 | | No | 3253 | 95.6 |
| | | | | | 1 | | Yes | 103 | 3.0 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_I2_12_YN | CE_MH_I2_12_YN. In the last 12 months, who has been helpful in providing you with emotional support? [FRIENDS] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 2311 | 68.0 |
| | | | | | 1 | | Yes | 1045 | 30.7 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_I2_13_YN | CE_MH_I2_13_YN. In the last 12 months, who has been helpful in providing you with emotional support? [OTHER] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 3222 | 94.7 |
| | | | | | 1 | | Yes | 134 | 3.9 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_I2_14_YN | CE_MH_I2_14_YN. In the last 12 months, who has been helpful in providing you with emotional support? [NO ONE] | NUM | NYREFDK | | . | | Missing | 39 | 1.1 |
| | | | | | 0 | | No | 3051 | 89.7 |
| | | | | | 1 | | Yes | 305 | 9.0 |
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_MH_I3_YN | CE_MH_I3_YN. In the last 12 months, could you have used more emotional support than you received? | NUM | DKREFYN | | . | | Missing | 43 | 1.3 |
| | | | | | 1 | | Yes | 905 | 26.6 |
| | | | | | 2 | | No | 2438 | 71.7 |
| | | | | | 8 | | Don't Know | 11 | 0.3 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_I3A | CE_MH_I3A. Concerning emotional support, would you say that you could have used...? | NUM | MORE | | . | | Missing | 45 | 1.3 |
| | | | | | .S | | Skipped | 2453 | 72.1 |
| | | | | | 1 | | A Lot More | 299 | 8.8 |
| | | | | | 2 | | Some More | 274 | 8.1 |
| | | | | | 3 | | A Little More | 328 | 9.6 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| CE_MH_I4_UNITS | CE_MH_I4_UNITS. How often do you attend church or religious services? [UNITS: TIMES PER DAY, TIMES PER WEEK, TIMES PER MONTH, TIMES PER YEAR] | NUM | TIMEPER | | . | | Missing | 40 | 1.2 |
| | | | | | 1 | | Per Day | 35 | 1.0 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 2 | | Per Week | 799 | 23.5 |
| | | | | | 3 | | Per Month | 1176 | 34.6 |
| | | | | | 4 | | Per Year | 1314 | 38.6 |
| | | | | | 8 | | Don't Know | 28 | 0.8 |
| | | | | | 9 | | Refused | 9 | 0.3 |
| CE_MH_I4_NUM | CE_MH_I4_NUM. How often do you attend church or religious services? [COUNT] | NUM | BEST | 2.2 | 0-365 | 3317 | MISSING | 48 | 1.4 |
| | | | | | DON'T KNOW | | | 27 | 0.8 |
| | | | | | REFUSED | | | 9 | 0.3 |
| CE_MH_I5 | CE_MH_I5. Is there someone you could count on to help you if you were sick, for example, to take you to the doctor or help you with daily chores? | NUM | ACCEPTHELP | | . | | Missing | 42 | 1.2 |
| | | | | | 1 | | Yes | 3098 | 91.1 |
| | | | | | 2 | | No | 232 | 6.8 |
| | | | | | 3 | | Yes, But I Wouldn't Accept It | 7 | 0.2 |
| | | | | | 8 | | Don't Know | 18 | 0.5 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_I6 | CE_MH_I6. If you need some extra help financially, could you count on anyone to help you, for example, by paying any bills, housing costs, medical expenses, or providing you with food or clothes? | NUM | ACCEPTHELP | | . | | Missing | 42 | 1.2 |
| | | | | | 1 | | Yes | 2457 | 72.2 |
| | | | | | 2 | | No | 806 | 23.7 |
| | | | | | 3 | | Yes, But I Wouldn't Accept It | 43 | 1.3 |
| | | | | | 8 | | Don't Know | 49 | 1.4 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_I7_NUM | CE_MH_I7_NUM. In general how many close friends do you have? [UNIT: NUMBER OF CLOSE FRIENDS] | NUM | BEST | 6.2 | 0-87 | 3334 | MISSING | 48 | 1.4 |
| | | | | | DON'T KNOW | | | 12 | 0.4 |
| | | | | | REFUSED | | | 7 | 0.2 |
| CE_MH_J1 | CE_MH_J1. Generally speaking, would you say that most people can be trusted or that you can't be too careful in dealing with people? | NUM | TRUST | | . | | Missing | 40 | 1.2 |
| | | | | | 1 | | Most People Can Be Trusted | 1116 | 32.8 |
| | | | | | 2 | | Can't Be Too Careful | 2074 | 61.0 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 3 | | Other | 160 | 4.7 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_J2 | CE_MH_J2. Do you think most people would try to take advantage of you if they got the chance, or would they try to be fair? | NUM | TRUSTA | . | | | Missing | 41 | 1.2 |
| | | | | | 1 | | Take Advantage Of You | 1427 | 42.0 |
| | | | | | 2 | | Try To Be Fair | 1677 | 49.3 |
| | | | | | 3 | | Other | 239 | 7.0 |
| | | | | | 8 | | Don't Know | 13 | 0.4 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_J3 | CE_MH_J3. Would you say that most of the time people try to be helpful, or that they are mostly just looking out for themselves? | NUM | TRUSTB | . | | | Missing | 41 | 1.2 |
| | | | | | 1 | | Try To Be Helpful | 1577 | 46.4 |
| | | | | | 2 | | Just Looking Out For Themselves | 1504 | 44.2 |
| | | | | | 3 | | Other | 269 | 7.9 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_K1 | CE_MH_K1. How strongly do you agree or disagree with the following statement: People around here are willing to help their neighbors. | NUM | DISAGREE | . | | | Missing | 40 | 1.2 |
| | | | | | 1 | | Strongly Disagree | 261 | 7.7 |
| | | | | | 2 | | Somewhat Disagree | 304 | 8.9 |
| | | | | | 3 | | Neither Agree Nor Disagree | 165 | 4.9 |
| | | | | | 4 | | Somewhat Agree | 1134 | 33.3 |
| | | | | | 5 | | Strongly Agree | 1465 | 43.1 |
| | | | | | 8 | | Don't Know | 27 | 0.8 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_K2 | CE_MH_K2. How strongly do you agree or disagree with the following statement: This is a close-knit neighborhood. | NUM | DISAGREE | . | | | Missing | 41 | 1.2 |
| | | | | | 1 | | Strongly Disagree | 339 | 10.0 |
| | | | | | 2 | | Somewhat Disagree | 435 | 12.8 |
| | | | | | 3 | | Neither Agree Nor Disagree | 208 | 6.1 |
| | | | | | 4 | | Somewhat Agree | 962 | 28.3 |
| | | | | | 5 | | Strongly Agree | 1376 | 40.5 |
| | | | | | 8 | | Don't Know | 35 | 1.0 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 9 | | Refused | 5 | 0.1 |
| | | | | | | | | | |
| CE_MH_K3 | CE_MH_K3. How strongly do you agree or disagree with the following statement: People in this neighborhood can be trusted. | NUM | DISAGREE | | . | | Missing | 41 | 1.2 |
| | | | | | 1 | | Strongly Disagree | 367 | 10.8 |
| | | | | | 2 | | Somewhat Disagree | 350 | 10.3 |
| | | | | | 3 | | Neither Agree Nor Disagree | 255 | 7.5 |
| | | | | | 4 | | Somewhat Agree | 1060 | 31.2 |
| | | | | | 5 | | Strongly Agree | 1283 | 37.7 |
| | | | | | 8 | | Don't Know | 40 | 1.2 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| | | | | | | | | | |
| CE_MH_K4 | CE_MH_K4. How strongly do you agree or disagree with the following statement: People in this neighborhood generally do not get along with each other. | NUM | DISAGREE | | . | | Missing | 43 | 1.3 |
| | | | | | 1 | | Strongly Disagree | 1502 | 44.2 |
| | | | | | 2 | | Somewhat Disagree | 983 | 28.9 |
| | | | | | 3 | | Neither Agree Nor Disagree | 242 | 7.1 |
| | | | | | 4 | | Somewhat Agree | 360 | 10.6 |
| | | | | | 5 | | Strongly Agree | 212 | 6.2 |
| | | | | | 8 | | Don't Know | 52 | 1.5 |
| | | | | | 9 | | Refused | 7 | 0.2 |
| | | | | | | | | | |
| CE_MH_K5 | CE_MH_K5. How strongly do you agree or disagree with the following statement: People in neighborhood do not share same values. | NUM | DISAGREE | | . | | Missing | 43 | 1.3 |
| | | | | | 1 | | Strongly Disagree | 985 | 29.0 |
| | | | | | 2 | | Somewhat Disagree | 821 | 24.1 |
| | | | | | 3 | | Neither Agree Nor Disagree | 393 | 11.6 |
| | | | | | 4 | | Somewhat Agree | 623 | 18.3 |
| | | | | | 5 | | Strongly Agree | 443 | 13.0 |
| | | | | | 8 | | Don't Know | 88 | 2.6 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| | | | | | | | | | |
| CE_MH_L1_NUM | CE_MH_L1_NUM. Over the last 2 weeks, how many days have you had little interest or pleasure in doing things? [UNIT: NUMBER OF DAYS] | NUM | BEST | 2.1 | 0-14 | 3331 | MISSING | 48 | 1.4 |
| | | | | | | | DON'T KNOW | 15 | 0.4 |
| | | | | | | | REFUSED | 7 | 0.2 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_L2_NUM | CE_MH_L2_NUM. Over the last 2 weeks, how many days have you felt down, depressed or hopeless? [UNIT: NUMBER OF DAYS] | NUM | BEST | 1.8 | 0-14 | 3337 | MISSING | 48 | 1.4 |
| | | | | | | | DON'T KNOW | 8 | 0.2 |
| | | | | | | | REFUSED | 8 | 0.2 |
| CE_MH_L3_NUM | CE_MH_L3_NUM. Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much? [UNIT: NUMBER OF DAYS] | NUM | BEST | 3.7 | 0-14 | 3339 | MISSING | 49 | 1.4 |
| | | | | | | | DON'T KNOW | 6 | 0.2 |
| | | | | | | | REFUSED | 7 | 0.2 |
| CE_MH_L4_NUM | CE_MH_L4_NUM. Over the last 2 weeks, how many days have you felt tired or had little energy? [UNIT: NUMBER OF DAYS] | NUM | BEST | 4.0 | 0-14 | 3334 | MISSING | 49 | 1.4 |
| | | | | | | | DON'T KNOW | 11 | 0.3 |
| | | | | | | | REFUSED | 7 | 0.2 |
| CE_MH_L5_NUM | CE_MH_L5_NUM. Over the last 2 weeks, how many days have you had a poor appetite or eaten too much? [UNIT: NUMBER OF DAYS] | NUM | BEST | 2.2 | 0-14 | 3333 | MISSING | 49 | 1.4 |
| | | | | | | | DON'T KNOW | 12 | 0.4 |
| | | | | | | | REFUSED | 7 | 0.2 |
| CE_MH_L6_NUM | CE_MH_L6_NUM. Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself or your family down? [UNIT: NUMBER OF DAYS] | NUM | BEST | 1.3 | 0-14 | 3338 | MISSING | 48 | 1.4 |
| | | | | | | | DON'T KNOW | 6 | 0.2 |
| | | | | | | | REFUSED | 9 | 0.3 |
| CE_MH_L7_NUM | CE_MH_L7_NUM. Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the newspaper or watching the TV? [UNIT: NUMBER OF DAYS] | NUM | BEST | 1.6 | 0-14 | 3334 | MISSING | 47 | 1.4 |
| | | | | | | | DON'T KNOW | 13 | 0.4 |
| | | | | | | | REFUSED | 7 | 0.2 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_L8_NUM | CE_MH_L8_NUM. Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual? [UNIT: NUMBER OF DAYS] | NUM | BEST | 1.1 | 0-14 | 3315 | MISSING | 48 | 1.4 |
| | | | | | | | DON'T KNOW | 31 | 0.9 |
| | | | | | | | REFUSED | 7 | 0.2 |
| CE_MH_L9_NUM | CE_MH_L9_NUM. Over the last 2 weeks, how many days have you had thoughts that you would be better off dead or of hurting yourself in some way? [UNIT: NUMBER OF DAYS] | NUM | BEST | 0.3 | 0-14 | 3344 | MISSING | 39 | 1.1 |
| | | | | | | | DON'T KNOW | 7 | 0.2 |
| | | | | | | | REFUSED | 11 | 0.3 |
| CE_MH_M1 | CE_MH_M1. Over the past week, to what extent have you felt...Upset? | NUM | SLIGHT | | . | | Missing | 56 | 1.6 |
| | | | | | 1 | | Slightly Or None | 1946 | 57.2 |
| | | | | | 2 | | A Little | 654 | 19.2 |
| | | | | | 3 | | Moderately | 377 | 11.1 |
| | | | | | 4 | | Quite A Bit | 230 | 6.8 |
| | | | | | 5 | | Extremely | 129 | 3.8 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M2 | CE_MH_M2. Over the past week, to what extent have you felt...Hostile? | NUM | SLIGHT | | . | | Missing | 58 | 1.7 |
| | | | | | 1 | | Slightly Or None | 2745 | 80.7 |
| | | | | | 2 | | A Little | 332 | 9.8 |
| | | | | | 3 | | Moderately | 131 | 3.9 |
| | | | | | 4 | | Quite A Bit | 66 | 1.9 |
| | | | | | 5 | | Extremely | 61 | 1.8 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M3 | CE_MH_M3. Over the past week, to what extent have you felt...Alert? | NUM | SLIGHT | | . | | Missing | 58 | 1.7 |
| | | | | | 1 | | Slightly Or None | 301 | 8.9 |
| | | | | | 2 | | A Little | 230 | 6.8 |
| | | | | | 3 | | Moderately | 633 | 18.6 |
| | | | | | 4 | | Quite A Bit | 999 | 29.4 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 5 | | Extremely | 1167 | 34.3 |
| | | | | | 8 | | Don't Know | 8 | 0.2 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M4 | CE_MH_M4. Over the past week, to what extent have you felt...Ashamed? | NUM | SLIGHT | | . | | Missing | 60 | 1.8 |
| | | | | | 1 | | Slightly Or None | 2879 | 84.7 |
| | | | | | 2 | | A Little | 238 | 7.0 |
| | | | | | 3 | | Moderately | 112 | 3.3 |
| | | | | | 4 | | Quite A Bit | 65 | 1.9 |
| | | | | | 5 | | Extremely | 40 | 1.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M5 | CE_MH_M5. Over the past week, to what extent have you felt...Inspired? | NUM | SLIGHT | | . | | Missing | 61 | 1.8 |
| | | | | | 1 | | Slightly Or None | 646 | 19.0 |
| | | | | | 2 | | A Little | 511 | 15.0 |
| | | | | | 3 | | Moderately | 875 | 25.7 |
| | | | | | 4 | | Quite A Bit | 731 | 21.5 |
| | | | | | 5 | | Extremely | 561 | 16.5 |
| | | | | | 8 | | Don't Know | 11 | 0.3 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M6 | CE_MH_M6. Over the past week, to what extent have you felt...Nervous? | NUM | SLIGHT | | . | | Missing | 59 | 1.7 |
| | | | | | 1 | | Slightly Or None | 2046 | 60.2 |
| | | | | | 2 | | A Little | 593 | 17.4 |
| | | | | | 3 | | Moderately | 365 | 10.7 |
| | | | | | 4 | | Quite A Bit | 182 | 5.4 |
| | | | | | 5 | | Extremely | 150 | 4.4 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M7 | CE_MH_M7. Over the past week, to what extent have you felt...Determined? | NUM | SLIGHT | | . | | Missing | 60 | 1.8 |
| | | | | | 1 | | Slightly Or None | 333 | 9.8 |
| | | | | | 2 | | A Little | 232 | 6.8 |
| | | | | | 3 | | Moderately | 648 | 19.1 |
| | | | | | 4 | | Quite A Bit | 934 | 27.5 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 5 | | Extremely | 1185 | 34.8 |
| | | | | | 8 | | Don't Know | 4 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M8 | CE_MH_M8. Over the past week, to what extent have you felt...Attentive? | NUM | SLIGHT | | . | | Missing | 59 | 1.7 |
| | | | | | 1 | | Slightly Or None | 365 | 10.7 |
| | | | | | 2 | | A Little | 276 | 8.1 |
| | | | | | 3 | | Moderately | 816 | 24.0 |
| | | | | | 4 | | Quite A Bit | 973 | 28.6 |
| | | | | | 5 | | Extremely | 882 | 25.9 |
| | | | | | 8 | | Don't Know | 25 | 0.7 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M9 | CE_MH_M9. Over the past week, to what extent have you felt...Active? | NUM | SLIGHT | | . | | Missing | 59 | 1.7 |
| | | | | | 1 | | Slightly Or None | 319 | 9.4 |
| | | | | | 2 | | A Little | 349 | 10.3 |
| | | | | | 3 | | Moderately | 871 | 25.6 |
| | | | | | 4 | | Quite A Bit | 830 | 24.4 |
| | | | | | 5 | | Extremely | 968 | 28.5 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_M10 | CE_MH_M10. Over the past week, to what extent have you felt...Afraid? | NUM | SLIGHT | | . | | Missing | 42 | 1.2 |
| | | | | | 1 | | Slightly Or None | 2764 | 81.3 |
| | | | | | 2 | | A Little | 330 | 9.7 |
| | | | | | 3 | | Moderately | 145 | 4.3 |
| | | | | | 4 | | Quite A Bit | 62 | 1.8 |
| | | | | | 5 | | Extremely | 52 | 1.5 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_MH_N1_YN | CE_MH_N1_YN. During the past 30 days, have you had nightmares about the oil spill or any clean-up efforts you engaged in or thought about it when you did not want to? | NUM | DKREFYN | | . | | Missing | 41 | 1.2 |
| | | | | | 1 | | Yes | 438 | 12.9 |
| | | | | | 2 | | No | 2916 | 85.7 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_N2_YN | CE_MH_N2_YN. During the past 30 days, have you tried hard not to think about the oil spill or any clean-up efforts you engaged in or went out of your way to avoid situations that remind you of it? | NUM | DKREFYN | | . | | Missing | 41 | 1.2 |
| | | | | | 1 | | Yes | 822 | 24.2 |
| | | | | | 2 | | No | 2531 | 74.4 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_N3_YN | CE_MH_N3_YN. During the past 30 days, have you been constantly on guard, watchful or easily startled? | NUM | DKREFYN | | . | | Missing | 43 | 1.3 |
| | | | | | 1 | | Yes | 817 | 24.0 |
| | | | | | 2 | | No | 2529 | 74.4 |
| | | | | | 8 | | Don't Know | 8 | 0.2 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_N4_YN | CE_MH_N4_YN. During the past 30 days, have you felt numb or detached from others, activities or your surroundings? | NUM | DKREFYN | | . | | Missing | 42 | 1.2 |
| | | | | | 1 | | Yes | 671 | 19.7 |
| | | | | | 2 | | No | 2675 | 78.7 |
| | | | | | 8 | | Don't Know | 9 | 0.3 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_MH_O1_NUM | CE_MH_O1_NUM. Over the last 2 weeks, how often have you been bothered by feeling nervous, anxious or on edge? [UNIT: NUMBER OF DAYS] | NUM | BEST | 2.2 | 0-14 | 3335 | MISSING | 50 | 1.5 |
| | | | | | | | DON'T KNOW | 10 | 0.3 |
| | | | | | | | REFUSED | 6 | 0.2 |
| CE_MH_O2_NUM | CE_MH_O2_NUM. Over the last 2 weeks, how often have you been bothered by not being able to stop or control worrying? [UNIT: NUMBER OF DAYS] | NUM | BEST | 2.2 | 0-14 | 3331 | MISSING | 52 | 1.5 |
| | | | | | | | DON'T KNOW | 11 | 0.3 |
| | | | | | | | REFUSED | 7 | 0.2 |
| CE_MH_O3_NUM | CE_MH_O3_NUM. Over the last 2 weeks, how often have you been bothered by worrying too much about different things? [UNIT: NUMBER OF DAYS] | NUM | BEST | 2.8 | 0-14 | 3326 | MISSING | 55 | 1.6 |
| | | | | | | | DON'T KNOW | 15 | 0.4 |
| | | | | | | | REFUSED | 5 | 0.1 |

*DATA SET: ce_mental_health_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 355*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_MH_O4_NUM | CE_MH_O4_NUM. Over the last 2 weeks, how often have you been bothered by trouble relaxing? [UNIT: NUMBER OF DAYS] | NUM | BEST | 2.7 | 0-14 | 3332 | MISSING | 55 | 1.6 |
| | | | | | | | DON'T KNOW | 9 | 0.3 |
| | | | | | | | REFUSED | 5 | 0.1 |
| CE_MH_O5_NUM | CE_MH_O5_NUM. Over the last 2 weeks, how often have you been bothered by being so restless that it's hard to sit still? [UNIT: NUMBER OF DAYS] | NUM | BEST | 2.3 | 0-14 | 3329 | MISSING | 54 | 1.6 |
| | | | | | | | DON'T KNOW | 13 | 0.4 |
| | | | | | | | REFUSED | 5 | 0.1 |
| CE_MH_O6_NUM | CE_MH_O6_NUM. Over the last 2 weeks, how often have you been bothered by becoming easily annoyed or irritable? [UNIT: NUMBER OF DAYS] | NUM | BEST | 2.4 | 0-14 | 3328 | MISSING | 54 | 1.6 |
| | | | | | | | DON'T KNOW | 12 | 0.4 |
| | | | | | | | REFUSED | 7 | 0.2 |
| CE_MH_O7_NUM | CE_MH_O7_NUM. Over the last 2 weeks, how often have you been bothered by feeling afraid as if something awful might happen? [UNIT: NUMBER OF DAYS] | NUM | BEST | 1.4 | 0-14 | 3331 | MISSING | 53 | 1.6 |
| | | | | | | | DON'T KNOW | 10 | 0.3 |
| | | | | | | | REFUSED | 7 | 0.2 |
| CE_MH_O8 | CE_MH_O8. If you checked off any problems, how difficult have these made it for you to do your work, take care of things at home, or get along with other people? | NUM | DIFFICULT | | . | | Missing | 38 | 1.1 |
| | | | | | 1 | | Not Difficult At All | 2477 | 72.8 |
| | | | | | 2 | | Somewhat Difficult | 674 | 19.8 |
| | | | | | 3 | | Very Difficult | 116 | 3.4 |
| | | | | | 4 | | Extremely Difficult | 86 | 2.5 |
| | | | | | 8 | | Don't Know | 5 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |

*DATA SET: ce_substance_abuse_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 68*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| GULFID | Gulf ID | CHAR | $ | | .-. | | | | |
| CE_SA1_1_YN | CE_SA1_1_YN. Have you ever used any of the following? Marijuana | NUM | NYREFDK | | . | | Missing | 54 | 1.6 |
| | | | | | 0 | | No | 1581 | 46.5 |
| | | | | | 1 | | Yes | 1688 | 49.6 |
| | | | | | 8 | | Don't Know | 14 | 0.4 |
| | | | | | 9 | | Refused | 64 | 1.9 |
| CE_SA1_2_YN | CE_SA1_2_YN. Have you ever used any of the following? Cocaine | NUM | NYREFDK | | . | | Missing | 54 | 1.6 |
| | | | | | 0 | | No | 2648 | 77.9 |
| | | | | | 1 | | Yes | 621 | 18.3 |
| | | | | | 8 | | Don't Know | 14 | 0.4 |
| | | | | | 9 | | Refused | 64 | 1.9 |
| CE_SA1_3_YN | CE_SA1_3_YN. Have you ever used any of the following? Crack | NUM | NYREFDK | | . | | Missing | 54 | 1.6 |
| | | | | | 0 | | No | 3084 | 90.7 |
| | | | | | 1 | | Yes | 185 | 5.4 |
| | | | | | 8 | | Don't Know | 14 | 0.4 |
| | | | | | 9 | | Refused | 64 | 1.9 |
| CE_SA1_4_YN | CE_SA1_4_YN. Have you ever used any of the following? Heroin | NUM | NYREFDK | | . | | Missing | 54 | 1.6 |
| | | | | | 0 | | No | 3182 | 93.6 |
| | | | | | 1 | | Yes | 87 | 2.6 |
| | | | | | 8 | | Don't Know | 14 | 0.4 |
| | | | | | 9 | | Refused | 64 | 1.9 |
| CE_SA1_5_YN | CE_SA1_5_YN. Have you ever used any of the following? Hallucinogens | NUM | NYREFDK | | . | | Missing | 54 | 1.6 |
| | | | | | 0 | | No | 2981 | 87.7 |
| | | | | | 1 | | Yes | 288 | 8.5 |
| | | | | | 8 | | Don't Know | 14 | 0.4 |
| | | | | | 9 | | Refused | 64 | 1.9 |
| CE_SA1_6_YN | CE_SA1_6_YN. Have you ever used any of the following? Other | NUM | NYREFDK | | . | | Missing | 54 | 1.6 |
| | | | | | 0 | | No | 3120 | 91.7 |
| | | | | | 1 | | Yes | 149 | 4.4 |
| | | | | | 8 | | Don't Know | 14 | 0.4 |
| | | | | | 9 | | Refused | 64 | 1.9 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| CE_SA1_6_OTHER_TXT | CE_SA1_6_OTHER_TXT. Have you ever used any of the following? Other [TEXT: SPECIFY] | CHAR | $CHAR | | .-. | | | | |
| CE_SA1A_MARIJUANA | CE_SA1A_MARIJUANA. Compared to your use of marijuana before the oil spill, would you say your current use is... | NUM | DRUGUSE | | . | | Missing | 54 | 1.6 |
| | | | | | .S | | Skipped | 1653 | 48.6 |
| | | | | | 1 | | A Lot More | 112 | 3.3 |
| | | | | | 2 | | A Little More | 90 | 2.6 |
| | | | | | 3 | | The Same | 220 | 6.5 |
| | | | | | 4 | | A Little Less | 82 | 2.4 |
| | | | | | 5 | | A Lot Less | 236 | 6.9 |
| | | | | | 6 | | I Have Not Used [drug] Since The Spill | 870 | 25.6 |
| | | | | | 8 | | Don't Know | 42 | 1.2 |
| | | | | | 9 | | Refused | 42 | 1.2 |
| CE_SA1B_MARIJUANA_NUM | CE_SA1B_MARIJUANA_NUM. About how many times have you used marijuana in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 10.6 | 0-180 | 663 | MISSING | 54 | 1.6 |
| | | | | | DON'T KNOW | | | 120 | 3.5 |
| | | | | | REFUSED | | | 41 | 1.2 |
| | | | | | SKIPPED | | | 2523 | 74.2 |
| CE_SA1A_COCAINE | CE_SA1A_COCAINE. Compared to your use of cocaine before the oil spill, would you say your current use is... | NUM | DRUGUSE | | . | | Missing | 54 | 1.6 |
| | | | | | .S | | Skipped | 2724 | 80.1 |
| | | | | | 1 | | A Lot More | 7 | 0.2 |
| | | | | | 2 | | A Little More | 9 | 0.3 |
| | | | | | 3 | | The Same | 22 | 0.6 |
| | | | | | 4 | | A Little Less | 13 | 0.4 |
| | | | | | 5 | | A Lot Less | 88 | 2.6 |
| | | | | | 6 | | I Have Not Used [drug] Since The Spill | 453 | 13.3 |
| | | | | | 8 | | Don't Know | 12 | 0.4 |
| | | | | | 9 | | Refused | 19 | 0.6 |
| CE_SA1B_COCAINE_NUM | CE_SA1B_COCAINE_NUM. About how many times have you used cocaine in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 2.3 | 0-100 | 137 | MISSING | 54 | 1.6 |

*DATA SET: ce_substance_abuse_20170928_c*
*DATE CREATED: 09/28/2017*
*Number of Observations: 3401*
*Number of Variables: 68*
*Organization of file: &structure*

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | DON'T KNOW | | | 18 | 0.5 |
| | | | | | REFUSED | | | 15 | 0.4 |
| | | | | | SKIPPED | | | 3177 | 93.4 |
| | | | | | | | | | |
| CE_SA1A_CRACK | CE_SA1A_CRACK. Compared to your use of crack before the oil spill, would you say your current use is... | NUM | DRUGUSE | | . | | Missing | 54 | 1.6 |
| | | | | | .S | | Skipped | 3162 | 93.0 |
| | | | | | 1 | | A Lot More | 2 | 0.1 |
| | | | | | 2 | | A Little More | 4 | 0.1 |
| | | | | | 3 | | The Same | 3 | 0.1 |
| | | | | | 4 | | A Little Less | 3 | 0.1 |
| | | | | | 5 | | A Lot Less | 20 | 0.6 |
| | | | | | 6 | | I Have Not Used [drug] Since The Spill | 138 | 4.1 |
| | | | | | 8 | | Don't Know | 3 | 0.1 |
| | | | | | 9 | | Refused | 12 | 0.4 |
| | | | | | | | | | |
| CE_SA1B_CRACK_NUM | CE_SA1B_CRACK_NUM. About how many times have you used crack in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 2.9 | 0-30 | 36 | MISSING | 54 | 1.6 |
| | | | | | DON'T KNOW | | | 3 | 0.1 |
| | | | | | REFUSED | | | 8 | 0.2 |
| | | | | | SKIPPED | | | 3300 | 97.0 |
| | | | | | | | | | |
| CE_SA1A_HEROIN | CE_SA1A_HEROIN. Compared to your use of heroin before the oil spill, would you say your current use is... | NUM | DRUGUSE | | . | | Missing | 54 | 1.6 |
| | | | | | .S | | Skipped | 3260 | 95.9 |
| | | | | | 1 | | A Lot More | 4 | 0.1 |
| | | | | | 2 | | A Little More | 5 | 0.1 |
| | | | | | 3 | | The Same | 1 | 0.0 |
| | | | | | 4 | | A Little Less | 1 | 0.0 |
| | | | | | 5 | | A Lot Less | 4 | 0.1 |
| | | | | | 6 | | I Have Not Used [drug] Since The Spill | 65 | 1.9 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 9 | | Refused | 6 | 0.2 |
| CE_SA1B_HEROIN_NUM | CE_SA1B_HEROIN_NUM. About how many times have you used heroin in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 4.9 | 0-30 | 18 | MISSING | 54 | 1.6 |
| | | | | | | | REFUSED | 4 | 0.1 |
| | | | | | | | SKIPPED | 3325 | 97.8 |
| CE_SA1A_HALLUCINOGENS | CE_SA1A_HALLUCINOGENS. Compared to your use of hallucinogens before the oil spill, would you say your current use is... | NUM | DRUGUSE | | | | . Missing | 54 | 1.6 |
| | | | | | | | .S Skipped | 3059 | 89.9 |
| | | | | | | | 1 A Lot More | 1 | 0.0 |
| | | | | | | | 2 A Little More | 3 | 0.1 |
| | | | | | | | 3 The Same | 13 | 0.4 |
| | | | | | | | 4 A Little Less | 2 | 0.1 |
| | | | | | | | 5 A Lot Less | 19 | 0.6 |
| | | | | | | | 6 I Have Not Used [drug] Since The Spill | 236 | 6.9 |
| | | | | | | | 8 Don't Know | 4 | 0.1 |
| | | | | | | | 9 Refused | 10 | 0.3 |
| CE_SA1B_HALLUCINOGENS_ NUM | CE_SA1B_HALLUCINOGENS_NUM. About how many times have you used hallucinogens in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 1.1 | 0-30 | 40 | MISSING | 54 | 1.6 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | REFUSED | 11 | 0.3 |
| | | | | | | | SKIPPED | 3295 | 96.9 |
| CE_SA1A_OTHER | CE_SA1A_OTHER. Compared to your use of [CE_SA1_F_OTHER_TXT] before the oil spill, would you say your current use is... | NUM | DRUGUSE | | | | . Missing | 54 | 1.6 |
| | | | | | | | .S Skipped | 3197 | 94.0 |
| | | | | | | | 1 A Lot More | 17 | 0.5 |
| | | | | | | | 2 A Little More | 6 | 0.2 |
| | | | | | | | 3 The Same | 30 | 0.9 |
| | | | | | | | 4 A Little Less | 5 | 0.1 |
| | | | | | | | 5 A Lot Less | 21 | 0.6 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | 6 | | I Have Not Used [drug] Since The Spill | 64 | 1.9 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | 9 | | Refused | 5 | 0.1 |
| CE_SA1B_OTHER_NUM | CE_SA1B_OTHER_NUM. About how many times have you used [CE_SA1_F_OTHER_TXT] in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 8.6 | 0-30 | 73 | MISSING | 54 | 1.6 |
| | | | | | DON'T KNOW | | | 8 | 0.2 |
| | | | | | REFUSED | | | 5 | 0.1 |
| | | | | | SKIPPED | | | 3261 | 95.9 |
| CE_SA2_YN | CE_SA2_YN. Have you ever used any prescription pain killer that was not prescribed for you or that you took mainly for the experience or feeling it caused? | NUM | DKREFYN | | . | | Missing | 60 | 1.8 |
| | | | | | 1 | | Yes | 368 | 10.8 |
| | | | | | 2 | | No | 2919 | 85.8 |
| | | | | | 8 | | Don't Know | 24 | 0.7 |
| | | | | | 9 | | Refused | 30 | 0.9 |
| CE_SA2A | CE_SA2A. Compared to your use of prescription pain killers before the oil spill, would you say your current use is... | NUM | RXPILLUSE | | . | | Missing | 60 | 1.8 |
| | | | | | .S | | Skipped | 2965 | 87.2 |
| | | | | | 1 | | A Lot More | 56 | 1.6 |
| | | | | | 2 | | A Little More | 50 | 1.5 |
| | | | | | 3 | | The Same | 56 | 1.6 |
| | | | | | 4 | | A Little Less | 23 | 0.7 |
| | | | | | 5 | | A Lot Less | 70 | 2.1 |
| | | | | | 6 | | I Have Not Used Prescription Pain Killers Since The Spill | 99 | 2.9 |
| | | | | | 8 | | Don't Know | 13 | 0.4 |
| | | | | | 9 | | Refused | 9 | 0.3 |
| CE_SA2B_NUM | CE_SA2B_NUM. About how many times have you used prescription pain killers in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 7.4 | 0-120 | 231 | MISSING | 60 | 1.8 |
| | | | | | DON'T KNOW | | | 35 | 1.0 |
| | | | | | REFUSED | | | 11 | 0.3 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | SKIPPED | | | 3064 | 90.1 |
| CE_SA3_YN | CE_SA3_YN. Have you ever used any prescription tranquilizer that was not prescribed for you or that you took mainly for the experience or feeling it caused? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 164 | 4.8 |
| | | | | | 2 | | No | 3119 | 91.7 |
| | | | | | 8 | | Don't Know | 22 | 0.6 |
| | | | | | 9 | | Refused | 30 | 0.9 |
| CE_SA3A | CE_SA3A. Compared to your use of prescription tranquilizers before the oil spill, would you say your current use is... | NUM | TRANQUSE | | . | | Missing | 66 | 1.9 |
| | | | | | .S | | Skipped | 3169 | 93.2 |
| | | | | | 1 | | A Lot More | 20 | 0.6 |
| | | | | | 2 | | A Little More | 24 | 0.7 |
| | | | | | 3 | | The Same | 25 | 0.7 |
| | | | | | 4 | | A Little Less | 3 | 0.1 |
| | | | | | 5 | | A Lot Less | 28 | 0.8 |
| | | | | | 6 | | I Have Not Used Tranquilizers Since The Spill | 55 | 1.6 |
| | | | | | 8 | | Don't Know | 7 | 0.2 |
| | | | | | 9 | | Refused | 4 | 0.1 |
| CE_SA3B_NUM | CE_SA3B_NUM. About how many times have you used prescription tranquilizers in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 7.2 | 0-31 | 101 | MISSING | 66 | 1.9 |
| | | | | | DON'T KNOW | | | 7 | 0.2 |
| | | | | | REFUSED | | | 3 | 0.1 |
| | | | | | SKIPPED | | | 3224 | 94.8 |
| CE_SA4_YN | CE_SA4_YN. Have you ever used any prescription stimulant that was not prescribed for you or that you took mainly for the experience or feeling it caused? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 96 | 2.8 |
| | | | | | 2 | | No | 3184 | 93.6 |
| | | | | | 8 | | Don't Know | 27 | 0.8 |
| | | | | | 9 | | Refused | 28 | 0.8 |
| CE_SA4A | CE_SA4A. Compared to your use of prescription stimulants before the oil spill, would you say your current use is... | NUM | RXSTIMUSE | | . | | Missing | 66 | 1.9 |

| VARIABLE NAME | LABEL (VAR) | TYPE | FORMAT | MEAN | RANGE | N | CATEGORY | FREQUENCY | PERCENT |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | .S | | Skipped | 3239 | 95.2 |
| | | | | | 1 | | A Lot More | 8 | 0.2 |
| | | | | | 2 | | A Little More | 7 | 0.2 |
| | | | | | 3 | | The Same | 7 | 0.2 |
| | | | | | 4 | | A Little Less | 4 | 0.1 |
| | | | | | 5 | | A Lot Less | 11 | 0.3 |
| | | | | | 6 | | I Have Not Used Prescription Stimulants Since The Spill | 58 | 1.7 |
| | | | | | 8 | | Don't Know | 1 | 0.0 |
| | | | | | | | | | |
| CE_SA4B_NUM | CE_SA4B_NUM. About how many times have you used prescription stimulants in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 4.7 | 0-30 | 38 | MISSING | 66 | 1.9 |
| | | | | | | | SKIPPED | 3297 | 96.9 |
| | | | | | | | | | |
| CE_SA5_YN | CE_SA5_YN. Have you ever used any prescription sedative that was not prescribed for you or that you took mainly for the experience or feeling it caused? | NUM | DKREFYN | | . | | Missing | 66 | 1.9 |
| | | | | | 1 | | Yes | 64 | 1.9 |
| | | | | | 2 | | No | 3216 | 94.6 |
| | | | | | 8 | | Don't Know | 19 | 0.6 |
| | | | | | 9 | | Refused | 36 | 1.1 |
| | | | | | | | | | |
| CE_SA5A | CE_SA5A. Compared to your use of prescription sedatives before the oil spill, would you say your current use is... | NUM | SEDAUSE | | . | | Missing | 66 | 1.9 |
| | | | | | .S | | Skipped | 3271 | 96.2 |
| | | | | | 1 | | A Lot More | 5 | 0.1 |
| | | | | | 2 | | A Little More | 3 | 0.1 |
| | | | | | 3 | | The Same | 6 | 0.2 |
| | | | | | 5 | | A Lot Less | 6 | 0.2 |
| | | | | | 6 | | I Have Not Used Sedatives Since The Spill | 42 | 1.2 |
| | | | | | 8 | | Don't Know | 2 | 0.1 |
| | | | | | | | | | |
| CE_SA5B_NUM | CE_SA5B_NUM. About how many times have you used prescription sedatives in the past month? [UNIT: NUMBER OF TIMES IN PAST MONTH] | NUM | BEST | 7.1 | 0-40 | 21 | MISSING | 66 | 1.9 |
| | | | | | | | DON'T KNOW | 1 | 0.0 |
| | | | | | | | SKIPPED | 3313 | 97.4 |
| | | | | | | | | | |